Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://dare.uva.nl/document/106419

File ID	106419
Filename	PART III Multi-Holes and Bubbling Solutions

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	Dissertation
Title	The spectra of supersymmetric states in string theory
Author	M.C. Cheng
Faculty	Faculty of Science
Year	2008
Pages	vii, 254
ISBN	9789571152363

FULL BIBLIOGRAPHIC DETAILS:
http://dare.uva.nl/record/273288

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other then for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)

Part III

Multi-Holes and Bubbling Solutions

This part of the thesis contains two chapters.

In chapter 4 we first discuss various important properties, including the attractor mechanism and the presence of walls of marginal stability for multi-hole solutions, of the supersymmetric solutions of the $\mathcal{N} = 2$, D=4 supergravity theories discussed earlier in section 2.2.2. Later in section 4.4 we explicitly work out the details of these solutions using a type IIA compactification language.

After we have introduced the necessary background, in chapter 5 we move on to discussing properties of the lift of these solutions to five-dimensions using the ideas discussed in section 2.2.2. In particular we will study closely the case in which the M-theory limit is taken. Finally we focus on specific choice of charges such that the five-dimensional solution is smooth and horizonless. This chapter is based on the results reported in publication [75].