Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://dare.uva.nl/document/155323

File ID	155323
Filename	Bibliography

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	Dissertation
Title	Querying XML : benchmarks and recursion
Author	L. Afanasiev
Faculty	Faculty of Science
Year	2009
Pages	x, 235
ISBN	978-90-9024872-1

FULL BIBLIOGRAPHIC DETAILS:
http://dare.uva.nl/record/323940

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other then for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)

Bibliography

Abiteboul, S., Hull, R., and Vianu, V. (1995). *Foundations of Databases*. Addison Wesley.

ACM (2008). SIGMOD/PODS Conference. `http://www.sigmod08.org/`.

Afanasiev, L. and Marx, M. J. (2006). An analysis of the current XQuery benchmarks. In *Proceedings of the 1st International Workshop on Performance and Evaluation of Data Management Systems (ExpDB 2006)*, Chicago, Illinois, USA. ACM Press.

Afanasiev, L. and Marx, M. J. (2008). An analysis of XQuery benchmarks. *Information Systems, Special Issue "Performance Evaluation of Data Management Systems"*, **33**(2), 155–181.

Afanasiev, L. and ten Cate, B. (2009). On Core XPath with Inflationary Fixed Points. In *Proceedings of the 6th Workshop on Fixed Points in Computer Science (FICS 2009)*, Coimbra, Portugal.

Afanasiev, L., Manolescu, I., and Michiels, P. (2005a). MemBeR: a micro-benchmark repository for XQuery. In *Proceedings of the 3rd International XML Database Symposium (XSym 2005)*, number 3671 in LNCS, pages 144–161. Springer.

Afanasiev, L., Blackburn, P., Dimitriou, I., Gaiffe, B., Goris, E., Marx, M., and de Rijke, M. (2005b). PDL for Ordered Trees. *Journal of Applied Non-Classical Logic*, **15**(2), 115–135.

Afanasiev, L., Franceschet, M., Marx, M. J., and Zimuel, E. (2006). XCheck: a Platform for Benchmarking XQuery Engines. In *Proceedings of the 32nd International Conference on Very Large Data Bases (VLDB 2006)*, pages 1247–1250, Seoul, Korea. ACM Press.

Afanasiev, L., ten Cate, B., and Marx, M. J. (2007). Lekker bomen. *Nieuwsbrief van de NVTI*, **11**, 38–52.

Afanasiev, L., Grust, T., Marx, M. J., Rittinger, J., and Teubner, J. (2008). An Inflationary Fixed Point Operator in XQuery. In *Proceedings of the 24th International Conference on Data Engineering (ICDE 2008)*, pages 1504–1506, Cancun, Mexico.

Afanasiev, L., Grust, T., Marx, M. J., Rittinger, J., and Teubner, J. (2009). Recursion in XQuery: Put Your distributivity Safety Belt On. In *Proceedings of the 12th International Conference on Extending Database Technology (EDBT 2009)*, pages 345–356, Saint Petersburg, Russia. ACM.

Agosti, M., Nunzio, G. M. D., and Ferro, N. (2007). Scientific Data of an Evaluation Campaign: Do We Properly Deal with Them? In *Evaluation of Multilingual and Multi-modal Information Retrieval*, volume Volume 4730/2007 of *Lecture Notes in Computer Science*, pages 11–20. Springer Berlin / Heidelberg.

Al-Khalifa, S., Jagadish, H. V., Patel, J. M., Wu, Y., Koudas, N., and Srivastava, D. (2002). Structural Joins: A Primitive for Efficient XML Query Pattern Matching. In *Proceedings of the 18th International Conference on Data Engineering (ICDE 2002)*, San Jose, CA, USA.

Altinel, M. and Franklin, M. J. (2000). Efficient Filtering of XML Documents for Selective Dissemination of Information. In *Proceedings of the 26th International Conference on Very Large Data Bases (VLDB 2000)*, pages 53–64, Cairo, Egypt.

Axyana Software (2006). Qizx/Open version 1.0 : An open-source Java implementation of XQuery. `http://www.axyana.com/qizxopen`.

Axyana Software (2009). Qizx/Open version 3.0: An open-source Java implementation of XQuery. `http://www.xmlmind.com/qizx/`.

Bancilhon, F. and Ramakrishnan, R. (1986). An Amateur's Introduction to Recursive Query Processing Strategies. In *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD 1986)*, Washington, D.C., USA.

Barbosa, D., Mendelzon, A. O., Keenleyside, J., and Lyons, K. A. (2002). ToXgene: An extensible template-based data generator for XML. In *Proceedings of the 5th International Workshop on the Web and Databases (WebDB 2002)*, pages 49–54, Madison, Wisconsin, USA.

Berkeley XML DB (2009). `http://www.oracle.com/database/berkeley-db/xml/index.html`.

Beyer, K., Cochrane, R. J., Josifovski, V., Kleewein, J., Lapis, G., Lohman, G., Lyle, B., Özcan, F., Pirahesh, H., Seemann, N., Truong, T., Van der Linden, B., Vickery, B., and Zhang, C. (2005). System RX: One Part Relational, One Part XML. In *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD 2005)*, pages 347–358, New York, NY, USA. ACM.

Blackburn, P., de Rijke, M., and Venema, Y. (2002). *Modal Logic*. Cambridge University Press.

Böhme, T. and Rahm, E. (2001). XMach-1: A benchmark for XML data management. In *Proceedings of Datenbanksysteme in Büro, Technik und Wissenschaft (BTW 2001)*, Oldenburg, Germany.

Boncz, P., Grust, T., van Keulen, M., Manegold, S., Rittinger, J., and Teuber, J. (2006a). MonetDB/XQuery: a fast XQuery processor powered by a relational engine. In *Proceedings of the 25th ACM SIGMOD International Conference on Management of Data (SIGMOD 2006)*, pages 479–490, Chicago, Illinois, USA.

Boncz, P., Grust, T., van Keulen, M., Manegold, S., Rittinger, J., and Teuber, J. (2006b). MonetDB/XQuery. An XQuery Implementation. `http://monetdb.cwi.nl/XQuery`.

Börger, E., Grädel, E., and Gurevich, Y. (1997). *The Classical Decision Problem*. Springer, Berlin.

Bosak, J. (1999). Shakespeare. `http://www.ibiblio.org/xml/examples/shakespeare/`.

Bressan, S., Lee, M. L., Li, Y. G., Wadhwa, B., Lacroix, Z., Nambiar, U., and Dobbie, G. (2001a). The X007 Benchmark. `http://www.comp.nus.edu.sg/~ebh/XOO7.html`.

Bressan, S., Dobbie, G., Lacroix, Z., Lee, M., Li, Y., Nambiar, U., and Wadhwa, B. (2001b). X007: Applying 007 benchmark to XML query processing tool. In *Proceedings of the 10th International Conference on Information and Knowledge Management (CIKM 2001)*, pages 167–174, Atlanta, Georgia, USA.

Brundage, M. (2004). *XQuery: The XML Query Language*. Addison-Wesley Professional.

BumbleBee (2006). BumbleBee: An XQuery Test Harnest. `http://www.xquery.com/bumblebee/`.

Carey, M. J., DeWitt, D. J., and Naughton, J. F. (1993). The 007 benchmark. In *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD 1993)*, pages 12–21, Washington, D.C., USA. ACM.

Chamberlin, D., Robie, J., and Florescu, D. (2000). Quilt: An XML Query Language for Heterogeneous Data Sources. In *Proceedings of the 3rd International Workshop on the Web and Databases (WebDB 2000)*, LNCS, pages 53–62, Dallas, Texas, USA. Springer-Verlag.

Cohen, P. R. (1995). *Empirical Methods for Artificial Intelligence*. Bradford Books.

Dawar, A., Grädel, E., and Kreutzer, S. (2004). Inflationary Fixed Points in Modal Logic. *ACM Transations on Computational Logic*, **5**, 282–315.

Diaz, A. L. and Lovell, D. (1999). IBM Alpha Works XML Generator. `http://www.alphaworks.ibm.com/tech/xmlgeneratorhp`.

EXSLT (2006). EXSLT: Extensions to XSLT. `http://www.exslt.org/`.

Fan, W., Qeerts, F., Jia, X., and Kementsietsidis, A. (2006). SMOQE: A System for Providing Secure Access to XML. In *Proceedings of the 28th International Conference on Very Large Dada Bases (VLDB 2006)*, pages 1227–1230, Seoul, Korea.

Fan, W., Geerts, F., Jia, X., and Kementsietsidis, A. (2007). Rewriting Regular XPath Queries on XML Views. In *Proceedings of the 23rd International Conference on Data Engineering (ICDE 2007)*, pages 666–675, Istanbul, Turkey.

Fernández, M., Siméon, J., Chen, C., Choi, B., Gapeyev, V., Marian, A., Michiels, P., Onose, N., Petkanics, D., Ré, C., Stark, M., Sur, G., Vyas, A., and Wadler, P. (2006). Galax: An implementation of XQuery. `http://www.galaxquery.org`.

Fiebig, T., Helmer, S., Kanne, C.-C., Moerkotte, G., Neumann, J., Schiele, R., and Westmann, T. (2002). Anatomy of a Native XML Base Management System. *The VLDB Journal*, **11**(4), 292–314.

Galindo-Legaria, C. and Joshi, M. (2001). Orthogonal Optimization of Subqueries and Aggregation. In *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD 2001)*, pages 571–581, New York, NY, USA. ACM.

Georgetown Protein Information Resource (2001). Protein Sequence Database. `http://www.cs.washington.edu/research/xmldatasets/`.

Gottlob, G. and Koch, C. (2002). Monadic Queries over Tree-Structured Data. In *Proceedings of the 17th IEEE Symposium on Logic in Computer Science (LICS 2002)*, pages 189–202.

Gottlob, G., Koch, C., and Pichler, R. (2005). Efficient Algorithms for Processing XPath Queries. *ACM Transactions on Database Systems (TODS)*, **30**(2), 444–491.

Gou, G. and Chirkova, R. (2007). Efficiently Querying Large XML Data Repositories: A Survey. *IEEE Transactions on Knowledge and Data Engineering*, **19**(10), 1381–1403.

Grinev, M. and Lizorkin, D. (2004). XQuery Function Inlining for Optimizing XQuery Queries. In *Proceedings of the 8th East-European Conference on Advances in Databases and Information Systems (ADBIS 2004)*.

Grust, T., van Keulen, M., and Teubner, J. (2003). Staircase Join: Teach a Relational DBMS to Watch its (Axis) Steps. In *Proceedings of the 29th International Conference on Very Large Data Bases (VLDB 2003)*, Berlin, Germany.

Grust, T., Sakr, S., and Teubner, J. (2004). XQuery on SQL Hosts. In *Proceedings of the 30th International Conference on Very Large Data Bases (VLDB 2004)*, pages 252–263.

Gulutzan, P. and Pelzer, T. (1999). *SQL-99 Complete, Really*. CMP Books.

Güntzer, U., Kieüling, W., and Bayer, R. (1987). On the Evaluation of Recursion in (Deductive) Database Systems by Efficient Differential Fixpoint Iteration. In *Proceedings of the 3rd International Conference on Data Engineering (ICDE 1987)*, pages 120–129.

Han, J., Qadah, G. Z., and Chaou, C. (1988). The Processing and Evaluation of Transitive Closure Queries. In *Proceedings of the 1st International Conference on Extending Database Technology (EDBT 1988)*, pages 49–75.

Hidders, J., Paredaens, J., Vercammen, R., and Demeyer, S. (2004). A Light but Formal Introduction to XQuery. In *Proceedings of the 2nd International XML Database Symposium (XSym 2004)*, pages 5–20.

Ioannidis, Y. E. (1986). On the Computation of the Transitive Closure of Relational Operators. In *Proceedings of the 12th International Conference on Very Large Data Bases (VLDB 1986)*, pages 403–411.

Jagadish, H. V., Lakshmanan, L. V. S., Srivastava, D., and Thompson, K. (2001). TAX: A Tree Algebra for XML. In *Proceedings 8th International Workshop on Database Programming Languages (DBPL 2001)*, pages 149–164.

Jagadish, H. V., Al-Khalifa, S., Chapman, A., Lakshmanan, L. V. S., Nierman, A., Paparizos, S., Patel, J. M., Srivastava, D., Wiwatwattana, N., Wu, Y., and Yu, C. (2002). TIMBER: A native XML database. *The VLDB Journal*, **11**(4), 274–291.

Jain, R. K. (1991). *The Art of Computer Systems Performance Analysis: Techniques for Experimental Design, Measurement, Simulation, and Modeling*. Wiley Publishing.

Janin, D. and Walukiewicz, I. (1996). On the Expressive Completeness of the Propositional mu-Calculus with Respect to Monadic Second Order Logic. In *Proceedings of the 7th International Conference on Concurrency Theory (CONCUR 1996)*, pages 263–277.

Kay, M. H. (2009). SaxonB. An XSLT and XQuery processor. `http://saxon.sourceforge.net`.

Keppel, G. (1973). *Design and Analysis*. Prentice-Hall, Inc., Englewood Cliffs, NJ.

Kepser, S. (2004). A simple proof of the Turing-completeness of XSLT and XQuery. In *Proceedings of the Extreme Markup Languages Conference*, Montréal, Canada.

Koch, C. (2004). XML TaskForce XPath. `http://www.xmltaskforce.com`.

Koch, C. (2006). Arb: A highly scalable query engine for expressive node-selecting queries on (XML) trees. `http://www.infosys.uni-sb.de/~koch/projects/arb/`.

Krishnamurthy, R., Kaushik, R., and Naughton, J. F. (2003). XML-SQL Query Translation Literature: The State of the Art and Open Problems. In *Proceedings of the 1st International XML Database Symposium (XSym 2003)*, pages 1–18.

Lei, H. and Ross, K. A. (1998). Faster Joins, Self-Joins, and Multi-Way Joins Using Join Indices. *Data and Knowledge Engineering*, **28**(3), 277–298.

Manegold, S. (2008). An Empirical Evaluation of XQuery Processors. *Information Systems*, **33**(2), 203–220.

Manolescu, I. and Manegold, S. (2007). Performance Evaluation and Experimental Assessment—Conscience or Curse of Database Research? In *Proceedings of the 33rd International Conference on Very Large Data Bases (VLDB 2007)*, pages 1441–1442, Vienna, Austria.

Manolescu, I. and Manegold, S. (2008). Performance Evaluation in Database Research: Principles and Experience. In *Proceedings of the IEEE International Conference on Data Engineering (ICDE 2008)*, Cancun, Mexico.

Manolescu, I., Afanasiev, L., Arion, A., Dittrich, J., Manegold, S., Polyzotis, N., Schnaitter, K., Senellart, P., Zoupanos, S., and Shasha, D. (2008a). The repeatability experiment of SIGMOD 2008. *SIGMOD Record*, **37**(1), 39–45.

Manolescu, I., Miachon, C., and Michiels, P. (2008b). Towards micro-benchmarking XQuery. *Information Systems*, **33**(2), 182–202.

Marx, M. (2004). XPath with Conditional Axis Relations. In *Proceedings of the 9th International Conference on Extending Database Technology (EDBT 2004)*, pages 477–494.

Meier, W. (2006). eXist. Open Source Native XML Database. `http://exist.sourceforge.net`.

Melton, J. and Simon, A. R. (2002). *SQL: 1999 - Understanding Relational Language Components*. Morgan Kaufmann.

Michael Ley (2006). DBLP XML Records. `http://dblp.uni-trier.de/xml/`.

Miklau, G. and Suciu, D. (2002). Containment and Equivalence for an XPath Fragment. In *Proceedings of the 21st ACM Symposium on Principles of Database Systems (PODS 2002)*, pages 65–76.

Mishra, P. and Eich, M. H. (1992). Join Processing in Relational Databases. *ACM Computing Surveys*, **24**(1), 63–113.

Murthy, R., Liu, Z. H., Krishnaprasad, M., Chandrasekar, S., Tran, A.-T., Sedlar, E., Florescu, D., Kotsovolos, S., Agarwal, N., Arora, V., and Krishnamurthy, V. (2005). Towards an Enterprise XML Architecture. In *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD 2005)*, pages 953–957.

NASA (2001). NASA XML Project. `http://www.cs.washington.edu/research/xmldatasets/www/repository.html#nasa`.

Nentwich, C., Capra, L., Emmerich, W., and Finkelstein, A. (2002). xlinkit: A Consistency Checking and Smart Link Generation Service. *ACM Transactions on Internet Technology*, **2(2)**, 151–185.

Nicola, M. and van der Linden, B. (2005). Native XML Support in DB2 Universal Database. In *Proceedings of the 31st International Conference on Very Large Data Bases (VLDB 2005)*, pages 1164–1174.

Nicola, M., Kogan, I., and Schiefer, B. (2007). An XML transaction processing benchmark. In *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD 2007)*, pages 937–948.

Pal, S., Cseri, I., Seeliger, O., Rys, M., Schaller, G., Yu, W., Tomic, D., Baras, A., Berg, B., Churin, D., and Kogan, E. (2005). XQuery Implementation in a Relational Database System. In *Proceedings of the 31st International Conference on Very Large Data Bases (VLDB 2005)*, pages 1175–1186.

Paparizos, S., Wu, Y., Lakshmanan, L., and Jagadish, H. (2004). Tree Logical Classes for Efficient Evaluation of XQuery. In *Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD 2004)*, Paris, France.

Park, C., Min, J., and Chung, C. (2002). Structural Function Inlining Techniques for Structurally Recursive XML Queries. In *Proceedings of the 28th International Conference on Very Large Data Bases (VLDB 2002)*, pages 83–94, Hong Kong, China.

Qexo (2006). Qexo - The GNU Kawa implementation of XQuery. `http://www.gnu.org/software/qexo/`.

Runapongsa, K., Patel, J., Jagadish, H., Chen, Y., and Al-Khalifa, S. (2002). The Michigan Benchmark: A Microbenchmark for XML Query Processing Systems. In *Proceedings of the 1st International Workshop on Efficiency and Effectiveness of XML Tools and Techniques(EEXTT 2002)*, pages 160–161.

Runapongsa, K., Patel, J., Jagadish, H., Chen, Y., and Al-Khalifa, S. (2003). The Michigan Benchmark: Towards XML Query Performance Diagnostics. Technical report, The University of Michigan.

Sahuguet, A., Dupont, L., and Nguyen, T.-L. (2000). Kweelt: a framework to query XML data. `http://kweelt.sourceforge.net/`.

Schmidt, A. R., Waas, F., Kersten, M. L., Florescu, D., Manolescu, I., Carey, M. J., and Busse, R. (2001). The XML Benchmark Project. Technical Report INS-R0103, CWI, Amsterdam, The Netherlands.

Schmidt, A. R., Waas, F., Kersten, M. L., Carey, M. J., Manolescu, I., and Busse, R. (2002). XMark: A Benchmark for XML Data Management. In *Proceedings of the 28th International Conference on Very Large Data Bases (VLDB 2002)*, pages 974–985, Hong Kong, China.

Swiss-Prot and TrEMBL (1998). SwissProt Protein Sequence Database. `http://www.cs.washington.edu/research/xmldatasets`.

ten Cate, B. (2006a). Regular XPath: Algebra, Logic and Automata. Unpublished note presented at AUTOMATHA Workshop on Algebraic Theory of Automata and Logic.

ten Cate, B. (2006b). The Expressivity of XPath with Transitive Closure. In *Proceedings of the 25th ACM Symposium on Principles of Database Systems (PODS 2006)*, pages 328–337.

ten Cate, B. and Marx, M. (2009). Axiomatizing the logical core of XPath 2.0. *Theory of Computing Systems*, **44**(4), 561–589.

Thomas, W. (1997). Languages, automata, and logic. In *Handbook of formal languages*, volume 3: Beyond words, pages 389–455. Springer-Verlag New York, Inc., New York, NY, USA.

TPC (2009). Transaction Processing Performance Council. `http://www.tpc.org/`.

Treebank (2002). Penn Treebank: A corpus of parsed sentences. `http://www.cs.washington.edu/research/xmldatasets/data/treebank`.

University of Antwerp (2006). Blixem: a LiXQuery engine. `http://adrem.ua.ac.be/~blixem/`.

Williams, T., Kelley, C., Lang, R., Kotz, D., Campbell, J., Elber, G., and Woo, A. (2008). Gnuplot: a function plotting utility. `http://www.gnuplot.info/`.

World Wide Web Consortium (1998). Document Object Model (DOM) Version 1.0. http://www.w3.org/DOM/.

World Wide Web Consortium (1999a). XML Path Language, Version 1.0 (XPath 1.0). http://www.w3.org/TR/xquery.

World Wide Web Consortium (1999b). XSL Transformations (XSLT) Version 1.0. http://www.w3.org/TR/xslt.

World Wide Web Consortium (2004a). XML Information Set (Second Edition). http://www.w3.org/TR/xml-infoset/.

World Wide Web Consortium (2004b). XML Schema, Version 1.0 (Second Edition). http://www.w3.org/TR/xmlschema-0/.

World Wide Web Consortium (2006a). XQuery Test Suite, Release Version 1.0.2. http://www.w3.org/XML/Query/test-suite/.

World Wide Web Consortium (2006b). XQuery Test Suite Result Summary. `http://www.w3.org/XML/Query/test-suite/XQTSReport.html`.

World Wide Web Consortium (2007). XML Path Language (XPath) 2.0. http://www.w3.org/TR/xpath20/.

World Wide Web Consortium (2007). XQuery 1.0: An XML Query Language. http://www.w3.org/TR/xquery.

World Wide Web Consortium (2007a). XQuery 1.0 and XPath 2.0 Data Model (XDM). http://www.w3.org/TR/xpath-datamodel/.

World Wide Web Consortium (2007b). XQuery 1.0 and XPath 2.0 Formal Semantics. http://www.w3.org/TR/xquery-semantics/.

World Wide Web Consortium (2007c). XSL Transformations (XSLT) Version 2.0. http://www.w3.org/TR/xslt20/.

World Wide Web Consortium (2008). Extensible Markup Language (XML) 1.0 (Fifth Edition). http://www.w3.org/TR/REC-xml.

World Wide Web Consortium (2009a). XQuery and XPath Full Text 1.0. `http://www.w3.org/TR/xpath-full-text-10/`.

World Wide Web Consortium (2009b). XQuery Update Facility 1.0. `http://www.w3.org/TR/xquery-update-10/`.

X-Hive/DB (2005). An XML Database System Management. `http://www.x-hive.com/products/db/index.html`.

Xalan (2002). An implementation of XPath 1.0. http://xalan.apache.org/.

XSLTMark (2006). XSLTMark: a benchmark for XSLT. `http://www.datapower.com/xmldev/xsltmark.html`.

Yao, B., Özsu, T., and Khandelwal, N. (2004). XBench Benchmark and Performance Testing of XML DBMSs. In *Proceedings of the 20th International Conference on Data Engineering (ICDE 2004)*, pages 621–633.

Yao, B. B., Özsu, M. T., and Keenleyside, J. (2002). XBench–A Family of Benchmarks for XML DBMSs. In *Proceedings of the 1st International Workshop on Efficiency and Effectiveness of XML Tools and Techniques(EEXTT 2002)*, pages 162–164.