Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://dare.uva.nl/document/165870

File ID	165870
Filename	Bibliography

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	Dissertation
Title	Emergent electronic matter : Fermi surfaces, quasiparticles and magnetism in manganites and pnictides
Author	S. de Jong
Faculty	Faculty of Science
Year	2010
Pages	156
ISBN	978-90-9025255-1

FULL BIBLIOGRAPHIC DETAILS:
http://dare.uva.nl/record/332687

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)

Bibliography

[1] S. de Jong, Y. Huang, I. Santoso, F. Massee, R. Follath, O. Schwarzkopf, L. Patthey, M. Shi, and M. S. Golden. *Quasiparticles and anomalous temperature dependence of the low-lying states in the colossal magnetoresistant oxide* $La_{2-2x}Sr_{1+2x}Mn_2O_7$ *(x=0.36) from angle-resolved photoemission.* Phys. Rev. B, **76**, 235117 (2007).

[2] S. de Jong, F. Massee, Y. Huang, M. Gorgoi, F. Schaefers, J. Fink, A. T. Boothroyd, D. Prabhakaran, J. B. Goedkoop, and M. S. Golden. *High-resolution hard x-ray photoemission investigation of* $La_{2-2x}Sr_{1+2}xMn_2O_7$ $(0.30 < x < 0.50)$ *: Microscopic phase separation and surface electronic structure of a bilayer colossal magnetoresistance manganite.* Phys. Rev. B, **80**, 205108 (2009).

[3] S. de Jong, Y. Huang, R. Huisman, F. Massee, S. Thirupathaiah, M. Gorgoi, F. Schaefers, R. Follath, J. B. Goedkoop, and M. S. Golden. *High-resolution, hard x-ray photoemission investigation of* $BaFe_2As_2$ *: Moderate influence of the surface and evidence for a low degree of Fe3d- As4p hybridization of electronic states near the Fermi energy.* Phys. Rev. B, **79**, 115125 (2009).

[4] Y. Tokura. *Critical features of colossal magnetoresistive manganites.* Rep. Prog. Phys., **69**, 797 (2006).

[5] H. Zheng, Q. Li, K. E. Gray, and J. F. Mitchell. *Charge and orbital ordered phases of* $La_{2-2x}Sr_{1+2x}Mn_2O_{7-\delta}$. Phys. Rev. B, **78**, 155103 (2008).

[6] J. B. Goodenough. *Theory of the role of covelence in the perovskite-type manganites [La,M(II)]*MnO_3. Phys. Rev., **100**, 564 (1955).

[7] P. de Gennes. *Effect of double-exchange in magnetic crystals.* Phys. Rev, **118**, 141 (1960).

[8] P. W. Anderson and H. Hasegawa. *Consideration on double-exchange.* Phys. Rev, **100**, 675 (1955).

[9] T. Z.Ward, J. D. Budai, Z. Gai, J. Z. Tischler, L. Yin, and J. Shen. *Elastically driven anisotropic percolation in electronic phase-separated manganites.* Nature Mat., **5**, 885 (2009).

[10] T. Kimura and Y. Tokura. *Layered magnetic manganites.* Annu. Rev. Mater. Sci., **30**, 451 (2000).

[11] H. J. Lee, K. H. Kim, J. H. Jung, T. W. Noh, R. Suryanarayanan, G. Dhalenne, and A. Revcolevschi. *Optical studies of a layered manganite* $La_{1.2}Sr_{1.8}Mn_2O_7$*: Polaron correlation effect.* Phys. Rev. B, **62**, 11 320 (2000).

[12] A. J. Millis, P. B. Littlewood, and B. I. Shraiman. *Double exchange alone does not explain the resistivity of* $La_{1-x}Sr_xMnO_3$. Phys. Rev. Lett., **74**, 5144 (1995).

[13] L. Vasiliu-Doloc, S. Rosenkranz, R. Osborn, S. K. Sinha, J. W. Lynn, J. Mesot, O. H. Seeck, G. Preosti, A. J. Fedro, and J. F. Mitchell. *Charge Melting and Polaron Collapse in* $La_{1.2}Sr_{1.8}Mn_2O_7$. Phys. Rev. Lett., **83**, 4393 (1999).

[14] B. J. Campbell, R. Osborn, D. N. Argyriou, L. Vasiliu-Doloc, J. F. Mitchell, S. K. Sinha, U. Ruett, C. D. Ling, Z. Islam, and J. W. Lynn. *Structure of nanoscale polaron correlations in* $La_{1.2}Sr_{1.8}Mn_2O_7$. Phys. Rev. B, **65**, 014427 (2001).

[15] D. N. Argyriou, T. M. Kelley, J. F. Mitchell, R. A. Robinson, R. Osborn, S. Rosenkranz, R. I. Sheldon, and J. D. Jorgensen. *Two-dimensional ferromagnetic correlations above* T_C *in the naturally layered CMR manganite* $La_{2-2x}Sr_{1+2x}Mn_2O_7$ ($x = 0.30.4$) *(invited).* J. Appl. Phys., **83**, 6374 (1998).

[16] X. J. Chen, C. L. Zhang, C. C. Almasan, J. S. Gardner, and J. L. Sarrao. *Small-polaron hopping conduction in bilayer manganite* $La_{1.2}Sr_{1.8}Mn_2O_7$. Phys. Rev. B, **67**, 094426 (2003).

[17] F.Weber, N. Aliouane, H. Zheng, J. F. Mitchell, D. N. Argyriou, and D. Reznik. *Signature of checkerboard fluctuations in the phonon spectra of a possible polaronic metal* $La_{1.2}Sr_{1.8}Mn_2O_7$. Nauture Mat., **8**, 798 (2009).

[18] X. Y. Huang, O. N. Mryasov, D. L. Novikov, and A. J. Freeman. *Electronic and magnetic properties of layered colossal magnetoresistive oxides:* $La_{2-2x}Sr_{1+2x}Mn_2O_7$. Phys. Rev. B, **62**, 13318 (2000).

[19] A. Moreo, S. Yunoki, and E. Dagotto. *Phase Separation Scenario for Manganese Oxides and Related Materials.* Science, **283**, 2034 (1999).

[20] A. Moreo, M. Mayr, A. Feiguin, S. Yunoki, and E. Dagotto. *Giant cluster coexistence in doped manganites and other compounds.* Phys. Rev. Lett., **84**, 5568 (2000).

[21] R. Saniz, M. R. Norman, and A. J. Freeman. *Orbital Mixing and Nesting in the Bilayer Manganites* $La_{2-2x}Sr_{1+2x}Mn_2O_7$. Phys. Rev. Lett., **101**, 236402 (2008).

[22] Y.-D. Chuang, A. D. Gromko, D. S. Dessau, T. Kimura, , and Y. Tokura. *Fermi Surface Nesting and Nanoscale Fluctuating Charge/Orbital Ordering in Colossal Magnetoresistive Oxides.* Science, **25**, 1509 (2001).

[23] N. Mannella, W. L. Yang, X. J. Zhou, H. Zheng, J. F. Mitchell, J. Zaanen, T. P. Devereaux, N. Nagaosa, Z. Hussain, and Z.-X. Shen. *Nodal quasiparticle in pseudogapped colossal magnetoresistive manganites.* Nature (London), **438**, 474 (2005).

[24] Z. Sun, Y.-D. Chuang, A. V. Fedorov, J. F. Douglas, D. Reznik, F. Weber, N. Aliouane, D. N. Argyriou, H. Zheng, J. F. Mitchell, T. Kimura, Y. Tokura,

A. Revcolevschi, and D. S. Dessau. *Quasiparticle-like peaks, kinks, and electron-phonon coupling at the* $(\pi, 0)$ *regions in the CMR oxide* $La_{2-2x}Sr_{1+2x}Mn_2O_7$. Phys. Rev. Lett., **97**, 056401 (2006).

[25] Z. Sun, J. F. Douglas, A. V. Fedorov, Y.-D. Chuang, H. Zheng, J. F. Mitchell, and D. S. Dessau. *A local metallic state in globally insulating* $La_{1.24}Sr_{1.76}Mn_2O_7$ *well above the metal−insulator transition.* Nature Physics, **3**, 248 (2007).

[26] N. Mannella, W. L. Yang, X. J. Zhou, H. Zheng, J. F. Mitchell, J. Zaanen, T. P. Devereaux, N. Nagaosa, Z. Hussain, and Z.-X. Shen. *Polaron coherence condensation as the mechanism for colossal magnetoresistance in layered manganites.* Phys. Rev. B, **76**, 233102 (2007).

[27] C. Jozwiak, J. Graf, S. Y. Zhou, A. Bostwick, E. Rotenberg, H. Zheng, J. F. Mitchell, and A. Lanzara. *Bilayer splitting and c-axis coupling in CMR bilayer manganites.* arXiv:0806.2120v1 [cond-mat.str-el] (2008).

[28] M. Kubota, K. Onoa, and T. Yoshida. *Electronic structure of layered manganite* $La_{1.1}Sr_{1.9}Mn_2O_7$ *studied by angle-resolved photoemission spectroscopy at low temperatures.* J. Electron Spec. Rel. Phenom., **156**, 398 (2007).

[29] E. Slooten, T. Naka, A. Gasparini, Y. K. Huang, and A. de Visser. *Enhancement of Superconductivity near the Ferromagnetic Quantum Critical Point in UCoGe.* Phys. Rev. Lett, **103**, 097003 (2009).

[30] A. Damascelli, Z. Hussain, and Z.-X. Shen. *Angle-resolved photoemission studies of the cuprate superconductors.* Rev. Mod. Phys., **75**, 473 (2003).

[31] J. W. Lynn and P. Dai. *Neutron studies of the iron-based family of high TC magnetic superconductors.* Physica C, **469**, 469 (2009).

[32] Y. Kamihara, T. Watanabe, M. Hirano, and H. Hosono. *Iron-based layered superconductor* $La(O_{1-x}F_x)FeAs$ *(x=0.05-0.12) with* T_c*=26 K.* J.Am.Chem.Soc., **130**, 3296 (2008).

[33] J.-H. Chu, J. G. Analytis, C. Kucharczyk, and I. R. Fisher. *Determination of the phase diagram of the electron doped superconductor* $Ba(Fe_{1-x}Co_x)_2As_2$. Phys. Rev. B, **79**, 014506 (2009).

[34] H. Chen, Y. Ren, Y. Qiu, W. Bao, R. H. Liu, G. Wu, T. Wu, Y. L. Xie, X. F. Wang, Q. Huang, and X. H. Chen. *Coexistence of the spin-density-wave and superconductivity in the* $(Ba,K)Fe_2As_2$. arXiv:0807.3950v1 [cond-mat.supr-con] (2009).

[35] F.-C. Hsu, J.-Y. Luo, K.-W. Yeh, T.-K. Chen, T.-W. Huang, P. M. Wu, Y.-C. Lee, Y.-L. Huang, Y.-Y. Chu, D.-C. Yan, and M.-K. Wu. *Superconductivity in the PbO-type structure* α*-FeSe.* Proc. Natl. Acad. Sci. U.S.A., **105**, 14262 (2008).

[36] W. Bao, Y. Qiu, Q. Huang, M. A. Green, P. Zajdel, M. R. Fitzsimmons, M. Zhernenkov, S. Chang, M. Fang, B. Qian, E. K. Vehstedt, J. Yang, H. M. Pham, L. Spinu, and Z. Q. Mao. *Tunable* $(\delta\pi, \delta\pi)$*-Type Antiferromagnetic Order in* α*-Fe(Te,Se) Superconductors.* Phys. Rev. Lett., **102**, 247001 (2009).

[37] F. Massee, S. de Jong, Y. Huang, J. Kaas, E. van Heumen, J. B. Goedkoop, and M. S. Golden. *Cleavage surfaces of the* $BaFe_{2-x}Co_xAs_2$ *and* $Fe_ySe_{1-x}Te_x$ *superconductors: A combined STM plus LEED study.* Phys. Rev. B, **80**, 140507(R) (2009).

[38] Y. Yin, M. Zech, T. Williams, and J. Hoffman. *Scanning tunneling microscopy and spectroscopy on iron-pnictides.* Physica C, **469**, 535 (2009).

[39] C. Lester, J.-H. Chu, J. G. Analytis, S. C. Capelli, A. S. Erickson, C. L. Condron, M. F. Toney, I. R. Fisher, and S. M. Hayden. *Neutron scattering study of the interplay between structure and magnetism in* $Ba(Fe_{1-x}Co_x)_2As_2$. Phys. Rev. B, **79**, 144523 (2009).

[40] F. Rullier-Albenque, D. Colson, A. Forget, and H. Alloul. *Hall Effect and Resistivity Study of the Magnetic Transition, Carrier Content, and Fermi-Liquid Behavior in* $Ba(Fe_{1-x}Co_x)_2As_2$. Phys. Rev. Lett. 103, (2009), **103**, 057001 (2009).

[41] M. Rotter, M. Tegel, and D. Johrendt. *Superconductivity at 38 K in the Iron Arsenide* $Ba1 - xK_xFe_2As_2$. Phys. Rev. Lett., **101**, 107006 (2008).

[42] D. K. Pratt, W. Tian, A. Kreyssig, J. L. Zarestky, S. Nandi, N. Ni, S. L. Budko, P. C. Canfield, A. I. Goldman, and R. J. McQueeney. *Coexistence of Competing Antiferromagnetic and Superconducting Phases in the Underdoped* $Ba(Fe_{0.953}Co_{0.0472}As_2$ *Compound Using X-ray and Neutron Scattering Techniques.* Phys. Rev. Lett., **103**, 087001 (2009).

[43] M.-H. Julien, H. Mayaffre, M. Horvatić, C. Berthier, X. D. Zhang, W. Wu, G. F. Chen, N. L. Wang, and J. L. Luo. *Homogeneous vs. inhomogeneous coexistence of magnetic order and superconductivity probed by NMR in Co- and K-doped iron pnictides.* EuroPhys. Lett., **87**, 37001 (2009).

[44] M. Sadovskii. *High - Temperature Superconductivity in Iron Based Layered Compounds.* Physics Uspekhi, **51**, 1201 (2008).

[45] H. Hiramatsu, T. Katase, T. Kamiya, M. Hirano, and H. Hosono. *Water-induced superconductivity in* $SrFe_2As_2$. Phys. Rev. B, **80**, 052501 (2009).

[46] I. Mazin and J. Schmalian. *Pairing symmetry and pairing state in ferropnictides: Theoretical overview.* Physica C, **469**, 614 (2009).

[47] J. Fink, S. Thirupathaiah, R. Ovsyannikov, H. A. Dürr, R. Follath, Y. Huang, S. de Jong, M. S. Golden, Y.-Z. Zhang, H. O. Jeschke, R. Valenti, C. Felser, S. D. Farahani, M. Rotter, and D. Johrendt. *Electronic structure studies of* $BaFe_2As_2$ *by angle-resolved photoemission spectroscopy.* Phys. Rev. B, **79**, 155118 (2009).

[48] P. Vilmercati, A. Fedorov, I. Vobornik, M. U, G. Panaccione, A. Goldoni, A. S. Sefat, M. A. McGuire, B. C. Sales, R. Jin, D. Mandrus, D. J. Singh, and N. Mannella. *Evidence for three-dimensional Fermi-surface topology of the layered electron-doped iron superconductor* $Ba(Fe_{1-x}Co_x)_2As_2$. Phys. Rev. B, **79**, 220503(R) (2009).

[49] C. Liu, T. Kondo, N. Ni, A. D. Palczewski, A. Bostwick, G. D. Samolyuk, R. Khasanov, M. Shi, E. Rotenberg, S. L. Budko, P. C. Canfield, and A. Kaminski. *Three- to Two-Dimensional Transition of the Electronic Structure in* $CaFe_2As_2$*: A Parent Compound for an Iron Arsenic High-Temperature Superconductor.* Phys. Rev. Lett, **102**, 167004 (2009).

[50] J. Dong, H. J. Zhang, G. Xu, Z. Li, G. Li, W. Z. Hu, D. Wu, G. F. Chen, X. Dai, J. L. Luo, Z. Fang, and N. L. Wang. *Competing orders and spin-density-wave instability in* $La(O_{1-x}F_x)FeAs$. Europhys. Lett., **83**, 27006 (2008).

[51] M. J. Han, Q. Yin, W. E. Pickett, and S. Y. Savrasov. *Anisotropy, Itineracy, and Magnetic Frustration in High-*T_C *Iron Pnictides.* Phys. Rev. Lett., **102**, 107003 (2009).

[52] S. E. Sebastian, J. Gillet, N. Harrison, P. H. C. Lau, D. J. Sing, C. H. Mielke, and G. G. Lonzarich. *Quantum oscillations in the parent magnetic phase of an iron arsenide high temperature superconductor.* J. Phys.: Condens. Matter, **20**, 422203 (2008).

[53] J. G. Analytis, R. D. McDonald, J.-H. Chu, S. C. Riggs, A. F. Bangura, C. Kucharczyk, M. Johannes, and I. R. Fisher. *Quantum oscillations in the parent pnictide* $BaFe_2As_2$*: Itinerant electrons in the reconstructed state.* Phys. Rev. B, **80**, 064507 (2009).

[54] W. Z. Hu, J. Dong, G. Li, Z. Li, P. Zheng, G. F. Chen, J. L. Luo, and N. L. Wang. *Origin of the Spin Density Wave Instability in* AFe_2As_2 *(A=Ba,Sr) as Revealed by Optical Spectroscopy.* Phys. Rev. Lett., **101**, 257005 (2008).

[55] D. Wu, N. Barisic, N. Drichko, S. Kaiser, A. Faridan, M. Dressel, S. Jiang, Z. Ren, L. J. Li, G. H. Cao, Z. A. Xu, H. S. Jeevan, and P. Gegenwart. *Effects of magnetic ordering on dynamical conductivity: Optical investigations of* $EuFe_2As_2$ *single crystals.* Phys. Rev. B, **79**, 155103 (2009).

[56] I. I. Mazin and M. D. Johannes. *A key role for unusual spin dynamics in ferropnictides.* Nature Phys., **5**, 141 (2009).

[57] G. A. Sawatzky, I. S. Elfimov, and J. van den Brink. *Heavy-anion solvation of polarity fluctuations in pnictides.* Europhys. Lett., **86**, 17006 (2009).

[58] D. V. Evtushinsky, D. S. Inosov, V. B. Zabolotnyy, A.Koitzsch, M. Knupfer, B. Buchner, G. L. Sun, V. Hinkov, A. V. Boris, C. T. Lin, B. Keimer, A. Varykhalov, A. A. Kordyuk, and S. V. Borisenko. *Momentum dependence of the superconducting gap in* $Ba_{1-x}K_xFe_2As_2$. Phys. Rev. B, **79**, 054517 (2009).

[59] D. Hsieh, Y. Xia, L. Wray, D. Qian, K. Gomes, A. Yazdani, G. Chen, J. Luo, N. Wang, and M. Hasan. *Experimental determination of the microscopic origin of magnetism in parent iron pnictides.* arXiv:0812.2289v1 [cond-mat.supr-con] (2008).

[60] P. Richard, K. Nakayama, T. Sato, M. Neupane, Y.-M. Xu, J. H. Bowen, G. F. Chen, J. L. Luo, N. L. Wang, H. Ding, and T. Takahashi. *Observation of Dirac Cone Electronic Dispersion in* $BaFe_2As_2$. arXiv:0909.0574 [cond-mat.supr-con] (2009).

[61] M. Yi, D. H. Lu, G. Analytis, J.-H. Chu, S.-K. Mo, R.-H. He, M. Hashimoto, R. G. Moore, I. Mazin, D. J. Singh, Z. Hussain, R. Fisher, and Z.-X. Shen. *Unconventional electronic reconstruction in undoped (Ba,Sr)*Fe_2As_2 *across the spin density wave transition.* Phys. Rev. B, **80**, 174510 (2009).

[62] S. Thirupathaiah, S. de Jong, R. Ovsyannikov, H. Duerr, A. Varykhalov, R. Follath, Y. Huang, R. Huisman, M. Golden, Y.-Z. Zhang, H. Jeschke, R. Valenti, A. Erb, A. Gloskovskii, and J. Fink. *Orbital character variation of the Fermi surface and doping dependent changes of the dimensionality in* $BaFe_{2-x}Co_xAs_2$ *from angle-resolved photoemission spectroscopy.* arXiv:0910.0147v1 [cond-mat.supr-con] (2009).

[63] W. L. Yang, A. P. Sorini, C.-C. Chen, B. Moritz, W.-S. Lee, F. Vernay, P. Olalde-Velasco, J. D. Denlinger, B. Delley, J.-H. Chu, J. G. Analytis, I. R. Fisher, Z. A. Ren, J. Yang, W. Lu, Z. X. Zhao, J. van den Brink, Z. Hussain, Z.-X. Shen, and T. P. Devereaux. *Evidence for weak electronic correlations in iron pnictides.* Phys. Rev. B, **80**, 014508 (2009).

[64] V. Anisimov, E. Kurmaev, A. Moewes, and I. Izyumov. *Strength of correlations in pnictides and its assessment by theoretical calculations and spectroscopy experiments.* Physica C, **469**, 442 (2009).

[65] S. L. Skornyakov, A. V. Efremov, N. A. Skorikov, M. A. Korotin, Y. A. Izyumov, V. I. Anisimov, A. V. Kozhevnikov, and D. Vollhardt. *Classification of the electronic correlation strength in the iron pnictides: The case of the parent compound* $BaFe_2As_2$. Phys. Rev. B, **80**, 092501 (2009).

[66] S. Hüfner. *Photoelectron Spectroscopy.* Springer-Verlag, Berlin (1995).

[67] A. Zangwill. *Physics at surfaces.* Cambridge University Press, Cambridge (1988).

[68] J. C. Campuzano, M. R. Norman, and M. Randeria. *The physics of conventional and unconventional superconductors.* Springer-Verlag, Berlin (2004).

[69] S. L. Molodtsov, S. Halilov, V. D. P. Servedio, W. Schneider, S. Danzenbächer, J. J. Hinarejos, M. Richter, and C. Laubschat. *Cooper Minima in the Photoemission Spectra of Solids.* Phys. Rev. Lett., **85**, 4184 (2000).

[70] J. J. Yeh and I. Lindau. *Atomic Subshell Photoionization Cross Sections and Asymmetry Parameters:* $1 < Z < 103$. Atomic Data and Nuclear Data Tables, **32**, 1 (1985).

[71] G. van der Laan, C. Westra, C. Haas, and G. A. Sawatzky. *Satellite structure in photoelectron and Auger spectra of copper dihalides.* Phys. Rev. B, **23**, 4369 (1981).

[72] N. Mårtensson, P. Baltzer, P. A. Brühwiler, J.-O. Forsell, A. Nilsson, and A. Stenborg. *A very high resolution electron spectrometer.* J. Elec. Spec. Rel. Phenom., **70**, 117 (1994).

[73] A. Hofmann. *The physics of synchrotron radiation.* Cambridge University Press, Cambridge (2004).

[74] http://henke.lbl.gov/optical_constants/bend2.html.

[75] X.-M. Maréchal, T. Bizen, T. Hara, T. Seike, T. Tanaka, and H. Kitamura. *In-vacuum wiggler at SPring-8.* Nuclear Instruments and Methods in Physics Research A, **467**, 138 (2001).

[76] http://nl.wikipedia.org/wiki/Bestand:Undulator.png.

[77] F. Schaefers, M. Mertin, and M. Gorgoi. *KMC-1: A high resolution and high flux soft x-ray beamline at BESSY.* Rev. Sci. Instrum., **78**, 123102 (2007).

[78] R. Follath. *The versatility of collimated plane grating monochromators.* Nuclear Instruments and Methods in Physics Research Section A, **467**, 418 (2001).

[79] C. Westphal, U. Berges, S. Dreiner, R. Follath, M. Krause, F. Schäfers, D. Schirmer, and M. Schürmann. *The plane-grating monochromator beamline at the U55 undulator for surface and interface studies at DELTA.* J. Elec. Spec. Rel. Phenom., **144**, 1117 (2005).

[80] http://www.bessy.de/bit/bit_show_object.html.php?i_bit_id_object=34.

[81] J. Drenth. *Principles of Protein X-Ray Crystallography.* Springer New York (2007).

[82] D. Johrendt and R. Pöttgen. *Superconductivity, magnetism and crystal chemistry of* $Ba_{1-x}K_xFe_2As_2$. Physica C, **469**, 332 (2009).

[83] Y. Su, P. Link, A. Schneidewind, T. Wolf, P. Adelmann, Y. Xia, M. Meven, R. Mittal, M. Rotter, D. Johrendt, T. Brueckel, and M. Loewenhaupt. *Neutron diffraction on antiferromagnetic ordering in single-crystal* $BaFe_2As_2$. Phys. Rev. B, **79**, 064504 (2009).

[84] X. F. Wang, T. Wu, G. Wu, H. Chen, Y. L. Xie, J. J. Ying, Y. J. Yan, R. H. Liu, and X. H. Chen. *Anisotropy in the electrical resistivity and susceptibility of superconducting* $BaFe_2As_2$ *single crystals.* Phys. Rev. Lett., **102**, 117005 (2009).

[85] D. Prabhakaran and A. T. Boothroyd. *Single-crystal growth of $La_{2-2x}Sr_{1+2x}Mn_2O_7$ under pressure.* J. Mater. Sci.: Materials in Electronics, **14**, 587 (2003).

[86] D. Prabhakaran and A. T. Boothroyd. *Frontiers in Magnetic Materials.* Springer-Verlag, Berlin (2003).

[87] H. Jeevan and P. Gegenwart. Proc. ICM2009, J. Phys.: Conf. Ser, in press.

[88] H. S. Jeevan, Z. Hossain, D. Kasinathan, H. Rosner, C. Geibel, and P. Gegenwart. *Electrical resistivity and specific heat of single-crystalline $EuFe_2As_2$: A magnetic homologue of $SrFe_2As_2$.* Phys. Rev. B, **78**, 052502 (2008).

[89] C. D. Ling, J. E. Millburn, J. F. Mitchell, D. N. Argyriou, J. Linton, and H. N. Bordallo. *Interplay of spin and orbital ordering in the layered colossal magnetoresistance manganite $La_{2-2x}Sr_{1+2x}Mn_2O_7$ ($0.5 < x < 1.0$).* Phys. Rev. B, **62**, 15096 (2000).

[90] M. Kubota, H. Fujiokab, K. Ohoyamac, K. Hirotab, Y. Moritomod, H. Yoshizawa, and Y. Endohb. *Neutron scattering studies on magnetic structure of the double-layered manganite $La_{2-2x}Sr_{1+2x}Mn_2O_7$ ($0.3 < x < 1.0$).* J. Phys. Chem. Solids, **60**, 1161 (1999).

[91] Y. Moritomo, A. Asamitsu, H. Kuwahara, and Y. Tokura. *Giant magnetoresistance of manganese oxides with a layered perovskite structure.* Nature (London), **380**, 141 (1996).

[92] H. M. Rønnow, C. Renner, G. Aeppli, T. Kimura, and Y. Tokura. *Polarons and confinement of electronic motion to two dimensions in a layered manganite.* Nature (London), **440**, 1025 (2006).

[93] C. Kim, F. Ronning, A. Damascelli, D. L. Feng, Z.-X. Shen, B. O. Wells, Y. J. Kim, R. J. Birgeneau, M. A. Kastner, L. L. Miller, H. Eisaki, and S. Uchida. *Anomalous temperature dependence in the photoemission spectral function of cuprates.* Phys. Rev. B, **65**, 174516 (2002).

[94] K. Shen, F. Ronning, D. H. Lu, W. S. Lee, N. J. C. Ingle, W. Meevasana, F. Baumberger, A. D. N. P. Armitage, L. L. Miller, Y. Kohsaka, M. Azuma, M. Takano, H. Takagi, and Z.-X. Shen. *Missing Quasiparticles and the Chemical Potential Puzzle in the Doping Evolution of the Cuprate Superconductors.* Phys. Rev. Lett., **93**, 267002 (2004).

[95] K. Kubo and N. Ohata. *A Quantum Theory of Double Exchange.* J. Phys. Soc. Japan., **33**, 21 (1972).

[96] S. Yunoki, J. Hu, A. L. Malvezzi, A. Moreo, N. Furukawa, and E. Dagotto. *Phase separation in electronic models for manganites.* Phys. Rev. Lett., **80**, 845 (1998).

[97] M. Fäth, S. Freisem, A. A. Menovsky, Y. Tomioka, J. Aarts, and J. A. Mydosh. *Spatially Inhomogeneous Metal-Insulator Transition in Doped Manganites.* Science, **285**, 1540 (1999).

[98] T. Becker, C. Streng, Y. Luo, V. Moshnyaga, B. Damaschke, N. Shannon, and K. Samwer. *Intrinsic Inhomogeneities in Manganite Thin Films Investigated with Scanning Tunneling Spectroscopy.* Phys. Rev. Lett., **89**, 237203 (2002).

[99] L. Zhang, C. Israel, A. Biswas, R. L. Greene, and A. de Lozanne. *Direct observation of percolation in a manganite thin film.* Science, **298**, 805 (2002).

[100] S. Rößler, S. Ernst, B. Padmanabhan, S. Elizabeth, H. L. Bhat, F. Steglich, and S. Wirth. *Polaronic state and nanometer-scale phase separation in colossal magnetoresistive manganites.* Europhys. Lett., **83**, 17009 (2008).

[101] D. D. Sarma, D. Topwal, U. Manju, S. R. Krishnakumar, M. Bertolo, S. L. Rosa, G. Cautero, T. Y. Koo, P. A. Sarma, S.-W. Cheong, and A. Fujimori. *Direct Observation of Large Electronic Domains with Memory Effect in Doped Manganites.* Phys. Rev. Lett., **93**, 097202 (2004).

[102] K. Ebata, H. Wadati, M. Takizawa, A. Fujimori, A. Chikamatsu, H. Kumigashira, M. Oshima, Y. Tomioka, and Y. Tokura. *Chemical potential shift and spectral-weight transfer in $Pr_{1-x}Ca_xMnO_3$ revealed by photoemission spectroscopy.* Phys. Rev. B, **74**, 064419 (2006).

[103] Z. Sun, J. F. Douglas, Q. Wang, D. S. Dessau, A. V. Federov, H. Lin, S. Sahrakorpi, B. Barbiellini, R. S. Markiewicz, A. Bansil, H. Zheng, and J. F. Mitchell. *Electronic structure of the metallic ground state of $La_{2-2x}Sr_{1+2x}Mn_2O_7$ for $x \approx 0.59$ and comparison with $x=0.36$, 0.38 compounds as revealed by angle-resolved photoemission.* Phys. Rev. B, **87**, 075101 (2008).

[104] J. W. Freeland, K. E. Gray, L. Ozyuzer, P. Berghuis, E. Badica, J. Kavich, H. Zheng, and J. F. Mitchell. *Full bulk spin polarization and intrinsic tunnel barriers at the surface of layered manganites.* Nature Materials, **4**, 62 (2005).

[105] J. Matsuno, A. Fujimori, Y. Takeda, and M. Takano. *Chemical potential shift in $La_{1-x}Sr_xMnO_3$: Photoemission test of the phase separation scenario.* Europhys. Lett., **59**, 252 (2002).

[106] F. Offi, N. Mannella, T. Pardini, G. Panaccione, A. Fondacaro, P. Torelli, M. W. West, J. F. Mitchell, and C. F. Fadley. *Temperature-dependent electronic structure of the colossal magnetoresistive manganite $La_{0.7}Sr_{0.3}MnO_3$ from hard x-ray photoemission.* Phys. Rev. B, **77**, 174422 (2008).

[107] M. van Veenendaal. *Competition between screening channels in core-level x-ray photoemission as a probe of changes in the ground-state properties of transition-metal compounds.* Phys. Rev. B, **74**, 085118 (2006).

[108] K. Horiba, M. Taguchi, A. Chainani, Y. Takata, E. Ikenaga, D. Miwa, Y. Nishino, K. Tamasaku, M. Awaji, A. Takeuchi, M. Yabashi, H. Namatame, M. Taniguchi, H. Kumigashira, M. Oshima, M. Lippma, M. Kawasaki, H. Koinuma, K. Kobayashi, T. Ishikawa, and S. Shin. *Nature of the well screened state in hard X-ray Mn 2p core-level photoemission measurements of* $La_{1-x}Sr_xMnO_3$ *films.* Phys. Rev. Lett., **93**, 236401 (2004).

[109] T. A. Tyson, Q. Qian, C. C. Kao, J. P. Rueff, F. M. F. de Groot, M. C. S. W. Cheong, M. Greenblatt, and M. A. Subramanian. *Valence state of Mn in Ca-doped LaMnO3 studied by high-resolution Mn K-beta emission spectroscopy.* Phys. Rev. B, **60**, 4665 (1999).

[110] J. Y. Son, T. Mizokawa, J. W. Quilty, S. Harita, K. Takubo, T. Kimura, and Y. Tokura. *Electronic structure of* $La_{2-2x}Sr_{1+2x}Mn_2O_7$ *studied by x-ray photoemission spectroscopy.* Phys. Rev. B, **70**, 012411 (2004).

[111] Q. A. Li, K. E. Gray, S. N. Ancona, H. Zheng, S. Rosenkranz, R. Osborn, and J. F. Mitchell. *First-Order Metal-Insulator Transitions in Manganites: Are They Universal?* Phys. Rev. Lett., **96**, 087201 (2006).

[112] E. Badica, K. E. Gray, J. F. Mitchell, and H. Zheng. *Unexpected in-plane canting and metallic behavior in the A-type antiferromagnetic layered manganite* $La_{2-2x}Sr_{1+2x}Mn_2O_7$. Phys. Rev. B, **70**, 174435 (2004).

[113] F. A. Chudnovskii. *The minimum conductivity and electron localisation in the metallic phase of transition metal compounds in the vicinity of a metal-insulator transition.* J. Phys. C: Solid State Phys., **11**, L99 (1978).

[114] N. F. Mott. *Metal-Insulator transitions.* London: Taylor and Francis (1974).

[115] N. E. Hussey, K.Takenaka, and H.Takagi. *Universality of the Mott-Ioffe-Regel limit in metals.* Philosophical Magazine, **84(27)**, 2847 (2004).

[116] J. F. Mitchell, D. N. Argyriou, J. D. Jorgensen, D. G. Hinks, C. D. Potter, and S. D. Bader. *Charge delocalization and structural response in layered* $La_{1.2}Sr_{1.8}Mn_2O_7$*: Enhanced distortion in the metallic regime.* Phys. Rev. B, **55**, 63 (1997).

[117] S. Larochelle, A. Mehta, L. Lu, P. K. Mang, O. P. Vajk, N. Kaneko, J. W. Lynn, L. Zhou, , and M. Greven. *Structural and magnetic properties of the single-layer manganese oxide* $La_{1-x}Sr_{1+x}MnO_4$. Phys. Rev. B, **71**, 024435 (2005).

[118] A. Urushiba, Y. Moritomo, T. Arima, A. Asamitsu, G. Kido, and Y. Tokura. *Insulator- metal transition and giant magnetoresistance in* $La_{1-x}Sr_xMnO_3$. Phys. Rev. B, **51**, 14103 (1995).

[119] R. Seshadri, M. Hervieu, C. Martin, A. Maignan, B. Domenges, B. Raveau, and A. N. Fitch. *Study of the Layered Magnetoresistive Perovskite* $La_{1.2}Sr_{1.8}Mn_2O_7$ *by High-Resolution Electron Microscopy and Synchrotron X-ray Powder Diffraction.* Chem. Mater., **9**, 1997 (1997).

[120] S. D. Bader, R. M. Osgood, D. J. Miller, J. F. Mitchell, and J. S. Jiang. *Role of intergrowths in the properties of naturally layered manganite single crystals.* J. Appl. Phys., **83**, 6385 (1998).

[121] C. D. Potter, M. Swiatek, S. D. Bader, D. N. Argyriou, J. F. Mitchell, D. J. Miller, D. G. Hinks, and J. D. Jorgensen. *Two-dimensional intrinsic and extrinsic ferromagnetic behavior of layered* $La_{1.2}Sr_{1.8}Mn_2O_7$ *single crystals.* Phys. Rev. B, **57**, 72 (1998).

[122] J. Sloan, P. D. Battle, M. A. Green, M. J. Rosseinsky, and J. F. Vente. *A HRTEM Study of the RuddlesdenPopper Compositions* $Sr_2LnMn_2O_7$ *(Ln = Y, La, Nd, Eu, Ho).* J. Sol. State Chem., **138**, 135 (1998).

[123] G. Allodi, M. Bimbi, R. D. Renzi, C. Baumann, M. Apostu, R. Suryanarayanan, and A. Revcolevschi. *Magnetic order in the double-layer manganites* $(La_{1-z}Pr_z)_{1.2}Sr_{1.8}Mn_2O_7$*: Intrinsic properties and role of intergrowth.* Phys. Rev. B, **78**, 064420 (2008).

[124] Y. Okimoto, T. Katsufuji, T. Ishikawa, T. Arima, and Y. Tokura. *Variation of electronic structure in* $La_{1-x}Sr_xMnO_3$ *(*$0 < x < 0.3$*) as investigated by optical conductivity spectra.* Phys. Rev. B, **55**, 4206 (1997).

[125] K. Takahashi, N. Kida, and M. Tonouchi. *Optical evidence of a pseudogap in the ferromagnetic metallic phase of the bilayered manganite.* J.Mag. Mag. Mater., **272**, 669 (2004).

[126] T. Ishikawa, K. Tobe, T. Kimura, T. Katsufuji, and Y. Tokura. *Optical study on the doping and temperature dependence of the anisotropic electronic structure in bilayered manganites:* $La_{2-2x}Sr_{1+2x}Mn_2O_7$ *(*$0.3 < x < 0.5$*).* Phys. Rev. B, **62**, 12354 (2000).

[127] T. Ishikawa, T. Kimura, T. Katsufuji, and Y. Tokura. *Optical probe of anisotropic and incoherent charge dynamics in a layered ferromagnet:* $La_{1.2}Sr_{1.8}Mn_2O_7$. Phys. Rev. B, **57**, R8079 (1998).

[128] K. M. Shen, F. Ronning, W. Meevasana, D. H. Lu, N. J. C. Ingle, F. Baumberger, W. S. Lee, L. L. Miller, Y. Kohsaka, M. Azuma, M. Takano, H. Takagi, and Z.-X. Shen. *Angle-resolved photoemission studies of lattice polaron formation in the cuprate Ca2CuO2Cl2.* Phys. Rev. B, **75**, 075115 (2007).

[129] L. Ozyuzer, J. F. Zasadzinski, K. E. Gray, C. Kendziora, and N. Miyakawa. *Absence of pseudogap in heavily overdoped* $Bi_2Sr_2CaCu_2O_{8+\delta}$ *from tunneling spectroscopy of break junctions.* Europhys. Lett., **58**, 589 (2002).

[130] C. Renner, B. Revaz, J.-Y. Genoud, K. Kadowaki, and Ø. Fischer. *Pseudogap precursor of the superconducting gap in under- and overdoped* $Bi_2Sr_2CaCu_2O_{8+\delta}$. Phys. Rev. Lett., **80**, 149 (1998).

[131] G. Yang, J. S. Abell, and C. E. Gough. *High temperature c-axis resistivity of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals and dependence on oxygen stoichiometry.* Appl. Phys. Lett., **75**, 1955 (1999).

[132] Z.-A. Ren, L. Wei, Y. Jie, Y. Wei, S. Xiao-Li, Zheng-Cai, C. Guang-Can, D. Xiao-Li, S. Li-Ling, Z. Fang, and Z. Zhong-Xian. *Superconductivity at 55 K in Iron-Based F-Doped Layered Quaternary Compound $Sm(O_{1-x}F_x)FeAs$.* Chinese Phys. Lett., **25**, 2215 (2008).

[133] Ø. Fischer, M. Kugler, I. Maggio-Aprile, C. Berthod, and C. Renner. *Scanning tunneling spectroscopy of high-temperature superconductors.* Rev. Mod. Phys., **79**, 353 (2007).

[134] D. H. Lu, M. Yi, S.-K. Mo, A. S. Erickson, J. Analytis, J.-H. Chu, D. J. Singh, Z. Hussain, T. H. Geballe, I. R. Fisher, and Z.-X. Shen. *Electronic structure of the iron-based superconductor LaOFeP.* Nature (London), **455**, 81 (2008).

[135] C. Liu, G. D. Samolyuk, Y. Lee, N. Ni, T. Kondo, A. F. Santander-Syro, S. L. Bud'ko, J. L. McChesney, E. Rotenberg, T. Valla, A. V. Fedoro, P. C. Canfield, B. N. Harmon, and A. Kaminski. *K-Doping Dependence of the Fermi Surface of the Iron-Arsenic $Ba_{1-x}K_xFe_2As_2$ Superconductor Using Angle-Resolved Photoemission Spectroscopy.* Phys. Rev. Lett., **101**, 177005 (2008).

[136] H. Ding, P. Richard, K. Nakayama, K. Sugawara, T. Arakane, Y. Sekiba, A. Takayama, S. Souma, T. Sato, T. Takahashi, Z. Wang, X. Dai, Z. Fang, G. F. Chen, J. L. Luo, and N. L. Wang. *Observation of Fermi-surface-dependent nodeless superconducting gaps in $Ba_{0.6}K_{0.4}Fe_2As_2$.* Europ. Phys. Lett., **83**, 47001 (2008).

[137] M. C. Boyer, K. Chatterjee, W. D. Wise, G. F. Chen, J. L. Luo, N. L. Wang, and E. W. Hudson. *Scanning tunneling microscopy of the 32 K superconductor $(Sr_{1-x}K_x)Fe_2As_2$.* arXiv:0806.4400v2 [cond-mat.supr-con] (2008).

[138] Y. Yin, M. Zech, T. L. Williams, X. F. Wang, G. Wu, X. H. Chen, and J. E. Hoffman. *Scanning Tunneling Spectroscopy and Vortex Imaging in the Iron Pnictide Superconductor $BaFe_{1.8}Co_{0.2}As_2$.* Phys. Rev. Lett., **102**, 097002 (2009).

[139] A. Ohtomo and H. Hwang. *A high-mobility electron gas at the $LaAlO_3/SrTiO_3$ heterointerface.* Nature (London), **427**, 423 (2004).

[140] F. Massee, Y. Huang, R. Huisman, S. de Jong, J. Goedkoop, and M. Golden. *Nanoscale superconducting gap variations, strong coupling signatures and lack of phase separation in optimally doped $BaFe_{1.86}Co_{0.14}As_2$.* Phys. Rev. B 79, **79**, 220517 (2009).

[141] A. Fanelsa, R. Schellenberg, F. U. Hillebrecht, E. Kisker, A. P. Kaduwela, C. S. Fadley, and M. A. V. Hove. *Magnetic dichroism in core-level x-ray photoemission with unpolarized excitation.* Phys. Rev. B, **54**, 17962 (1996).

[142] H. Ding, K. Nakayama, P. Richard, S. Souma, T. Sato, T. Takahashi, M. Neupane, Y.-M. Xu, Z.-H. Pan, A. Federov, Z. Wang, X. Dai, Z. Fang, G. Chen, J. Luo, and N. Wang. *Electronic structure of optimally doped pnictide $Ba_{0.6}K_{0.4}Fe_2As_2$: a comprehensive ARPES investigation.* arXiv:0812.0534v1 [cond-mat.supr-con] (2008).

[143] J. Wu, P. Phillips, and A. H. C. Neto. *Theory of the Magnetic Moment in Iron Pnictides.* Phys. Rev. Lett., **101**, 126401 (2008).

[144] D. Garcia, C. Jozwiak, C. Hwang, A. Fedorov, S. Hanrahan, S. Wilson, C. Rotundu, B. Freelon, R. Birgeneau, E. Bourret-Courchesne, and A. Lanzara. *Core Level and Valence Band Study of $LaO_{0.9}F_{0.1}FeAs$.* Physical Review B 78, **78**, 245119 (2008).

[145] W. Malaeb, T. Yoshida, T. Kataoka, A. Fujimori, M. Kubota, K. Ono, H. Usui, K. Kuroki, R. Arita, H. Aoki, Y. Kamihara, M. Hirano, and H. Hosono. *Electronic Structure and Electron Correlation in $LaFeAsO_{1-x}F_x$ and $LaFePO_{1-x}F_x$.* J. Phys. Soc. Jpn., **77**, 093714 (2008).

[146] A. Koitzsch, D. Inosov, J. Fink, M. Knupfer, H.Eschrig, S. V. Borisenko, G. Behr, A. Köhler, J. Werner, B. Büchner, R. Follath, and H. A. Dürr. *Valence-band and core-level photoemission spectroscopy of $LaFeAsO_{1-x}F_x$.* Phys. Rev. B, **78**, 180506(R) (2008).

[147] E. Z. Kurmaev, R. G. Wilks, A. Moewes, N. A. Skorikov, Y. A. Izyumov, L. D. Finkelstein, R. H. Li, and X. H. Chen. *X-ray spectra and electronic structure of FeAs superconductors.* Phys. Rev. B, **78**, 220503(R) (2008).

[148] M. K. Bahl and R. L. Watson. *Evidence for shake-up satallites due to surface contamination in arsenic metal and its compounds.* Surface Science, **54**, 540 (1976).

[149] K. Maiti, J. Fink, S. de Jong, M. Gorgoi, C. Lin, M. Raichle, V. Hinkov, M. Lambacher, A. Erb, and M. S. Golden. *Doping dependence of the chemical potential and surface electronic structure in $YBa_2Cu_3O_{6+x}$ and $La_{2-x}Sr_xCuO_4$ using hard x-ray photoemission spectroscopy.* Phys. Rev. B, **80**, 165132 (2009).

[150] M. C. Schabel, C.-H. Park, A. Matsuura, Z.-X. Shen, D. A. Bonn, R. Liang, and W. N. Hardy. *Angle-resolved photoemission on untwinned $YBa_2Cu_3O_{6.95}$. I. Electronic structure and dispersion relations of surface and bulk bands.* Phys. Rev. B, **57**, 6090 (1998).

[151] V. B. Zabolotnyy, S. V. Borisenko, A. A. Kordyuk, J. Geck, D. S. Inosov, A. Koitzsch, J. Fink, M. Knupfer, B. Büchner, S.-L. Drechsler, H. Berger, A. Erb, M. Lambacher, L. Patthey, V. Hinkov, and B. Keimer. *Momentum and temperature dependence of renormalization effects in the high-temperature superconductor $YBa_2Cu_3O_{7-\delta}$.* Phys. Rev. B, **76**, 064519 (2007).

[152] M. A. Hossain, J. D. F. Mottershead, D. Fournier, A. Botswick, J. L. McChesney, E. Rotenberg, R. Liang, W. N. Hardy, G. A. Sawatzky, I. S. Elfimov, D. A. Bonn, and A. Damascelli. *In situ doping control of the surface of high-temperature superconductors.* Nature Phys., **4**, 527 (2008).

[153] D. E. Eastman, T.-C. Chiang, P. Heimann, and F. J. Himpsel. *Surface Core-Level Binding-Energy Shifts for GaAs(110) and GaSb(110).* Phys. Rev. Lett., **45**, 656 (1980).

[154] A. B. McLean. *Constant final-state measurements of the surface core level binding energy shifts - InP(110) and GaAs(110).* Surface Science Lett., **220**, L671 (1989).

[155] J. Davenport, R. Watson, M. Perlman, and T. Sham. *Effect of the madelung potential on the surface core-level shifts in GaAs.* Solid State Commun, **40**, 999 (1981).

[156] W. Mönch. *Charge-transfer from chemical shifts at (110) surfaces of III-V compound semiconductors.* Solid State Commun, **58**, 215 (1986).

[157] P. E. Gregory and W. E. Spicer. *Photoemission study of surface states of the (110) GaAs surface.* Phys. Rev. B, **13**, 725 (1976).

[158] D. J. Chadi. *(110) surface states of GaAs: Sensitivity of electronic structure to surface structure.* Phys. Rev. B, **18**, 1800 (1978).

[159] T. Kondo, R. M. Fernandes, R. Khasanov, C. Liu, A. D. Palczewski, N. Ni, M. Shi, A. Bostwick, E. Rotenberg, J. Schmalian, S. L. Bud'ko, P. C. Canfield, and A. Kaminski. *Unusual Fermi surface nesting in parent compounds of iron arsenic high temperature superconductors revealed by Angle Resolved Photoemission Spectroscopy.* arXiv:0905.0271v1 [cond-mat.supr-con] (2009).

[160] D. Hseih, Y. Xia, L. Wray, D. Qian, K. K. Gomes, A. Yazdani, C. F. Chen, J. L. Luo, N. L. Wang, and M. Z. Hasan. *Experimental determination of the microscopic origin of magnetism in parent iron pnictides.* arXiv:0812.2289v1 [cond-mat.supr-con] (2008).

[161] V. Brouet, M. Marsi, B. Mansart, A. Nicolaou, A. Taleb-Ibrahimi, P. L. Fvre, F. Bertran, F. Rullier-Albenque, A. Forget, and D. Colson. *Nesting between hole and electron pockets in* $Ba(Fe_{1-x}Co_x)_2As_2$ *(x=00.3) observed with angle-resolved photoemission.* Phys. Rev. B, **80**, 165115 (2009).

[162] M. Gao, F. Ma, Z.-Y. Lu, and T. Xiang. *Atomic and electronic structures of ternary iron arsenides* AFe_2As_2 *(001) surfaces (A=Ba, Sr, or Ca).* arXiv:0909.5136v1 [cond-mat.mtrl-sci] (2009).

[163] Y. Xiao, Y. Su, M. Meven, R. Mittal, C. M. N. Kumar, T. Chatterji, S. Price, J. Persson, N. Kumar, S. K. Dhar, A. Thamizhavel, and T. Brueckel. *Magnetic structure of* $EuFe_2As_2$ *determined by single-crystal neutron diffraction.* Phys. Rev. B, **80**, 174424 (2009).

[164] S. J. Moon, J. H. Shin, D. Parker, W. S. Choi, I. I. Mazin, Y. S. Lee, J. Y. Kim, N. H. Sung, B. K. Cho, S. H. Khim, J. S. Kim, K. H. Kim, and T. W. Noh. arXiv:0909.3352v1 [cond-mat.supr-con] (2009).

[165] F. Ma, Z.-Y. Lu, and T. Xiang. *Electronic structures of ternary iron arsenides* AFe_2As_2 *(A=Ba, Ca, or Sr).* arXiv:0806.3526v2 [cond-mat.mtrl-sci] (2008).