Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://hdl.handle.net/11245/2.143983

File ID	uvapub:143983
Filename	Contents
Version	unknown

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	PhD thesis
Title	The Application of Magnetic Methods for Dutch Archaeological Resource Management
Author(s)	A.E. Kattenberg
Faculty	FGw: Instituut voor Cultuur en Geschiedenis (ICG)
Year	2008

FULL BIBLIOGRAPHIC DETAILS:
http://hdl.handle.net/11245/1.299811

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content licence (like Creative Commons).

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)
(pagedate: 2014-11-18)

Contents

Preface and acknowledgements ix

1 Introduction 1
1.1 A magical method? 1
1.2 Aims and objectives 3
1.3 A Dutch perspective 3
1.4 This study 4

2 Archaeological prospection in The Netherlands 7
2.1 Introduction 7
2.2 The history of archaeological prospection in The Netherlands 9
2.3 The history of archaeological prospection from an international perspective 12
2.4 Archaeological prospection in The Netherlands 13
2.5 Conclusion 14

3 The principles of the application of magnetic methods for archaeological prospection focused on The Netherlands 15
3.1 Introduction 15
3.2 Different types of magnetism 15
3.3 Magnetic susceptibility 16
3.4 Soil iron oxides 17
3.5 Enhancement of magnetic susceptibility 18
3.6 Magnetic susceptibility in The Netherlands 20
3.7 Induced magnetization 22
3.8 Remanent magnetization 24
3.9 Magnetic anomalies 24
3.9.1 Direction of magnetization 24
3.9.2 Size and shape 25
3.10 Post depositional processes 27
3.11 Conclusion 28

4 Methodology 31
4.1 Choice of sites 31
4.2 Inventory of sites 32
4.3 Instruments 35
4.3.1 Magnetometer survey 35
4.3.2 Fluxgate magnetometer 35
4.3.2.1 Geoscan FM36 fluxgate gradiometer 35
4.3.2.2 Bartington GRAD601 fluxgate gradiometer 36
4.3.3 Magnetic susceptibility 36
4.3.3.1 Agico KLY-2 magnetic susceptibility bridge 36
4.3.3.2 Bartington MS2B susceptibility meter 37
4.3.3.3 Fractional conversion 37

4.3.4 Thermomagnetic, IRM and ARM measurements 37
4.3.4.1 Thermomagnetic measurements 37
4.3.4.2 Anhysterectic remanent magnetization (ARM) measurements 38
4.3.4.3 Isothermal remanent magnetization (IRM) measurements 38
4.4 Software 38
4.4.1 Geoplot 38
4.4.2 Archeosurveyor 39
4.4.3 Further software 39

5 Estuarine deposits 41
5.1 Introduction 41
5.2 The mapping of a peat-extraction landscape 41
5.2.1 Introduction 41
5.2.2 The problem 41
5.2.3 Methods for the investigation of former peat extraction 43
5.2.4 The use of geophysical methods for the investigation of former peat extraction 44
5.2.5 Sites 45
5.2.6 Methodology 46
5.2.7 Results 47
5.2.8 Discussion 48
5.2.9 Conclusion 49
5.3 Archaeological prospection of the Dutch estuarine landscape by means of magnetic methods 50
5.3.1 Introduction 50
5.3.2 Archaeology and geology 51
5.3.3 Methodology 51
5.3.4 Results 52
5.3.5 Discussion 55
5.3.6 Conclusion 56
5.4 Iron compounds from archaeological features in estuarine deposits, examples from The Netherlands 57
5.4.1 Introduction 57
5.4.2 Background 57
5.4.2.1 Magnetic susceptibility 57
5.4.2.2 Enhancement of topsoil 59
5.4.3 Methods and materials 60
5.4.4 Results 67
5.4.5 Discussion 71
5.4.6 Conclusion 75

6 Wind blown and fluvial deposits 77
6.1 Wind blown sands 77
6.1.1 Magnetic susceptibility of the cover sands 78
6.1.2 Magnetic anomalies in the cover sands 80
6.1.3 Masking 80
6.1.4 Variability 82
6.1.5 Magnetic susceptibility of coastal dunes 84
6.1.6 Magnetic anomalies in coastal dunes 86
6.2 Loess 86
6.2.1 Magnetic susceptibility 87
6.2.2 Magnetic anomalies 87
6.3 Fluvial deposits 88
6.3.1 Magnetic susceptibility 89
6.3.2 Magnetic anomalies 90
6.4 Conclusions 91

7 Magnetic mapping of archaeological features in The Netherlands 95
7.1 Settlements 95
7.1.1 Pits 95
7.1.2 Ditches 97
7.1.3 Walls 98
7.1.4 Wells 99
7.2 Off-site 99
7.2.1 Plough marks 99
7.2.2. Ditches 100
7.2.3 Watering pits 101
7.3 Funerary structures 101
7.3.1 Graves 101
7.3.2 Tumuli (ring gullies) 102
7.4 Industrial 102
7.4.1 Peat ties and extraction pits 102
7.4.2 Furnaces 103
7.5. Infrastructure 104
7.5.1 Roads 104

8 Discussion 105
8.1 Methodology 105
8.2 Contrasts in magnetic susceptibility 106
8.3 Estuarine and marine deposits 107
8.4 Wind blown deposits 108
8.5 Fluvial deposits 109
8.6 Magnetic anomalies unrelated to the geological environment 109

9 Conclusion 111
9.1 Principles of magnetic prospection 111
9.2 Magnetic contrasts in different geogenetic environments 112
9.3 Masking and variability 112
9.4 Iron sulphide formation 113
9.5 Returning to the objectives 114
9.6 The integration of magnetometry into ARM 114
9.7 The application of magnetic methods 115

Appendix I Fact sheets 117
Introduction 117
1 Beugen 117
2 Beugen 118
3 Broekpolder 123
4 Deil 127
5 Den Dolder 128
6 Breda 130
7 Borgharen 133
8 Harnaschpolder 136
9 Harnaschpolder, north, south and east 139
10 Heeten 143
11 Kolhorn 145
12 Limmen 147
13 Meerssen 151
14 Meteren 154
15 Oostende (Belgium) 157
16 Ossenisse 158

17 Poeldijk 161
18 Polre 163
19 Raalte 165
20 Slabroek 166
21 Smokkelhoek 168
22 Spalding (United Kingdom) 171
23 Stede Broec 175
24 Steenbergen 177
25 Swalmen 179
26 Uitgeest 180
27 Uitgeesterbroek 181
28 Valkenisse 183
29 Wijk bij Duurstede 186
30 Zaltbommel 187
31 Zwaagdijk Oost 189

Appendix II Laboratory data 193
1 Heating experiments 193
2 Curie Balance measurements 196
2.1 Introduction 196
2.2 Sample selection 197
2.3 Methodology 197
2.4 Results 198
3 IRM component analysis 207

Appendix III Hand augering data 209

References 219

Samenvatting 225