Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://hdl.handle.net/11245/2.146173

File ID	uvapub:146173
Filename	List of publications
Version	unknown

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	PhD thesis
Title	The ART of GIC proximal restorations in primary teeth
Author(s)	C.C. Bonifácio
Faculty	ACTA
Year	2012

FULL BIBLIOGRAPHIC DETAILS:
http://hdl.handle.net/11245/1.373827

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content licence (like Creative Commons).

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)
(pagedate: 2015-04-15)

Publications

Related to this thesis

Bonifácio CC, Kleverlaan CJ, Raggio DP, Werner A, de Carvalho RCR, van Amerongen WE. Physical-mechanical properties of glass ionomer cements inficated for autraumatic restorative treatment. Aust Dent J. 2009; 54(3):233-7.

Bonifácio CC, van Amerongen WE, Meschini TG, Raggio DP, Bönecker M. Flowable glass ionomer cement as liner: improving marginal adaptation of atraumatic rstorative treatment restorations. J Dent Child. 2010;77(1):12-6.

Bonifácio CC, Werner A, Kleverlaan CJ. Coating glass-ionomer cements with a nanofilled resin. Acta Odontol Scand. 2011 Dec 12 (Epub).

Bonifácio CC, Shimaoka AM, Andrade AP, Raggio DP, Amerongen WE, de Carvalho RCR. Micro-mechanical bond strength tests for the assessment of the adhesion of GIC to dentin. Acta Odontol Scand. 2012 Jan 18 (Epub).

Lenzi TL, Bonifácio CC, van Amerongen WE, Bönecker M, Nogueira FN, Raggio DP. Flowable glass ionomer cement layer bonding to sound and caries-affected primary dentin. J Dent Child 2012 (in press).

Bonifácio CC, Hesse D, Raggio DP, Bönecker M, van Loveren C, van Amerongen WE. The effect of GIC brand on the survival rate of proximal-ART restorations. Int J Paediatr Dent 2012 (in press).

Bonifácio CC, Hesse D, de O Rocha R, Bönecker M, Raggio DP, van Amerongen WE. Survival rate of proximal-ART restorations using two-layer technique for glass-ionomer insertion. Clin Oral Ivestig 2012 (in press).

Bonifácio CC, Hesse D, Bönecker M, van Loveren C, van Amerongen WE, Raggio DP. A preliminary trial using flowable glass-ionomer cement as a liner in proximal-ART restorations: the operator effect. *

Tedesco TK, Bonifácio CC, Hesse D, Kleverlaan CJ, Lenzi TL, Raggio DP. Microshear bond strength of flowable GIC to caries-affected dentin. *

Bonifácio CC, de Jager N, Kleverlaan CJ. Flexural strength of a two-layer glass ionomer: a finite element analysis. *

* currently being considered for publication.

Other

Santos MG, Bonifácio CC, Carvalho RCR. A microshear test to measure bond strengths of composite resin to bovine enamel bleached with carbamide peroxide. RPG. Revista de Pós-Graduação. 2006;13:56-62 (in Portuguese).

Imparato JC, Garcia A, Bonifácio CC, Scheidt L, Raggio DP, Mandes FM, Vedovello Filho M. Color stabillity of esthetic ion-releasing restorative materials subjected to pH variations. J Dent Child. 2007;74(3):189-93.

Hesse D, Bonifácio CC, Ragio DP, Imparato JCP. Sealing dentinal caries lesion and restoring treatment in deciduous teeth: a longitudinal evaluation. Stomatos. 2007;13:75-85 (in Portuguese).

Sardenberg F, Bonifácio CC, Braga MM, Imparato JC, Mendes FM. Evaluation of the dental structure loss produced during maintenance and replacement of occlusal amalgam restorations. Braz Oral Res. 2008;22(3):242-6.

Bonifácio CC, Miura F, Bonini GAVC, Imparato JCP, Raggio DP. Bleaching in vital deciduous teeth - a clinical case. RGO Revista Gaúcha de Odontologia. 2008;56:97-101 (in Portuguese).

Simino L, Aldrigui JM, Bonifácio CC, Raggio DP, IMparato JCP. Atraumatic restorative treatment in atypical cavities. RGO Revista Gaúcha de Odontologia. 2009;57:357-62 (in Portuguese).

Kiertsman F, Camargo LB, Bonifácio CC, Imparato JCP, Raggio DP, Mendes FM. Effectiveness of laser fluorescence device in monitoring demineralization and remineralization of occlusal caries lesions - in situ study. Revista do Instituto de Ciências da Saúde (UNIP). 2009;27:7-12 (in Portuguese).

Kiertsman F, Bonifácio CC, Sousa PCB, Braga MM, Raggio DP, Imparato JCP. Indirect pulp treatment of primary molar with composite resin: diagnosis importance and three years follow-up. Revista do Instituto de Ciência da Saúde (UNIP). 2009;27:181-4 (in Portuguese).

Bonifácio CC, Navarro RS, Sardenberg F, Imparato JC, de Carvalho RCR, Raggio DP. Microleakage of an adhesive system used as a fissure sealant. J Contemp Dent Pract. 2009;10(2):26-33.

Knirsch MS, Bonifácio CC, Shimaoka AM, Andrade AP, Carvalho RC. Bonding effectiveness of different adhesion approaches to unground versus ground primary tooth enamel. Eur J Paediatr Dent 2009;10(2):83-9.

Raggio DP, Branco ECC, Calvo AFB, Bonifácio CC, Imparato JCP, Camargo LB. Knoop Hardness of Resin-Modified Glass-Ionomer Cements. IDJ. International Journal of Dentistry. 2009;8:119-23.

Raggio DP, Bonifácio CC, Camargo LB, Naspitz GMCC, Politano GT, Kiertsman F, Mendes F. Latex allergy in dentistry: clinical cases report. J Clin Exp Dent. 2010;2:5-9.

Knirsh MS, Bonifácio CC, Meneguzzo DT, Mattos FPS, Raggio DP, Imparato JCP. Parents' perception regarding the Atraumatic Restorative Treatment. Brazilian Journal of Health 2010;1:71-9 (in Portuguese).

Raggio DP, Bonifácio CC, Bönecker M, Imparato JC, Gee AJ, Amerongen WE. Effect of insertion method on knoop hardness of high viscous glass ionomer cements. Braz Dent J. 2010;21(5):439-45.

Lenzi TL, Cadioli IC, Benedetto MS, Wanderley MT, Imparato JCP, Bonifácio CC, Raggio DP. Bond strength of high viscous glass ionomer cements to primery dentin. IJD International Journal of Dentistry. 2011;10:5-9.