Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://hdl.handle.net/11245/2.18266

File ID	uvapub:18266
Filename	Contents
Version	unknown

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	PhD thesis
Title	Spectroscopic analysis of erbium-doped silicon and ytterbium-doped indium phosphide
Author	I. de Maat-Gersdorf
Faculty	FNWI: Van der Waals-Zeeman Institute (WZI)
Year	2001

FULL BIBLIOGRAPHIC DETAILS:
http://hdl.handle.net/11245/1.190516

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)
(pagedate: 2014-08-14)

Contents

1 Consequences of crystal-field symmetries **1**

1.1 Outline of this thesis 1

1.2 Introduction to the theory 3

1.3 Many-electron wave functions, multiplets 5

1.4 Spin–orbit interaction 8

1.5 Crystal fields 11

1.5.1 T_d – Symmetric potential 11

1.5.2 Matrix elements for f functions 16

1.5.3 Perturbation Hamiltonian due to a cubic crystal field 18

1.5.4 Calculation of the matrix elements for the multiplet level $^4I_{15/2}$ 20

References 27

2 Photoluminescence measurements on erbium-doped silicon **29**

2.1 Introduction 29

2.2 Experimental method 33

2.3 Experimental results 34

2.4 Discussion 36

2.4.1 Ligand oxygen atoms 36

2.4.2 Phonon replicas 38

2.4.3 Crystal-field analysis 41

2.5 Conclusion 43

References 43

3 Photoluminescence of erbium-doped silicon: Improvements to the crystal-field theory **45**

3.1 Introduction 45

3.2 Transformation of x and W 47

3.3 Selection rules 50

3.4 Identification of the "five" lines from among the measured ones 51

3.5 Perturbations of the $^4I_{15/2}$ level due to the $^4I_{13/2}$, $^4I_{11/2}$ and $^4I_{9/2}$ multiplet levels 53

3.6 The Tang model 56
3.7 Perturbations of the $4f^{11}$: $^4I_{15/2}$ multiplet due to the $4f^{10}$ 6s levels 59
References 61

4 Zeeman splitting factor of the Er^{3+} ion in a crystal field 63
4.1 Introduction 63
4.2 Method of calculation 66
4.2.1 Spin–orbit interaction 66
4.2.2 Crystal field 66
4.2.3 Magnetic field 67
4.3 Cubic symmetry 67
4.3.1 Energy 67
4.3.2 *g* Value 70
4.4 Trigonal and tetragonal symmetry 72
4.4.1 Energy 72
4.4.2 *g* Value 74
4.5 Orthorhombic symmetry 79
4.5.1 Energy 79
4.5.2 *g* Value 80
4.6 Conclusions 82
References 84

5 Energy levels of ytterbium in indium phosphide 87
5.1 Introduction 87
5.2 Energy levels 88
5.2.1 Spin–orbit interaction 88
5.2.2 Crystal-field interaction 89
5.2.3 Transition energies 90
5.3 Energy level ordering 90
5.3.1 Photoluminescence intensity 90
5.3.2 Photoluminescence temperature dependence 93
5.3.3 Photoluminescence hydrostatic-stress dependence 94
5.3.4 Magnetic resonance 95
5.3.5 Coordination 96
5.4 Conclusions 97
References 98

6 Zeeman studies of the 4f intrashell transitions of ytterbium in indium phosphide **99**

6.1 Introduction 99

6.2 Experimental method 101

6.3 Theoretical analysis of the Zeeman splitting 101

6.4 Selection rules and consequences 106

6.5 Experimental results and discussion 109

6.5.1 State I 110

6.5.2 State II 114

6.6 Conclusion 118

References 118

Summary **119**

Samenvatting **121**

Populaire samenvatting **123**

Dankwoord **125**