

Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
<http://hdl.handle.net/11245/2.29779>

File ID uvapub:29779
Filename HS150805
Version unknown

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type article
Title Property of a matrix used in multidimensional scaling
Author(s) H.P. Boswijk, H. Neudecker
Faculty UvA: Universiteitsbibliotheek
Year 1990

FULL BIBLIOGRAPHIC DETAILS:

<http://hdl.handle.net/11245/1.423870>

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content licence (like Creative Commons).

REFERENCES

1. Balestra, P. Best quadratic unbiased estimators of the variance-covariance matrix in normal regression. *Journal of Econometrics* 1 (1973): 17-28.
2. Biorn, E. & E.S. Jansen. Individual effects in a system of demand functions. *Scandinavian Journal of Economics* 85 (1983): 461-483.
3. Searle, S.R. & E.C. Townsend. Best quadratic unbiased estimation of variance components from unbalanced data in the 1-way classification. *Biometrics* 27 (1971): 643-657.

90.2.4. *Property of a Matrix Used in Multidimensional Scaling*, proposed by H.P. Boswijk and H. Neudecker. Multidimensional scaling is concerned with deriving information about a set of vectors $\{x_1, \dots, x_n\}$ from their distances (see Chatfield and Collins [1980]). For that aim the following matrix is used:

$$B = -\frac{1}{2}NDN,$$

where

$$D = \{d_{ij}^2\} \quad \text{with } d_{ij} = ((x_i - x_j)'(x_i - x_j))^{1/2},$$

an $n \times n$ matrix of squared Euclidian distances and

$$N = I_n - \frac{1}{n}ss' \quad \text{with } s = (1, \dots, 1)'$$

Prove that B is positive semidefinite.

REFERENCE

Chatfield, C. & A.J. Collins. *Introduction to Multivariate Analysis*. London/New York: Chapman and Hall, 1980.

90.2.5. *Optimal Structural Estimation of Triangular Systems: I. The Stationary Case*, proposed by P.C.B. Phillips. Consider the structural model

$$y_{1t} = \beta y_{2t} + u_{1t} \tag{1}$$

$$y_{2t} = \gamma' x_t + u_{2t} \tag{2}$$

where $t = 1, \dots, n$, $u_t = (u_{1t}, u_{2t})'$ is iid $N(0, \Sigma)$ with covariance matrix $\Sigma = \sigma^2 \Sigma_0$ and

$$\Sigma_0 = \begin{bmatrix} 2 & 1 \\ 1 & 1 \end{bmatrix}$$

Materiaal : Abx PPN : 851030777,371158079
 Titel : Econometric theory
 :
 Auteur :
 Deel / Supplem. :
 Corporatie : Externe Database :
 Jaar / Editie : 1985 Extern Nummer :
 Uitgave : New York [etc.] Cambridge University Press
 Serie / Sectie :
 Pag-ISSN / ISBN : 0266-4666

851030777 ; P 14.775 ; ; 1985 V1 1 - ~eH2309750~eV~c

Jaar : 1990-00-00 Datum Indienen : 15-04-2005 18:11
 Volume : 6 Datum Plaatsing : 15-04-2005 18:11
 Aflevering : 2 Datum Rappel : 13-05-2005
 Leenvorm : KOPIE Particulier : N
 Leveringswijze : E Geplaatst bij : 0008
 Cooperatiecode : R Indiener : 0004/9999
 Aanvrager : 0004/9998 Eindgebruiker : 041631433
 Aanvragerident. : UVA KEUR (UB GRONINGEN)Aanvraagident. :
 Auteur : Boswijk, H. P. (ed.)
 Artikel : Property of a Matrix Used in Multidimensional Scaling
 Bladzijden : 285
 Bron :
 Opmerking : ARNO:133693

Indiener : 0004/9999 Stuur rekening : N
 Aanvrager : 0004/9998 Eindgebruiker : 041631433
 Aanvragerident. : UVA KEUR (UB GRONINGEN)Aanvraagident. :

Afleveradres Post UvA Keur
 UB Groningen
 Broerstraat 4
 9700 AN Groningen
 NL

Fax
 E-mail m.s.van.delden@rug.nl
 Ftp
 Ariel
 Telefoon 050-3635057

Faktuuradres Clearing House

[1] origineel gestuurd
 [2] kopie gestuurd
 [3] overige

[4] nog niet aanwezig
 [5] niet aanwezig
 [6] niet beschikbaar

[7] uitgeleend
 [8] wordt niet uitgeleend
 [9] bibliografisch onjuist
 [0] bij de binder

Aantal eenheden : 1
 Aanvraagnummer : A078352231