

File ID uvapub:38112
Filename BIBLIOGRAPHY
Version unknown

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type PhD thesis
Title Dual views of string impurities. Geometric singularities and flux backgrounds
Author(s) R.J. Duivenvoorden
Faculty FNWI: Institute for Theoretical Physics (ITF)
Year 2004

FULL BIBLIOGRAPHIC DETAILS:

<http://hdl.handle.net/11245/1.226960>

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content licence (like Creative Commons).

BIBLIOGRAPHY

- [1] O. Pelc, “Holography, singularities on orbifolds and 4D $N = 2$ SQCD,” JHEP **0003**, 012 (2000) [arXiv:hep-th/0001054].
- [2] P. Mayr, Fortsch. Phys. **47**, 39 (1999) [arXiv:hep-th/9807096].
- [3] N. Seiberg, “New theories in six dimensions and matrix description of M-theory on T^{**5} and $T^{**5}/Z(2)$,” Phys. Lett. B **408**, 98 (1997) [arXiv:hep-th/9705221].
- [4] O. Aharony, M. Berkooz, D. Kutasov and N. Seiberg, “Linear dilatons, NS5-branes and holography,” JHEP **9810**, 004 (1998) [arXiv:hep-th/9808149].
- [5] E. Kiritsis, C. Kounnas, P. M. Petropoulos and I. Rizos, “Five-brane configurations, conformal field theories and the strong-coupling problem,” [arXiv:hep-th/0312300].
- [6] D. R. Morrison and M. R. Plesser, “Non-spherical horizons. I,” Adv. Theor. Math. Phys. **3**, 1 (1999) [arXiv:hep-th/9810201].
- [7] C. Bär, “Real Killing Spinors and Holonomy Commun. Math. Phys. **154**, (1993)
- [8] C. P. Boyer and K. Galicki, “3-Sasakian Manifolds,” Surveys Diff. Geom. **7**, 123 (1999) [arXiv:hep-th/9810250].
- [9] T. H. Buscher, “A Symmetry Of The String Background Field Equations,” Phys. Lett. B **194**, 59 (1987).
- [10] M. Roček and E. Verlinde, “Duality, quotients, and currents,” Nucl. Phys. B **373**, 630 (1992) [arXiv:hep-th/9110053].
- [11] D. Tong, “NS5-branes, T-duality and worldsheet instantons,” JHEP **0207**, 013 (2002) [arXiv:hep-th/0204186].
- [12] S. W. Hawking, “Gravitational Instantons,” Phys. Lett. A **60**, 81 (1977).
- [13] G. W. Gibbons and S. W. Hawking, “Classification Of Gravitational Instanton Symmetries,” Commun. Math. Phys. **66**, 291 (1979).

Bibliography

- [14] R. Gregory, J. A. Harvey and G. W. Moore, “Unwinding strings and T-duality of Kaluza-Klein and H-monopoles,” *Adv. Theor. Math. Phys.* **1**, 283 (1997) [[arXiv:hep-th/9708086](#)].
- [15] C. G. . Callan, J. A. Harvey and A. Strominger, “Supersymmetric string solitons,” [[arXiv:hep-th/9112030](#)].
- [16] M. Rocek, K. Schoutens and A. Sevrin, “Off-shell WZW models in extended superspace,” *Phys. Lett. B* **265**, 303 (1991).
- [17] A. Cappelli, C. Itzykson and J. B. Zuber, “Modular Invariant Partition Functions In Two-Dimensions,” *Nucl. Phys. B* **280**, 445 (1987).
- [18] E. Witten, “Phases of $N = 2$ theories in two dimensions,” *Nucl. Phys. B* **403**, 159 (1993) [[arXiv:hep-th/9301042](#)].
- [19] H. Ooguri and C. Vafa, “Two-Dimensional Black Hole and Singularities of CY Manifolds,” *Nucl. Phys. B* **463**, 55 (1996) [[arXiv:hep-th/9511164](#)].
- [20] C. Vafa and N. P. Warner, “Catastrophes And The Classification Of Conformal Theories,” *Phys. Lett. B* **218**, 51 (1989).
- [21] W. Lerche, C. Vafa and N. P. Warner, “Chiral Rings In $N=2$ Superconformal Theories,” *Nucl. Phys. B* **324**, 427 (1989).
- [22] A. Giveon, D. Kutasov and O. Pelc, “Holography for non-critical superstrings,” *JHEP* **9910**, 035 (1999) [[arXiv:hep-th/9907178](#)].
- [23] A. Giveon and D. Kutasov, “Little string theory in a double scaling limit,” *JHEP* **9910**, 034 (1999) [[arXiv:hep-th/9909110](#)].
- [24] A. Giveon and D. Kutasov, “Comments on double scaled little string theory,” *JHEP* **0001**, 023 (2000) [[arXiv:hep-th/9911039](#)].
- [25] K. Sfetsos, “Branes for Higgs phases and exact conformal field theories,” *JHEP* **9901**, 015 (1999) [[arXiv:hep-th/9811167](#)].
- [26] K. Hori and A. Kapustin, “Duality of the fermionic 2d black hole and $N = 2$ Liouville theory as mirror symmetry,” *JHEP* **0108**, 045 (2001) [[arXiv:hep-th/0104202](#)].
- [27] G. Tian and S.-T. Yau, “Complete Kähler Manifolds with Zero Ricci Curvature II,” *Inv. Math.* **106**, 27 (1991) .
- [28] M. Henningson, “Mirror symmetry for the Kazama-Suzuki models,” *Nucl. Phys. B* **423**, 631 (1994) [[arXiv:hep-th/9402122](#)].

Bibliography

- [29] B. S. Acharya, J. M. Figueroa-O’Farrill, C. M. Hull and B. Spence, Adv. Theor. Math. Phys. **2**, 1249 (1999) [[arXiv:hep-th/9808014](#)].
- [30] F. Cachazo, S. Katz and C. Vafa, “Geometric transitions and $N = 1$ quiver theories,” [[arXiv:hep-th/0108120](#)].
- [31] L. Castellani, L. J. Romans and N. P. Warner, “A Classification Of Compactifying Solutions For $D = 11$ Supergravity,” Nucl. Phys. B **241**, 429 (1984).
- [32] C. P. Boyer, K. Galicki, “New Einstein metrics in dimension five,” J. Differential Geom. **57** (2001), no. 3, 443-463 [[arXiv:math.DG/0003174](#)].
- [33] C. P. Boyer and K. Galicki, “On Sasakian-Einstein Geometry,” Int. J. Math. **11**, 873 (2000) [[arXiv:math.dg/9811098](#)].
- [34] J. M. Johnson and J. Kollár, “Kähler-Einstein Metrics on log del Pezzo Surfaces in Weighted Projective 3-spaces,” Ann. Inst. Fourier (Grenoble) **51** (2001), no. 1 69-79, [[arXiv:math.AG/0008129](#)].
- [35] J. M. Johnson and J. Kollár, “Fano Hypersurfaces in Weighted Projective 4-spaces,” Experiment. Math. **10** (2001), no. 1, 151-158, [[arXiv:math.AG/0008189](#)].
- [36] T. Friedrich and I. Kath, “Einstein Manifolds of Dimension Five with Small First Eigenvalue of the Dirac Operator”, J. Diff. Geom **29** (1989) 263-279.
- [37] C. P. Boyer, K. Galicki and M. Nakamaye, “On the geometry of Sasakian-Einstein 5-manifolds,” Math. Ann. **325** (2003), 485-524, [[arXiv:math.DG/0012047](#)].
- [38] G. Tian and S. T. Yau, “Kahler-Einstein Metrics On Complex Surfaces With $C(1) > 0$,” Commun. Math. Phys. **112**, 175 (1987).
- [39] J. P. Demailly and J. Kollár, “Semi-continuity of complex singularity exponents and Kähler-Einstein metrics on Fano orbifolds,” Ann. Sci. École Norm. Sup. **34** (2001), no. 4, 525-556, [[arXiv:math.AG/9910118](#)].
- [40] R. D’Auria, P. Fre and P. van Nieuwenhuizen, “ $N=2$ Matter Coupled Supergravity From Compactification On A Coset G/H Possessing An Additional Killing Vector,” Phys. Lett. B **136**, 347 (1984).
- [41] L. Castellani, R. D’Auria and P. Fre, “ $SU(3) \times SU(2) \times U(1)$ From $D = 11$ Supergravity,” Nucl. Phys. B **239**, 610 (1984).
- [42] Y. Kazama and H. Suzuki, “New $N=2$ Superconformal Field Theories And Superstring Compactification,” Nucl. Phys. B **321**, 232 (1989).
- [43] Y. Kazama and H. Suzuki, “Characterization Of $N=2$ Superconformal Models Generated By Coset Space Method,” Phys. Lett. B **216**, 112 (1989).

Bibliography

- [44] J. Fuchs and C. Schweigert, “Level rank duality of WZW theories and isomorphisms of $N=2$ coset models,” *Annals Phys.* **234**, 102 (1994) [[arXiv:hep-th/9307107](#)].
- [45] C. Schweigert, “Poincare polynomials and level rank dualities in the $N=2$ coset construction,” *Theor. Math. Phys.* **98**, 326 (1994) [*Teor. Mat. Fiz.* **98**, 467 (1994)] [[arXiv:hep-th/9311168](#)].
- [46] T. Nakatsu, “Supersymmetric gauged Wess-Zumino-Witten models,” *Prog. Theor. Phys.* **87**, 795 (1992).
- [47] S. G. Naculich and H. J. Schnitzer, “Superconformal coset equivalence from level-rank duality,” *Nucl. Phys. B* **505**, 727 (1997) [[arXiv:hep-th/9705149](#)].
- [48] E. Kiritsis, C. Kounnas and D. Lust, “A Large Class Of New Gravitational And Axionic Backgrounds For Four-Dimensional Superstrings,” *Int. J. Mod. Phys. A* **9**, 1361 (1994) [[arXiv:hep-th/9308124](#)].
- [49] K. A. Intriligator and C. Vafa, “Landau-Ginzburg Orbifolds,” *Nucl. Phys. B* **339**, 95 (1990).
- [50] D. Gepner, “Exactly Solvable String Compactifications On Manifolds Of $SU(N)$ Holonomy,” *Phys. Lett. B* **199**, 380 (1987).
- [51] D. Gepner and Z. a. Qiu, “Modular Invariant Partition Functions For Parafermionic Field Theories,” *Nucl. Phys. B* **285**, 423 (1987).
- [52] A. Strominger, S. T. Yau and E. Zaslow, “Mirror symmetry is T-duality,” *Nucl. Phys. B* **479**, 243 (1996) [[arXiv:hep-th/9606040](#)].
- [53] K. Hori and C. Vafa, “Mirror symmetry,” [[arXiv:hep-th/0002222](#)].
- [54] J. Wess and J. Bagger, “Supersymmetry And Supergravity,”
- [55] J. Fuchs and C. Schweigert, “NonHermitian symmetric $N=2$ coset models, Poincare polynomials, and string compactification,” *Nucl. Phys. B* **411**, 181 (1994) [[arXiv:hep-th/9304133](#)].
- [56] E. J. Martinec, “Criticality, Catastrophes And Compactifications,” Print-89-0373 (EFI,CHICAGO)
- [57] E. Witten, “Constraints On Supersymmetry Breaking,” *Nucl. Phys. B* **202**, 253 (1982).
- [58] E. Witten, “Dynamical Breaking Of Supersymmetry,” *Nucl. Phys. B* **188**, 513 (1981).
- [59] C. Vafa and E. Zaslow, Eds. “Mirror Symmetry,”

Bibliography

- [60] J. McKay, “Graphs, Singularities and Finite Groups,” Proc. Symp. Pure Math. **37**, 183 (1980).
- [61] M. R. Douglas and G. W. Moore, “D-branes, Quivers, and ALE Instantons,” [arXiv:hep-th/9603167].
- [62] N. J. Hitchin, A. Karlhede, U. Lindstrom and M. Rocek, “Hyperkahler Metrics And Supersymmetry,” Commun. Math. Phys. **108**, 535 (1987).
- [63] P. B. Kronheimer, “The Construction of ALE Spaces as Hyperkähler Quotients,” J. Diff. Geom. **29**, 665 (1989).
- [64] P. B. Kronheimer, “A Torelli-type Theorem for Gravitational Instantons,” J. Diff. Geom. **29**, 685 (1989)
- [65] P. Candelas, “Lectures On Complex Manifolds”
- [66] P. Nagy, “Geometrically Formal Kähler Manifolds,” Université de Neuchâtel preprint, (2002), [<http://www.unine.ch/math/preprints/files/Nagy20-12-02.ps>]
- [67] C. P. Herzog and J. McKernan, “Dibaryon spectroscopy,” JHEP **0308**, 054 (2003) [arXiv:hep-th/0305048].
- [68] M. J. Duff, B. E. W. Nilsson and C. N. Pope, “Kaluza-Klein Supergravity,” Phys. Rept. **130**, 1 (1986).
- [69] J. Milnor, “On the 3-dimensional Brieskorn Manifolds,” Ann. of Math. Studies **84**, 175 (1975).
- [70] J. Milnor and P. Orlik, “Isolated Singularities Defined by Weighted Homogeneous Polynomials,” Topology **9**, 385 (1970).
- [71] J. Milnor, “Singular Points of Complex Hypersurfaces,” Ann. Math. Stud. **61**, (1968).
- [72] L. Nicolaescu, “Notes on the Topology of Complex Singularities,” [<http://www.nd.edu/~lnicolae/vita.html>]
- [73] J. P. Gauntlett, D. Martelli, J. Sparks and D. Waldram, “Sasaki-Einstein metrics on $S(2) \times S(3)$,” [arXiv:hep-th/0403002].
- [74] J. P. Gauntlett, D. Martelli, J. F. Sparks and D. Waldram, “A new infinite class of Sasaki-Einstein manifolds,” [arXiv:hep-th/0403038].
- [75] I. Dolgachev, “Weighted Projective Varieties,” Group Actions and Vector Fields, Lecture Notes in Math. **956**, 35 (1982)

Bibliography

- [76] T. Hubsch, “Calabi-Yau Manifolds: A Bestiary For Physicists,”
- [77] S. Gukov, C. Vafa and E. Witten, “CFT’s from Calabi-Yau four-folds,” Nucl. Phys. B **584**, 69 (2000) [Erratum-ibid. B **608**, 477 (2001)] [arXiv:hep-th/9906070].
- [78] C. P. Boyer, K. Galicki and J. Kollar, “Einstein Metrics on Spheres,” [arXiv:math.dg/0309408].
- [79] A. Sen, “A note on enhanced gauge symmetries in M- and string theory,” JHEP **9709**, 001 (1997) [arXiv:hep-th/9707123].
- [80] N. Seiberg and E. Witten, “Gauge dynamics and compactification to three dimensions,” [arXiv:hep-th/9607163].
- [81] S. F. Hassan and A. Sen, “Marginal deformations of WZNW and coset models from O(d,d) transformation,” Nucl. Phys. B **405**, 143 (1993) [arXiv:hep-th/9210121].
- [82] A. Giveon and E. Kiritsis, “Axial vector duality as a gauge symmetry and topology change in string Nucl. Phys. B **411**, 487 (1994) [arXiv:hep-th/9303016].
- [83] A. Giveon, M. Petratti and E. Rabinovici, “Target space duality in string theory,” Phys. Rept. **244**, 77 (1994) [arXiv:hep-th/9401139].
- [84] S. Forste, “A Truly marginal deformation of $SL(2, \mathbb{R})$ in a null direction,” Phys. Lett. B **338**, 36 (1994) [arXiv:hep-th/9407198].
- [85] J. Polchinski, “String Theory. Vol. 1: An Introduction To The Bosonic String,” “String Theory. Vol. 2: Superstring Theory And Beyond,”
- [86] M. B. Green, J. H. Schwarz and E. Witten, “Superstring Theory. Vol. 1: Introduction,” “Superstring Theory. Vol. 2: Loop Amplitudes, Anomalies And Phenomenology,”
- [87] A. N. Kirillov, “Dilogarithm Identities,” Prog. Theor. Phys. Suppl. **118**, 61 (1995) [arXiv:hep-th/9408113].
- [88] F. A. Bais and P. Batenburg, “A New Class Of Higher Dimensional Kaluza-Klein Monopole And Instanton Solutions,” Nucl. Phys. B **253**, 162 (1985).
- [89] P. Candelas and X. C. de la Ossa, “Comments On Conifolds,” Nucl. Phys. B **342**, 246 (1990).
- [90] K. Hori and A. Kapustin, “Worldsheet descriptions of wrapped NS five-branes,” JHEP **0211**, 038 (2002) [arXiv:hep-th/0203147].
- [91] S. Mukhi and C. Vafa, “Two-dimensional black hole as a topological coset model of $c = 1$ string theory,” Nucl. Phys. B **407**, 667 (1993) [arXiv:hep-th/9301083].

Bibliography

- [92] B. R. Greene, C. Vafa and N. P. Warner, “Calabi-Yau Manifolds And Renormalization Group Flows,” Nucl. Phys. B **324**, 371 (1989).
- [93] D. Ghoshal and C. Vafa, “C = 1 string as the topological theory of the conifold,” Nucl. Phys. B **453**, 121 (1995) [[arXiv:hep-th/9506122](#)].
- [94] T. Eguchi and Y. Sugawara, “Modular invariance in superstring on Calabi-Yau n-fold with A-D-E singularity,” Nucl. Phys. B **577**, 3 (2000) [[arXiv:hep-th/0002100](#)].
- [95] T. Eguchi, Y. Sugawara and S. Yamaguchi, “Supercoset CFT’s for string theories on non-compact special holonomy manifolds,” Nucl. Phys. B **657**, 3 (2003) [[arXiv:hep-th/0301164](#)].
- [96] D. Israel, C. Kounnas, A. Pakman and J. Troost, “The partition function of the supersymmetric two-dimensional black hole and little string theory,” JHEP **0406**, 033 (2004) [[arXiv:hep-th/0403237](#)].
- [97] D. Israel, C. Kounnas and M. P. Petropoulos, “Superstrings on NS5 backgrounds, deformed AdS(3) and holography,” JHEP **0310**, 028 (2003) [[arXiv:hep-th/0306053](#)].
- [98] A. Giveon and M. Rocek, “Supersymmetric string vacua on AdS(3) x N,” JHEP **9904**, 019 (1999) [[arXiv:hep-th/9904024](#)].
- [99] R. Argurio, A. Giveon and A. Shomer, “Superstring theory on AdS(3) x G/H and boundary N = 3 superconformal symmetry,” JHEP **0004**, 010 (2000) [[arXiv:hep-th/0002104](#)].
- [100] R. Argurio, A. Giveon and A. Shomer, “The spectrum of N = 3 string theory on AdS(3) x G/H,” JHEP **0012**, 025 (2000) [[arXiv:hep-th/0011046](#)].
- [101] A. Giveon and A. Pakman, “More on superstrings in AdS(3) x N,” JHEP **0303**, 056 (2003) [[arXiv:hep-th/0302217](#)].
- [102] B. R. Greene, “String theory on Calabi-Yau manifolds,” [[arXiv:hep-th/9702155](#)].
- [103] J. S. Song, “Three-dimensional Gorenstein singularities and SU(3)-hat modular invariants,” Adv. Theor. Math. Phys. **4**, 791 (2000) [[arXiv:hep-th/9908008](#)].
- [104] J. P. Gauntlett, D. Martelli, J. Sparks and D. Waldram, “Supersymmetric AdS(5) solutions of M-theory,” [[arXiv:hep-th/0402153](#)].
- [105] B. J. Harrington and H. K. Shepard, “Periodic Euclidean Solutions And The Finite Temperature Yang-Mills Gas,” Phys. Rev. D **17**, 2122 (1978).
- [106] K. Ohta and T. Yokono, “Linear dilaton background and fully localized intersecting five-branes,” Phys. Rev. D **63**, 105011 (2001) [[arXiv:hep-th/0012030](#)].

Bibliography

- [107] M. Aganagic, R. Dijkgraaf, A. Klemm, M. Marino and C. Vafa, “Topological strings and integrable hierarchies,” [arXiv:hep-th/0312085].
- [108] R. Dijkgraaf, A. Sinkovics and M. Temurhan, “Universal correlators from geometry,” [arXiv:hep-th/0406247].
- [109] R. Boels, J. de Boer, R. Duivenvoorden and J. Wijnhout, “Nonperturbative superpotentials and compactification to three dimensions,” JHEP **0403**, 009 (2004) [arXiv:hep-th/0304061].
- [110] R. Boels, J. de Boer, R. Duivenvoorden and J. Wijnhout, “Factorization of Seiberg-Witten curves and compactification to three dimensions,” JHEP **0403**, 010 (2004) [arXiv:hep-th/0305189].