Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://hdl.handle.net/11245/2.54709

File ID	uvapub:54709
Filename	References
Version	unknown

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	PhD thesis
Title	One-dimensional Bose gas on an atom chip
Author	A.H. van Amerongen
Faculty	FNWI: Van der Waals-Zeeman Institute (WZI)
Year	2008

FULL BIBLIOGRAPHIC DETAILS:
http://hdl.handle.net/11245/1.279621

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)
(pagedate: 2014-08-16)

References

[1] S. Bose. *Plancks gesetz und lichtquantenhypothese.* Z. Phys. **26**, 178 (1924).

[2] A. Einstein. *Quantentheorie des einatomigen idealen gases.* Sitz.ber., K. Preuss. Akad. Wiss. p. 261 (1924).

[3] H. Kamerlingh-Onnes. *On the sudden change in the rate at which the resistance of mercury disappears.* Communications from the Physical Laboratory of the University of Leiden **124c** (1911).

[4] H. Kamerlingh-Onnes. *The liquefaction of helium.* Communications from the Physical Laboratory at the University of Leiden **108** (1908).

[5] P. Kapitza. *Viscosity of liquid helium below the λ point.* Nature **141**, 74 (1938).

[6] J. Allen and A. Misener. *Flow of liquid helium II.* Nature **141**, 75 (1938).

[7] F. London. *The λ-phenomenon of liquid helium and the Bose-Einstein degeneracy.* Nature **141**, 643 (1938).

[8] L. Tisza. *Transport phenomena in helium II.* Nature **141**, 913 (1938).

[9] S. Balibar. *The discovery of superfluidity.* J. Low Temp. Phys. **146**, 441 (2007).

[10] H. F. Hess. *Evaporative cooling of magnetically trapped and compressed spin-polarized hydrogen.* Phys. Rev. B **34**, 3476–3479 (1986).

[11] N. Masuhara *et al.* *Evaporative cooling of spin-polarized atomic hydrogen.* Phys. Rev. Lett. **61**, 935–938 (1988).

[12] I. Silvera and J. Walraven. *Spin-polarized atomic hydrogen.* in: Progr. Low Temp Phys. **X**, 139–370 (1986).

[13] T. Hänsch and A. Shawlow. *Cooling of gases by laser radiation.* Opt. Commun. **13**, 68 (1975).

[14] W. D. Phillips and H. Metcalf. *Laser deceleration of an atomic beam.* Phys. Rev. Lett. **48**, 596–599 (1982).

[15] S. Chu *et al.* *Three-dimensional viscous confinement and cooling of atoms by resonance radiation pressure.* Phys. Rev. Lett. **55**, 48–51 (1985).

[16] C. Cohen-Tannoudji and W. Phillips. Physics Today **43**, 33 (1990).

[17] M. H. Anderson *et al.* *Observation of Bose-Einstein condensation in a dilute atomic vapor.* Science **269**, 198–201 (1995).

[18] K. B. Davis *et al.* *Bose-Einstein condensation in a gas of sodium atoms.* Phys. Rev. Lett. **75**, 3969–3973 (1995).

[19] C. C. Bradley, C. A. Sackett, J. J. Tollett, and R. G. Hulet. *Evidence for Bose-Einstein condensation in an atomic gas with attractive interactions.* Phys. Rev. Lett. **75**, 1687–1690 (1995).

[20] C. C. Bradley, C. A. Sackett, J. J. Tollett, and R. G. Hulet. *Evidence of bose-einstein condensation in an atomic gas with attractive interactions [phys. rev. lett. 75, 1687 (1995)].* Phys. Rev. Lett. **79**, 1170 (1997).

[21] C. C. Bradley, C. A. Sackett, and R. G. Hulet. *Analysis of in situ images of bose-einstein condensates of lithium.* Phys. Rev. A **55**, 3951–3953 (1997).

[22] C. C. Bradley, C. A. Sackett, and R. G. Hulet. *Bose-einstein condensation of lithium: Observation of limited condensate number.* Phys. Rev. Lett. **78**, 985–989 (1997).

[23] F. London. *Superfluids.* John Wiley and Sons New York (1950).

[24] V. L. Ginzburg and L. D. Landau. Zh. Eksperim. i Teor. Fiz. **20**, 1064 (1950).

[25] O. Penrose and L. Onsager. *Bose-Einstein condensation and liquid helium.* Phys. Rev. **104**, 576–584 (1956).

[26] C. N. Yang. *Concept of off-diagonal long-range order and the quantum phases of liquid He and of superconductors.* Rev. Mod. Phys. **34**, 694–704 (1962).

[27] K. Huang. *Bose-Einstein Condensation* chapter 3. Cambridge University Press, Cambridge (1995).

[28] N. D. Mermin and H. Wagner. *Absence of ferromagnetism or antiferromagnetism in one- or two-dimensional isotropic Heisenberg models.* Phys. Rev. Lett. **17**, 1133–1136 (1966).

[29] P. C. Hohenberg. *Existence of long-range order in one and two dimensions.* Phys. Rev. **158**, 383–386 (1967).

[30] J. M. Kosterlitz and D. J. Thouless. *Ordering, metastability and phase transitions in two-dimensional systems.* Journal of Physics C: Solid State Physics **6**, 1181–1203 (1973).

[31] V. Bagnato, D. E. Pritchard, and D. Kleppner. *Bose-Einstein condensation in an external potential.* Phys. Rev. A **35**, 4354–4358 (1987).

[32] W. Ketterle and N. J. van Druten. *Bose-Einstein condensation of a finite number of particles trapped in one or three dimensions.* Phys. Rev. A **54**, 656–660 (1996).

[33] M. Olshanii. *Atomic scattering in the presence of an external confinement and a gas of impenetrable bosons.* Phys. Rev. Lett. **81**, 938 (1998).

[34] D. S. Petrov, G. V. Shlyapnikov, and J. T. M. Walraven. *Regimes of quantum degeneracy in trapped 1D gases.* Phys. Rev. Lett. **85**, 3745–3749 (2000).

[35] E. H. Lieb and W. Liniger. *Exact analysis of an interacting Bose gas. I. the general solution and the ground state.* Phys. Rev. **130**, 1605 (1963).

[36] C. N. Yang and C. P. Yang. *Thermodynamics of a one-dimensional system of bosons with repulsive delta-function interaction.* J. Math. Phys. **10**, 1115 (1969).

[37] V. E. Korepin, N. M. Bogoliubov, and A. G. Izergin. *Quantum Inverse Scattering Method and Correlation Functions.* Cambridge University Press, Cambridge, England (1993).

[38] M. Takahashi. *Thermodynamics of One-Dimensional Solvable Models.* Cambridge University Press, Cambridge, England (1999).

[39] A. Görlitz *et al. Realization of Bose-Einstein condensates in lower dimensions.* Phys. Rev. Lett. **87**, 130402 (2001).

[40] F. Schreck *et al. Quasipure Bose-Einstein condensate immersed in a Fermi sea.* Phys. Rev. Lett. **87**, 080403 (2001).

[41] M. Greiner *et al. Exploring phase coherence in a 2D lattice of Bose-Einstein condensates.* Phys. Rev. Lett. **87**, 160405 (2001).

[42] B. Paredes *et al. Tonks-Girardeau gas of ultracold atoms in an optical lattice.* Nature **429**, 277–281 (2004).

[43] T. Kinoshita, T. Wenger, and D. S. Weiss. *Observation of a one-dimensional Tonks-Girardeau gas.* Science **305**, 1125–1128 (2004).

[44] W. Hänsel, P. Hommelhoff, T. W. Hänsch, and J. Reichel. *Bose-Einstein condensation on a microelectronic chip.* Nature **413**, 498–501 (2001).

[45] H. Ott *et al. Bose-Einstein condensation in a surface microtrap.* Phys. Rev. Lett. **87**, 230401 (2001).

[46] A. van Amerongen *et al. Yang-Yang thermodynamics on an atom chip.* Phys. Rev. Lett. **100**, 90402 (2008).

[47] J. D. Weinstein and K. G. Libbrecht. *Microscopic magnetic traps for neutral atoms.* Phys. Rev. A **52**, 4004–4009 (1995).

[48] J. Fortágh and C. Zimmermann. *Magnetic microtraps for ultracold atoms.* Rev. Mod. Phys. **79**, 235 (2007).

[49] R. Gerritsma *et al.* *Atoomchips.* Ned. tijdschr. v. Natuurk. **74**, 82 (2008).

[50] T. Schumm *et al.* *Matter-wave interferometry in a double well on an atom chip.* Nature Phys. **1**, 57–62 (2005).

[51] J. J. P. van Es *et al.* *Three-dimensional character of atom-chip-based rf-dressed potentials.* arXiv **cond-mat**, 0802.0362v1 (2008).

[52] R. Gerritsma *et al.* *Lattice of microtraps for ultracold atoms based on patterned magnetic films.* Phys. Rev. A **76**, 033408 (2007).

[53] M. D. Girardeau. *Relationship between systems of impenetrable bosons and fermions in one dimension.* J. Math. Phys. **1**, 516 (1960).

[54] E. H. Lieb. *Exact analysis of an interacting Bose gas. II. the excitation spectrum.* Phys. Rev. **130**, 1616–1624 (1963).

[55] H. Bethe. *Zur theory der metalle.* Zeitschrift für Physik **71**, 205 (1931).

[56] B. Laburthe Tolra *et al.* *Observation of reduced three-body recombination in a correlated 1D degenerate Bose gas.* Phys. Rev. Lett. **92**, 190401 (2004).

[57] T. Kinoshita, T. Wenger, and D. S. Weiss. *Local pair correlations in one-dimensional Bose gases.* Phys. Rev. Lett. **95**, 190406 (2005).

[58] T. Kinoshita, T. Wenger, and D. S. Weiss. *A quantum newton's cradle.* Nature **440**, 900–903 (2006).

[59] K. V. Kheruntsyan, D. M. Gangardt, P. D. Drummond, and G. V. Shlyapniknov. *Pair correlations in a finite-temperature 1D Bose gas.* Phys. Rev. Lett. **91**, 040403 (2003).

[60] J.-B. Trebbia, J. Estève, C. I. Westbrook, and I. Bouchoule. *Experimental evidence for the breakdown of a Hartree-Fock approach in a weakly interacting Bose gas.* Phys. Rev. Lett. **97**, 250403 (2006).

[61] E. Arimondo, M. Inguscio, and P. Violino. *Experimental determinations of the hyperfine structure in the alkali atoms.* Rev. Mod. Phys. **49**, 31–75 (1977).

[62] C. Pethick and H. Smith. *Bose-Einstein Condensation in Dilute Gases.* Cambridge University Press, Cambridge (2002).

[63] D. Steck. *Rubidium 87 D line data.* Los Alamos National Laboratories Report No. LA-UR-03-8638 2003.

[64] V. V. Vladimirski. Zh. Eksp. Teor. Fiz. **39**, 1062 [Sov. Phys. JETP 12, 740 (1961)] (1960).

[65] D. E. Pritchard. *Cooling neutral atoms in a magnetic trap for precision spectroscopy.* Phys. Rev. Lett. **51**, 1336–1339 (1983).

[66] J. Luiten. *Lyman-α spectroscopy of magnetically trapped atomic hydrogen.* PhD thesis Universiteit van Amsterdam (1993).

[67] K. Huang. *Statistical mechanics.* John Wiley & sons New York 2nd edition (1987).

[68] S. R. de Groot, G. J. Hooyman, and C. A. ten Seldam. *On the Bose-Einstein condensation.* Proc. R. Soc. London Ser. A **203**, 266 (1950).

[69] V. Bagnato and D. Kleppner. *Bose-Einstein condensation in low-dimensional traps.* Phys. Rev. A **44**, 7439–7441 (1991).

[70] K. V. Kheruntsyan, D. M. Gangardt, P. D. Drummond, and G. V. Shlyapnikov. *Finite-temperature correlations and density profiles of an inhomogeneous interacting one-dimensional Bose gas.* Phys. Rev. A **71**, 053615 (2005).

[71] N. Bogoliubov. J. Phys. **11**, 23 (1947). (Moscow).

[72] E. G. M. van Kempen, S. J. J. M. F. Kokkelmans, D. J. Heinzen, and B. J. Verhaar. *Interisotope determination of ultracold rubidium interactions from three high-precision experiments.* Phys. Rev. Lett. **88**, 093201 (2002).

[73] C. Menotti and S. Stringari. *Collective oscillations of a one-dimensional trapped Bose-Einstein gas.* Phys. Rev. A **66**, 043610 (2002).

[74] F. Gerbier. *Quasi-1D Bose-Einstein condesates in the dimensional crossover regime.* Europhys. Lett. **66**, 771–777 (2004).

[75] C. Menotti. numerical data available online from the following url: http:\\bec.science.unitn.it\data\data_3D_1D.txt.

[76] D. S. Petrov, D. M. Gangardt, and G. V. Shlyapnikov. *Low-dimensional trapped gases.* J. Phys. IV (France) **116**, 5 (2004).

[77] D. S. Petrov, G. V. Shlyapnikov, and J. T. M. Walraven. *Phase-fluctuating 3D Bose-Einstein condensates in elongated traps.* Phys. Rev. Lett. **87**, 050404 (2001).

[78] P. de Gennes. *Superconductivity of Metals and Alloys.* Benjamin New York (1966).

[79] V. N. Popov. Sov. Phys. JETP **20**, 1185 (1965).

[80] V. N. Popov. *Functional Integrals in Quantum Field Theory and Statistical Physics.* Reidel Dordrecht, The Netherlands (1983).

[81] A. Lenard. *Momentum distribution in the ground state of the one-dimensional system of impenetrable bosons.* J. Math. Phys. **5**, 930 (1964).

[82] H. G. Vaidya and C. A. Tracy. *One-particle reduced density matrix of impenetrable bosons in one dimension at zero temperature.* Phys. Rev. Lett. **42**, 3–6 (1979).

[83] H. G. Vaidya and C. A. Tracy. *One-particle reduced density matrix of impenetrable bosons in one dimension at zero temperature.* Phys. Rev. Lett. **43**, 1540 (1979).

[84] J.-S. Caux and P. Calabrese. *Dynamical density-density correlations in the one-dimensional Bose gas.* Phys. Rev. A **74**, 031605 (2006).

[85] I. Bouchoule, K. V. Kheruntsyan, and G. V. Shlyapnikov. *Interaction-induced crossover versus finite-size condensation in a weakly interacting trapped one-dimensional Bose gas.* Phys. Rev. A **75**, 031606 (2007).

[86] M. Naraschewski and D. M. Stamper-Kurn. *Analytical description of a trapped semi-ideal Bose gas at finite temperature.* Phys. Rev. A **58**, 2423–2426 (1998).

[87] V. V. Goldman, I. F. Silvera, and A. J. Leggett. *Atomic hydrogen in an inhomogeneous magnetic field: Density profile and Bose-Einstein condensation.* Phys. Rev. A **24**, 2870–2873 (1981).

[88] P. Öhberg and S. Stenholm. *A Hartree Fock study of a Bose condensed gas.* J. Phys. B **30**, 2749 (1997).

[89] F. Gerbier *et al. Experimental study of the thermodynamics of an interacting trapped Bose-Einstein condensed gas.* Phys. Rev. A **70**, 013607 (2004).

[90] F. D. M. Haldane. *Effective harmonic-fluid approach to low-energy properties of one-dimensional quantum fluids.* Phys. Rev. Lett. **47**, 1840–1843 (1981).

[91] F. Haldane. *Demonstration of the Luttinger liquid character of Bethe-ansatz-soluble models of 1-D quantum fluids.* Phys. Lett. A **81**, 153 (1981).

[92] F. Haldane. *Luttinger liquid theory of one-dimensional quantum fluids: I. properties of the Luttinger model and and their extension to the general 1D interacting spinless Fermi gas.* J. Phys. C: Solid State Phys. **14**, 2585 (1981).

[93] F. D. M. Haldane. *Effective harmonic-fluid approach to low-energy properties of one-dimensional quantum fluids.* Phys. Rev. Lett. **47**, 1840–1843 (1981).

[94] M. A. Cazalilla. *Bosonizing one-dimensional cold atomic gases.* Journal of Physics B: AMOP **37**, S1–S47 (2004).

[95] A. A. Burkov, M. D. Lukin, and E. Demler. *Decoherence dynamics in low-dimensional cold atom interferometers.* Phys. Rev. Lett. **98**, 200404 (2007).

[96] S. Hofferberth *et al. Non-equilibrium coherence dynamics in one-dimensional Bose gases.* Nature **449**, 324 (2007).

[97] O. J. Luiten, M. W. Reynolds, and J. T. M. Walraven. *Kinetic theory of the evaporative cooling of a trapped gas.* Phys. Rev. A **53**, 381–389 (1996).

[98] J. Walraven. *Atomic hydrogen in magnetostatic traps.* In G.-L. Oppo, S. Barnett, E. Riis, and M. Wilkinson, editors, *Quantum dynamics of symple systems* volume 44 of *SUSSP Proceedings* Bristol (1996). IOP.

[99] W. Ketterle and N. J. van Druten. *Evaporative cooling of trapped atoms.* Advances in Atomic, Molecular and Optical Physics **37**, 181–236 (1996).

[100] P. W. H. Pinkse *et al.* *One-dimensional evaporative cooling of magnetically trapped atomic hydrogen.* Phys. Rev. A **57**, 4747–4760 (1998).

[101] J. Reichel. *Microchip traps and Bose-Einstein condensation.* Appl. Phys. B **75**, 469–487 (2002).

[102] A. Kasper *et al.* *A Bose-Einstein condensate in a microtrap.* J. Opt. B **5**, S143–S149 (2003).

[103] K. Dieckmann. *Bose-Einstein Condensation with High Atom Number in a Deep Magnetic Trap.* PhD thesis Universiteit van Amsterdam (2001).

[104] M. A. Joffe, W. Ketterle, A. Martin, and D. E. Pritchard. *Transverse cooling and deflection of an atomic beam inside a Zeeman slower.* J. Opt. Soc. Am. B **10**, 2257 (1993).

[105] Z. T. Lu *et al.* *Low-velocity intense source of atoms from a magneto-optical trap.* Phys. Rev. Lett. **77**, 3331–3334 (1996).

[106] K. Dieckmann, R. J. C. Spreeuw, M. Weidemüller, and J. T. M. Walraven. *Two-dimensional magneto-optical trap as a source of slow atoms.* Phys. Rev. A **58**, 3891–3895 (1998).

[107] M. Greiner, I. Bloch, T. W. Hänsch, and T. Esslinger. *Magnetic transport of trapped cold atoms over a large distance.* Phys. Rev. A **63**, 031401 (2001).

[108] H. J. Lewandowski, D. M. Harber, D. L. Whitaker, and E. A. Cornell. *Simplified system for creating a Bose-Einstein condensate.* J. Low Temp. Phys. **132**, 309–367 (2003).

[109] J. Fortágh, A. Grossmann, T. W. Hänsch, and C. Zimmermann. *Fast loading of a magneto-optical trap from a pulsed thermal source.* J. Appl. Phys **84**, 6499–6501 (1998).

[110] B. P. Anderson and M. A. Kasevich. *Loading a vapor-cell magneto-optic trap using light-induced atom desorption.* Phys. Rev. A **63**, 023404 (2001).

[111] J. Reichel, W. Hänsel, and T. W. Hänsch. *Atomic micromanipulation with magnetic surface traps.* Phys. Rev. Lett. **83**, 3398–3401 (1999).

[112] H. J. Metcalf and P. van der Straten. *Laser Cooling and Trapping of Neutral Atoms.* Springer New York (1999).

[113] E. Eliel. Huygens Laboratory, Leiden, The Netherlands.

[114] S. Du *et al. Atom-chip Bose-Einstein condensation in a portable vacuum cell.* Phys. Rev. A **70**, 053606 (2004).

[115] J. J. P. van Es. PhD thesis Universiteit van Amsterdam (2008).

[116] J. Reichel, W. Hänsel, P. Hommelhoff, and T. W. Hänsch. *Applications of integrated magnetic microtraps.* Appl. Phys. B **72**, 81–89 (2001).

[117] E. Hennes. *Thermal properties of the atom chip assembly.* Technical report University of Amsterdam (2006).

[118] E. Kreyszig. *Advanced Engineering Mathematics.* John Wiley & Sons, Inc. New York (1993).

[119] S. Groth *et al. Atom chips: Fabrication and thermal properties.* Appl. Phys. Lett. **85**, 2980–2982 (2004).

[120] M. Succi, R. Canino, and B. Ferrario. *Atomic absorption evaporation flow rate measurements of alkali metal dispensers.* Vacuum **35**, 579 (1985).

[121] C. Klempt *et al. Ultraviolet light-induced atom desorption for large rubidium and potassium magneto-optical traps.* Phys. Rev. A **73**, 013410 (2006).

[122] Ralchenko *et al. NIST atomic spectra database (version 3.1.2).* Online: http://physics.nist.gov/asd3 2007.

[123] G. C. Bjorklund, M. D. Levenson, W. Lenth, and C. Ortiz. *Frequency modulation (FM) spectroscopy; theory of lineshapes and signal-to-noise analysis.* Appl. Phys. B **32**, 145 (1983).

[124] A. E. Siegman. *Lasers.* University Science Books Mill Valley, California (1986).

[125] W. Petrich, M. H. Anderson, J. R. Ensher, and E. A. Cornell. *Behavior of atoms in a compressed magneto-optical trap.* J. Opt. Soc. Am. B **11**, 1332–1335 (1994).

[126] S. Wildermuth *et al. Optimized magneto-optical trap for experiments with ultracold atoms near surfaces.* Phys. Rev. A **69**, 030901 (2004).

[127] I. Shvarchuck *et al. Bose-Einstein condensation into nonequilibrium states studied by condensate focusing.* Phys. Rev. Lett. **89**, 270404 (2002).

[128] D.-W. Wang, M. D. Lukin, and E. Demler. *Disordered Bose-Einstein condensates in quasi one-dimensional magnetic microtraps.* Phys. Rev. Lett. **92**, 076802 (2004).

[129] J. Estève *et al.* *The role of wire imperfections in micro magnetic traps for atoms.* Phys. Rev. A **70**, 043629 (2004).

[130] P. Krueger *et al.* *Disorder potentials near lithographically fabricated atom chips.* arXiv:cond-mat/0504686 v1 (2005).

[131] J.-B. Trebbia *et al.* *Roughness suppression via rapid current modulation on an atom chip.* Phys. Rev. Lett. **98**, 263201 (2007).

[132] N. Ramsey. *Molecular beams.* Oxford university Press (1956).

[133] H. Friedburg and W. Paul. Naturwissenschaften **38**, 159 (1951).

[134] H. Friedburg. *Optische abbildung mit neutralen atomen.* Z. Phys. **130**, 493 (1951).

[135] V. I. Balykin and V. S. Letokhov. *The possibility of deep laser focusing of an atomic beam into the A-region.* Opt. Commun. **64**, 151–156 (1987).

[136] V. I. Balykin, V. S. Letokhov, Y. B. Ovchinnikov, and A. I. Sidorov. *Quantum-state-selective mirror reflection of atoms by laser light.* Phys. Rev. Lett. **60**, 2137–2140 (1988).

[137] R. J. C. Spreeuw, D. Voigt, B. T. Wolschrijn, and H. B. van Linden van den Heuvell. *Creating a low-dimensional quantum gas using dark states in an inelastic evanescent-wave mirror.* Phys. Rev. A **61**, 053604 (2000).

[138] B. T. Wolschrijn *et al.* *Stochastic rainbow caustic observed with cold atoms.* Phys. Rev. A **64**, 065403 (2001).

[139] M.-O. Mewes *et al.* *Output coupler for Bose-Einstein condensed atoms.* Phys. Rev. Lett. **78**, 582–585 (1997).

[140] B. P. Anderson and M. Kasevich. *Macroscopic quantum interference from atomic tunnel arrays.* Science **282**, 1686 (1998).

[141] E. W. Hagley *et al.* *A well-collimated quasi-continuous atom laser.* Science **283**, 1706 (1999).

[142] I. Bloch, T. W. Hänsch, and T. Esslinger. *Atom laser with a cw output coupler.* Phys. Rev. Lett. **82**, 3008–3011 (1999).

[143] I. Bloch *et al.* *Optics with an atom laser beam.* Phys. Rev. Lett. **87**, 030401 (2001).

[144] Y. Le Coq *et al.* *Atom laser divergence.* Phys. Rev. Lett. **87**, 170403 (2001).

[145] F. Gerbier, P. Bouyer, and A. Aspect. *Quasicontinuous atom laser in the presence of gravity.* Phys. Rev. Lett. **86**, 4729–4732 (2001).

[146] J. F. Riou *et al.* *Beam quality of a nonideal atom laser.* Phys. Rev. Lett. **96**, 070404 (2006).

[147] W. Guerin *et al.* *Guided quasicontinuous atom laser.* Phys. Rev. Lett. **97**, 200402 (2006).

[148] J.-F. Riou. *Étude des propriétés de propegation d'un laser à atomes.* PhD thesis Université Paris-sud XI (2006).

[149] C. J. Bordé. *Fundamental Systems in Quantum Optics, Les Houches* chapter Session LIII, p. 287. Elsevier Science Publishers B. V. (1990).

[150] C. Bordé. *Theoretical tools for atom optics and interferometry.* Comptes Rendus de l'Académie des Sciences - Series IV - Physics **2**, 509 (2001).

[151] J. Clauser. *Ultra-high sensitivity accelerometers and gyroscopes using neutral atom matter-wave interferometry.* Physica B+C **1-2**, 265 (1988).

[152] D. W. Keith, C. R. Ekstrom, Q. A. Turchette, and D. E. Pritchard. *An interferometer for atoms.* Phys. Rev. Lett. **66**, 2693–2696 (1991).

[153] C. Buggle. *Collective and Collisional Properties of the Rubidium Quantum Gas.* PhD thesis University of Amsterdam (2005).

[154] M. J. Bastiaans. *The Wigner distribution function applied to optical signals and systems.* Opt. Commun. **25**, 26 (1978).

[155] M. Bastiaans. *Propagation laws for the 2nd-order moments of the Wigner distribution function in 1st-order optical-systems.* Optik **82**, 173–181 (1989).

[156] Y. Castin and R. Dum. *Bose-Einstein condensates in time dependent traps.* Phys. Rev. Lett. **77**, 5315–5319 (1996).

[157] Y. Kagan, E. L. Surkov, and G. V. Shlyapnikov. *Evolution of a Bose-condensed gas under variations of the confining potential.* Phys. Rev. A **54**, R1753–R1756 (1996).

[158] Y. Kagan, E. L. Surkov, and G. V. Shlyapnikov. *Evolution of a Bose gas in anisotropic time-dependent traps.* Phys. Rev. A **55**, R18–R21 (1997).

[159] A. Siegman. *Defining the effective radius of curvature for a nonideal optical beam.* IEEE J. Quant. Electron. **27**, 1146 (1991).

[160] P. A. Bélanger. *Beam propagation and the ABCD ray matrices.* Opt. Lett. **16**, 196 (1991).

[161] F. J. Pedrotti and L. S. Pedrotti. *Introduction to optics.* Prentice-Hall Englewood Cliffs, New Jersey second edition edition (1993).

[162] G. Brooker. *Modern Classical Optics.* Oxford University Press Oxford (2003).

[163] E. Wigner. *On the quantum correction for thermodynamic equilibrium.* Phys. Rev. **40**, 749–759 (1932).

[164] K. Imre, E. Özizmir, M. Rosenbaum, and P. F. Zweifel. *Wigner method in quantum statistical mechanics.* J. Math. Phys. **8**, 1097 (1967).

[165] L. Mandel and E. Wolf. *Optical coherence and quantum optics.* Cambridge university press (1995).

[166] V. Namias. *The fractional order Fourier transform and its application to quantum mechanics.* IMA J. Appl. Math. **25**, 241 (1980).

[167] D. Mendlovic and H. M. Ozaktas. *Fractional Fourier transforms and their optical implementation: I.* J. Opt. Soc. Am. **10**, 1875 (1993).

[168] A. W. Lohmann. *Image rotation, Wigner rotation, and the fractional Fourier transform.* J. Opt. Soc. Am. **10**, 2181 (1993).

[169] F. Gerbier *et al. Momentum distribution and correlation function of quasicondensates in elongated traps.* Phys. Rev. A **67**, 051602(R) (2003).

[170] L. Pitaevskii. *Bose-Einstein condensation in magnetic traps. Introduction to the theory.* Phys. Usp. **41**, 569 (1998).

[171] S. Dettmer *et al. Observation of phase fluctuations in elongated Bose-Einstein condensates.* Phys. Rev. Lett. **87**, 160406 (2001).

[172] S. Richard *et al. Momentum spectroscopy of 1D phase fluctuations in Bose-Einstein condensates.* Phys. Rev. Lett. **91**, 010405 (2003).

[173] M. Hugbart *et al. Coherence length of an elongated condensate.* Eur. Phys. J. D **35**, 155 (2005).

[174] M. J. Bastiaans and K. B. Wolf. *Phase reconstruction from intensity measurements in linear systems.* J. Opt. Soc. Am. A **20**, 1046 (2003).

[175] K. A. Nugent and D. Paganin. *Matter-wave phase measurement: A noninterferometric approach.* Phys. Rev. A **61**, 063614 (2000).

[176] C. Paré and P. A. Bélanger. *Beam propagation in a linear or nonlinear lens-like medium using ABCD ray matrices: the method of moments.* Opt. & Quant. Electr. **24**, S1051 (1992).

[177] F. Impens and C. J. Bordé. *Generalized ABCD propagation for interacting atomic clouds.* arXiv:0709.3381v2 [cond-mat.other] (2007).

[178] H. Moritz, T. Stöferle, M. Köhl, and T. Esslinger. *Exiting collective oscillations in a trapped 1D gas.* Phys. Rev. Lett. **91**, 250402 (2003).

[179] J. O. Andersen, U. Al Khawaja, and H. T. C. Stoof. *Phase fluctuations in atomic Bose gases.* Phys. Rev. Lett. **88**, 070407 (2002).

[180] G. E. Astrakharchik and S. Giorgini. *Quantum Monte Carlo study of the three- to one-dimensional crossover for a trapped Bose gas.* Phys. Rev. A **66**, 053614 (2002).

[181] M. A. Cazalilla. *One-dimensional optical lattices and impenetrable bosons.* Phys. Rev. A **67**, 053606 (2003).