Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://hdl.handle.net/11245/2.87912

File ID	uvapub:87912
Filename	Literatuuropgave
Version	final

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	article
Title	Regelmatig en zorgvuldig tandenpoetsen met fluoridetandpasta is de basis van preventie
Author(s)	C. van Loveren, W.H. van Palenstein Helderman
Faculty	ACTA
Year	2009

FULL BIBLIOGRAPHIC DETAILS:
http://hdl.handle.net/11245/1.318152

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content licence (like Creative Commons).

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)
(pagedate: 2014-11-19)

Literatuur Regelmatig en zorgvuldig tandenpoetsen met fluoridetandpasta is de basis van preventie

Ahovuo-Saloranta A, Hiiri A, Nordblad A, Mäkelä M, Worthington HV. Pit and fissure sealants for preventing dental decay in the permanent teeth of children and adolescents. Cochrane Database Syst Rev. 2008; 4: CD001830.

Ammari AB, Bloch-Zupan A, Ashley PF. Systematic review of studies comparing the anti-caries efficacy of children's toothpaste containing 600 ppm of fluoride or less with high fluoride toothpaste of 1000 ppm or above. Caries Res 2003; 37: 85-92.

Astrøm AN. Stability of oral health-related behaviour in a Norwegian cohort between the ages of 15 and 23 years. Community Dent Oral Epidemiol 2004; 32: 354-362.

Axelsson P, Lindhe J. Effect of oral hygiene instruction and professional toothcleaning on caries and gingivitis in schoolchildren. Community Dent Oral Epidemiol. 1981; 9: 251-255.

Biesbrock AR, Bartizek RD, Gerlach RW, Jacobs SA, Archila L. Effect of three concentrations of sodium fluoride dentifrices on clinical caries. Am J Dent 2003; 16 :99-104.

Chesters RK, Huntington E, Burchell CK, Stephen KW. Effect of oral care habits on caries in adolescents. Caries Res 1992; 26: 299-304.

Chu CH, Lo ECM. Promoting caries arrest in children with silver diamine fluoride; A review. Oral Health Prev Dent 2008; 6: 315-321.

Do LG, Spencer AJ. Risk-benefit balance in the use of fluoride among young children. J Dent Res 2007; 86: 723-728.

Gisselsson H, Emilson CG, Birkhed D, Björn AL. Approximal caries increment in two cohorts of schoolchildren after discontinuation of a professional flossing program with chlorhexidine gel. Caries Res 2005; 39 : 350-356.

Gruythuysen RJM. Gevaviteerde cariëslaesies: maskeren of beteugelen? Ned Tijdschr Tandhheelkd 2010; 117:

Hausen H, Kärkkäinen S, Seppä L. Application of the high-risk strategy to control dental caries. Community Dent Oral Epidemiol. 2000;28:26-34.

Hausen H, Seppa L, Poutanen R, Niinimaa A, Lahti S, Kärkkäinen S, Pietilä I. Noninvasive control of dental caries in children with active initial lesions. A randomized clinical trial. Caries Res. 2007; 41: 384-391.

Heyduck C, Meller C, Schwahn C, Splieth CH. Effectiveness of sealants in adolescents with high and low caries experience. Caries Res 2006; 40: 375-381.

Kasila K, Poskiparta M, Kettunen T, Pietilä I. Oral health counselling in changing schoolchildren's oral hygiene habits: a qualitative study. Community Dent Oral Epidemiol. 2006; 34: 419-428.

Köhler B, Andréen I, Jonsson B. The effect of caries-preventive measures in mothers on dental caries and the oral presence of the bacteria Streptococcus mutans and lactobacilli in their children.Arch Oral Biol. 1984; 29: 879-883.

Köhler B, Andréen I. Influence of caries-preventive measures in mothers on cariogenic bacteria and caries experience in their children. Arch Oral Biol. 1994; 39: 907-911.

Koulourides T, Keller SE, Manson-Hing L, Lilley V. Enhancement of fluoride effectiveness by experimental cariogenic priming of human enamel. Caries Res. 1980; 14: 32-39.

Kuusela S, Honkala E, Rimpelä A, Karvonen S, Rimpelä M. Trends in toothbrushing frequency among Finnish adolescents between 1977 and 1995. Community Dent Health 1997; 14: 84-88.

Lima TJ, Ribeiro CCC, Tenuta LMA, Cury JA. Low-fluoride dentifrice and caries lesion control in children with different caries experience: a randomized clinical trial. Caries Res 2008; 42: 46-50.

Lindquist B, Edward S, Torell P, Krasse B. Effect of different caries preventive measures in children highly infected with mutans streptococci. Scand J Dent Res 1989; 97 :330-337.

Marinho VCC, Higgins JPT, Logan S, Sheiham A. Fluoride gels for preventing dental caries in children and adolescents. Cochrane Database Syst Rev 2002(a), Issue 1.Art. No: CD 002280. DOI: 10.1002/14651858.CD002280

Marinho VCC, Higgins JPT, Logan S, Sheiham A. Fluoride varnishes for preventing dental caries in children and adolescents. Cochrane Database Syst Rev 2002(b), Issue 1.Art. No: CD 002279. DOI: 10.1002/14651858.CD002279

Marinho VCC, Higgins JPT, Logan S, Sheiham A. Fluoride toothpastes for preventing dental caries in children and adolescents. Cochrane Database Syst Rev 2003, Issue 1.Art. No: CD 002278. DOI: 10.1002/14651858.CD002278

Mejàre I, Lingström P, Petersson LG, Holm AK, Twetman S, Källestål C, Nordenram G, Lagerlöf F, Söder B, Norlund A, Axelsson S, Dahlgren H. Caries-preventive effect of fissure sealants: a systematic review. Acta Odontol Scand. 2003; 61: 321-330.

Reed MW. Clinical evaluation of three concentrations of sodium fluoride in dentifrices. J Am Dent Assoc 1973; 80: 1401-1403.

Rølla G, Øgaard B: Studies on the solubility of calcium fluoride in human saliva; in Leach SA (eds): Factors relating to demineralisation and remineralisation of the teeth. Oxford, IRL Press, 1985, pp 45-50.

Rosenblatt A, Stamford TC, Niederman R. Silver diamine fluoride: a caries "silver-fluoride bullet". J Dent Res. 2009; 88: 116-125.

Schuller AA, Kalsbeek H. Effect of the routine professional application of topical fluoride on caries and treatment experience in adolescents of low socio-economic status in the Netherlands. Caries Res 2003; 37: 172-177.

Sjögren K, Birkhed D, Rangmar B. Effect of a modified toothpaste technique on approximal caries in preschool children. Caries Res 1995; 29: 435-441.

Stookey GK, Mau MS, Isaacs RL, Gonzalez-Gierbolini C, Bartizek RD, Biesbrock AR. The relative anticaries effectiveness of three fluoride-containing dentifrices in Puerto Rico. Caries Res 2004; 38: 542-550.

Takeshita EM, Castro LP, Sassaki KT, Delbem AC. In vitro evaluation of dentifrice with low fluoride content supplemented with trimetaphosphate. Caries Res. 2009; 43: 50-56.

Tenovuo J, Häkkinen P, Paunio P, Emilson CG. Effects of chlorhexidine-fluoride gel treatments in mothers on the establishment of mutans streptococci in primary teeth and the development of dental caries in children. Caries Res. 1992; 26: 275-280.

Van Loveren C. Na spoelen of niet. QP Mondhygiene 2009

Van Palenstein Helderman WH, van't Hof MA, van Loveren C. Prognosis of caries increment with past caries experience variables. Caries Res 2001; 35: 186-192.

Van Strijp AJP, Buijs MJ, Ten Cate JM. In situ fluoride retention in enamel and dentine after the use of an amine fluoride dentifrice and amine fluoride/sodium fluoride mouthrinse. Caries Res 1999; 33: 61-65.

Van ‘t Hof MA, Frencken JE, van Palenstein Helderman WH. The atraumatic restorative treatment (ART) approach for managing dental caries: a meta-analysis. Ont Dent J 2006; 56: 345-351.

Weatherell JA, Naylor G, Hallsworth AS. Measurement of topical fluoride acquired by sound human enamel. Caries Res. 1977; 11: 231-236.

Winter GB, Holt RD, Williams BF. Clinical trial of a low-fluoride toothpaste for young children. Int Dent J 1989; 39 :227-235.

Zeedyk MS, Longbottom C, Pitts NB. Tooth-brushing practices of parents and toddlers: a study of home-based videotaped sessions. Caries Res 2005; 39: 27-33.

Zhang Q, van Palenstein helderman WH, van ’t Hof MA, Truin GJ. Chlorhexidine varnish for preventing dental caries in children, adolescents and young adults: a systematic review. Eur J Oral Sci 2006; 114: 449-455.