Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://dare.uva.nl/document/205357

File ID	205357
Filename	References

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	Dissertation
Title	The influence of heat and moisture exchangers on tracheal climate in laryngectomized individuals: toward optimal pulmonary rehabilitation
Author	R.J. Scheenstra
Faculty	Faculty of Medicine
Year	2011
Pages	159

FULL BIBLIOGRAPHIC DETAILS:
http://dare.uva.nl/record/367370

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)

REFERENCES

1 Piccirillo JF, Wells CK, Sasaki CT, Feinstein AR: New clinical severity staging system for cancer of the larynx. Five-year survival rates. *Ann Otol Rhinol Laryngol 1994;103:83-92.*

2 Induction chemotherapy plus radiation compared with surgery plus radiation in patients with advanced laryngeal cancer. The Department of Veterans Affairs Laryngeal Cancer Study Group: *N Engl J Med 1991;324:1685-1690.*

3 Lefebvre JL, Chevalier D, Luboinski B, Kirkpatrick A, Collette L, Sahmoud T: Larynx preservation in pyriform sinus cancer: preliminary results of a European Organization for Research and Treatment of Cancer phase III trial. EORTC Head and Neck Cancer Cooperative Group. *J Natl Cancer Inst 1996;88:890-899.*

4 Pignon JP, Bourhis J, Domenge C, Designe L: Chemotherapy added to locoregional treatment for head and neck squamous-cell carcinoma: three meta-analyses of updated individual data. MACH-NC Collaborative Group. Meta-Analysis of Chemotherapy on Head and Neck Cancer. *Lancet 2000;355:949-955.*

5 Chen AY, Halpern M: Factors predictive of survival in advanced laryngeal cancer. *Arch Otolaryngol Head Neck Surg 2007;133:1270-1276.*

6 Woodard TD, Oplatek A, Petruzzelli GJ: Life after total laryngectomy: a measure of long-term survival, function, and quality of life. *Arch Otolaryngol Head Neck Surg 2007;133:526-532.*

7 Hall FT, O'Brien CJ, Clifford AR, McNeil EB, Bron L, Jackson MA: Clinical outcome following total laryngectomy for cancer. *ANZ J Surg 2003;73:300-305.*

8 Godballe C, Jorgensen K, Hansen O, Bastholt L: Hypopharyngeal cancer: results of treatment based on radiation therapy and salvage surgery. *Laryngoscope 2002;112:834-838.*

9 Gussenbauer C: Über die erste durch Th. Billroth am Menschen ausgeführte Kehlkopf-Exstirpation und die Anwendung eines künstlichen Kehlkopfes. *Arch Klein Chir; 1874:343-356.*

10 Aust MR, McCaffrey TV: Early speech results with the Provox® prosthesis after laryngectomy. *Arch Otolaryngol Head Neck Surg 1997;123:966-968.*

11 Hilgers FJ, Ackerstaff AH, Balm AJ, Tan IB, Aaronson NK, Persson JO: Development and clinical evaluation of a second-generation voice prosthesis (Provox® 2), designed for anterograde and retrograde insertion. *Acta Otolaryngol 1997;117:889-896*.

12 Op de Coul BM, Hilgers FJ, Balm AJ, Tan IB, van den Hoogen FJ, van Tinteren H: A decade of postlaryngectomy vocal rehabilitation in 318 patients: a single Institution's experience with consistent application of provox indwelling voice prostheses. *Arch Otolaryngol Head Neck Surg 2000;126:1320-1328.*

13 Hilgers FJ, Schouwenburg PF: A new low-resistance, self-retaining prosthesis (Provox®) for voice rehabilitation after total laryngectomy. *Laryngoscope 1990;100:1202-1207.*

14 Ackerstaff AH, Hilgers FJ, Aaronson NK, Balm AJ: Communication, functional disorders and lifestyle changes after total laryngectomy. *Clin Otolaryngol 1994;19:295-300.*

15 Hilgers FJ, Ackerstaff AH, Aaronson NK, Schouwenburg PF, Van Zandwijk N: Physical and psychosocial consequences of total laryngectomy. *Clin Otolaryngol 1990;15:421-425.*

16 Hilgers FJ, Ackerstaff AH: Comprehensive rehabilitation after total laryngectomy is more than voice alone. F*olia Phoniatr Logop 2000;52:65-73.*

17 Christie RV, Loomis AL: The pressure of aqueous vapour in the alveolar air. J *Physiol 1932;77:35-48.*

18 Walker JE, Wells REj, Merrill EW: Heat and water exchange in the respiratory tract. *Am J Med 1961;30:259-267.*
19 Rathgeber J, Zuchner K: [Foundations of artificial respiration. Manual for medical docters and nurses]. *Ebelsbach, Aktiv Druck & Verlag GmbH, 1999.*
20 Branson RD: Humidification for patients with artificial airways. Respir *Care 1999;44:630-641.*
21 Cole P: Further observations on the conditioning of respiratory air. *J Laryngol Otol 1953;67:669-681.*
22 Cole P: Temperature and humidity of respiratory air. *J Physiol 1953;122:51P.*
23 McFadden ER, Jr.: Heat and water exchange in human airways. *Am Rev Respir Dis 1992;146:S8-10.*
24 Webb P: Air temperatures in respiratory tracts of resing subjects in cold. *J Appl Physiol 1951;4:378-382.*
25 Ackerstaff AH, Fuller D, Irvin M, Maccracken E, Gaziano J, Stachowiak L: Multicenter study assessing effects of heat and moisture exchanger use on respiratory symptoms and voice quality in laryngectomized individuals. *Otolaryngol Head Neck Surg 2003;129:705-712.*
26 Hilgers FJ, Aaronson NK, Ackerstaff AH, Schouwenburg PF, van Zandwikj N: The influence of a heat and moisture exchanger (HME) on the respiratory symptoms after total laryngectomy. *Clin Otolaryngol 1991;16:152-156.*
27 Jones AS, Young PE, Hanafi ZB, Makura ZG, Fenton JE, Hughes JP: A study of the effect of a resistive heat moisture exchanger (trachinaze) on pulmonary function and blood gas tensions in patients who have undergone a laryngectomy: A randomized control trial of 50 patients studied over a 6-month period. *Head Neck 2003;25:361-367.*
28 Kaanders JH, Hordijk GJ: Carcinoma of the larynx: the Dutch national guideline for diagnostics, treatment, supportive care and rehabilitation. *Radiother Oncol 2002;63:299-307.*
29 Shelly M, Bethune DW, Latimer RD: A comparison of five heat and moisture exchangers. *Anaesthesia 1986;41:527-532.*
30 Thomachot L, Viviand X, Arnaud S, Boisson C, Martin CD: Comparing two heat and moisture exchangers, one hydrophobic and one hygroscopic, on humidifying efficacy and the rate of nosocomial pneumonia. *Chest 1998;114:1383-1389.*
31 Primiano FP, Jr., Moranz ME, Montague FW, Jr., Miller RB, Sachs DP: Conditioning of inspired air by a hygroscopic condenser humidifier. *Crit Care Med 1984;12:675-678.*
32 Toremalm NG: The daily amoung of tracheo-bronchial secretions in man. A method for continuous tracheal aspiration in laryngectomized and tracheotomized patients. *Acta Otolaryngol Suppl 1960;158:43-53*.
33 Zuur JK, Muller SH, Vincent A, Sinaasappel M, de Jongh FH, Hilgers FJ: Assessment of tracheal temperature and humidity in laryngectomized individuals and the influence of a heat and moisture exchanger on tracheal climate. *Head Neck 2008;30:1072-1082.*
34 Zuur JK, Muller SH, de Jongh FH, van ZN, Hilgers FJ: The physiological rationale of heat and moisture exchangers in post-laryngectomy pulmonary rehabilitation: a review. *Eur Arch Otorhinolaryngol 2006;263:1-8.*
35 Zuur JK, Muller SH, de Jongh FH, van der Horst MJ, Shehata M, van Leeuwen J, Sinaasappel M, Hilgers FJ: A newly developed tool for intra-tracheal temperature and humidity assessment in laryngectomized individuals: the Airway Climate Explorer (ACE). *Med Biol Eng Comput 2007;45:737-745.*
36 Zuur JK, Muller SH, Vincent A, Sinaasappel M, de Jongh FH, Hilgers FJ: The influence of a heat and moisture exchanger on tracheal climate in a cold environment. *Med Eng Phys 2009;31:852-7.*

37 Natvig K: Influence of different climates on the peak expiratory flow in laryngectomees. *J Laryngol Otol 1984;98:53-58.*
38 Ferris Jr BG, Mead J, Opie H: Partitioning of respiratory flow resistance in man. *J Appl Physiol 1964;19(4):653-658.*
39 Swift AC, Campbell IT, McKown TM: Oronasal obstruction, lung volumes, and arterial oxygenation. *Lancet 1988;1:73-75.*
40 McRae RD, Jones AS, Young P, Hamilton J: Resistance, humidity and temperature of the tracheal airway. *Clin Otolaryngol 1995;20:355-356*.
41 Togawa K, Konno A, Hoshino T: A physiologic study on respiratory handicap of the laryngectomized. *Arch Otorhinolaryngol 1980;229:69-79.*
42 Verkerke GJ, Geertsema AA, Schutte HK: Airflow resistance of airflow-regulating devices described by independent coefficients. *Ann Otol Rhinol Laryngol 2001;110:639-645.*
43 McRae D, Young P, Hamilton J, Jones A: Raising airway resistance in laryngectomees increases tissue oxygen saturation. *Clin Otolaryngol 1996;21:366-368.*
44 Zuur JK, Muller SH, Sinaasappel M, Hart GA, Van Zandwijk N, Hilgers FJ: Influence of heat and moisture exchanger respiratory load on transcutaneous oxygenation in laryngectomized individuals: A randomized crossover study. *Head Neck 2007;29:1102-1110.*
45 Jones AS, McCrae RD, Young PE, Hamilton J: A new tracheostomy filter. *Lancet 1997;349:544.*
46 Mossberg B, Camner P: Mucociliary transport and cough as tracheobronchial clearance mechanisms in pathological conditions. *Eur J Respir Dis Suppl 1980;110:47-55.*
47 Harris S, Jonson B: Lung function before and after laryngectomy. *Acta Otolaryngol 1974;78:287-294.*
48 Heyden R: The respiratory function in laryngectomized patients. *Acta Otolaryngol Suppl 1950;85:1-76.*
49 Vanderbroucke-Grauls CM, Teeuw KB, Ballemans K, Lavooij C, Cornelisse PB, Verhoef J: Bacterial and viral removal efficiency, heat and moisture exchange properties of four filtration devices. *J Hosp Infect 1995;29:45-56.*
50 Grolman W, Blom ED, Branson RD, Schouwenburg PF, Hamaker RC: An efficiency comparison of four heat and moisture exchangers used in the laryngectomized patient. *Laryngoscope 1997;107:814-820.*
51 Hedley RM, Allt-Graham J: A comparison of the filtration properties of heat and moisture exchangers. *Anaesthesia 1992;47:414-420.*
52 Clary-Meinesz CF, Cosson J, Huitorel P, Blaive B: Temperature effect on the ciliary beat frequency of human nasal and tracheal ciliated cells. *Biol Cell 1992;76:335-338.*
53 Mercke U: The influence of temperature on mucociliary activity. Temperature range 40 degrees C to 50 degrees C. *Acta Otolaryngol 1974;78:253-258.*
54 Mercke U, Toremalm NG: Air humidity and mucociliary activity. *Ann Otol Rhinol Laryngol 1976;85:32-37.*
55 Eckerbom B, Lindholm CE, Mannting F: Mucociliary transport with and without the use of a heat and moisture exchanger. An animal study. *Acta Anaesthesiol Scand 1991;35:297-301.*
56 Ingelstedt S: Studies on the conditioning of air in the respiratory tract. *Acta Otolaryngol 1956;56:1-80.*
57 McFadden ER, Jr., Denison DM, Waller JF, Assoufi B, Peacock A, Sopwith T: Direct recordings of the temperatures in the tracheobronchial tree in normal man. *J Clin Invest 1982;69:700-705.*
58 Primiano FP, Jr., Saidel GM, Montague FW, Jr., Kruse KL, Green CG, Horowitz JG: Water vapour and temperature dynamics in the upper airways of normal and CF subjects. *Eur Respir J 1988;1:407-414.*

59 Keck T, Leiacker R, Riechelmann H, Rettinger G: Temperature profile in the nasal cavity. *Laryngoscope 2000;110:651-654.*
60 Rouadi P, Baroody FM, Abbott D, Naureckas E, Solway J, Naclerio RM: A technique to measure the ability of the human nose to warm and humidify air. *J Appl Physiol 1999;87:400-406.*
61 Keck T, Leiacker R, Heinrich A, Kuhnemann S, Rettinger G: Humidity and temperature profile in the nasal cavity. *Rhinology 2000;38:167-171.*
62 Maurizi M, Paludetti G, Almadori G, Ottaviani F, Todisco T: Mucociliary clearance and mucosal surface characteristics before and after total laryngectomy. *Acta Otolaryngol 1986;102:136-145.*
63 Roessler F, Grossenbacher R, Walt H: [Condition of the tracheobronchial mucous membrane in patients with long-term tracheostomy. A scanning electron microscopy study]. *Laryngol Rhinol Otol (Stuttg) 1988;67:66-71.*
64 Todisco T, Maurizi M, Paludetti G, Dottorini M, Merante F: Laryngeal cancer: long-term follow-up of respiratory functions after laryngectomy. *Respiration 1984;45:303-315.*
65 Ackerstaff AH, Hilgers FJ, Aaronson NK, Balm AJ, Van Zandwijk N: Improvements in respiratory and psychosocial functioning following total laryngectomy by the use of a heat and moisture exchanger. *Ann Otol Rhinol Laryngol 1993;102:878-883.*
66 Ackerstaff AH, Hilgers FJ, Balm AJ, Van Zandwijk N: Long-term pulmonary function after total laryngectomy. *Clin Otolaryngol 1995;20:547-551.*
67 Ackerstaff AH, Hilgers FJ, Meeuwis CA, Knegt PP, Weenink C: Pulmonary function pre- and post-total laryngectomy. *Clin Otolaryngol 1999;24:491-494.*
68 Boyer A, Thiery G, Lasry S, Pigne E, Salah A, de LA, Dreyfuss D, Ricard JD: Long-term mechanical ventilation with hygroscopic heat and moisture exchangers used for 48 hours: a prospective clinical, hygrometric, and bacteriologic study. *Crit Care Med 2003;31:823-829.*
69 Steward DJ: A disposable condenser humidifier for use during anaesthesia. *Can Anaesth Soc J 1976;23:191-195.*
70 Lindemann J, Sannwald D, Wiesmiller K: Age-related changes in intranasal air conditioning in the elderly. *Laryngoscope 2008;118:1472-1475.*
71 Proetz AW: Air currents in the upper respiratory tract and their clinical importance. *Ann Otol Rhinol Laryngol 1951;60:439-67.*
72 McFadden ER, Jr., Pichurko BM, Bowman HF, Ingenito E, Burns S, Dowling N, Solway J: Thermal mapping of the airways in humans. *J Appl Physiol 1985;58:564-570.*
73 Chadda K, Louis B, Benaissa L, Annane D, Gajdos P, Raphael JC, Lofaso F: Physiological effects of decannulation in tracheostomized patients. *Intensive Care Med 2002;28:1761-1767.*
74 Motley HL: The effects of slow deep breathing on the blood gas exchange in emphysema. *Am Rev Respir Dis 1963;88:484-492.*
75 Mueller RE, Petty TL, Filley GF: Ventilation and arterial blood gas changes induced by pursed lips breathing. *J Appl Physiol 1970;28:784-789.*
76 Schmidt RS, Wasserman K, Lillington GA: The effect of air flow and oral pressure on the mechanics of breahting in patients with asthma and emphysema. *Am Rev Respir Dis 1964;90:564-571.*
77 Thoman RL, Stoker GL, Ross JC: The efficacy of pursed-lips breathing in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis 1966;93:100-106.*
78 Tiep BL, Burns M, Kao D, Madison R, Herrera J: Pursed lips breathing training using ear oximetry. *Chest 1986;90:218-221.*
79 Keck T, Durr J, Leiacker R, Rettinger G, Rozsasi A: Tracheal climate in laryngectomees after use of a heat and moisture exchanger. *Laryngoscope 2005;115:534-537.*
80 Liener K, Durr J, Leiacker R, Rozsasi A, Keck T: Measurement of tracheal humidity and temperature. *Respiration 2006;73:324-328.*

81 Rozsasi A, Leiacker R, Fischer Y, Keck T: Influence of passive humidification on respiratory heat loss in tracheotomized patients. *Head Neck 2006;28:609-613.*
82 Benchetrit G: Breathing pattern in humans: diversity and individuality. *Respir Physiol 2000;122:123-129.*
83 Natvig K: Laryngectomees in Norway. Study no. 5: Problems of everyday life. *J Otolaryngol 1984;13:15-22.*
84 Scheenstra RJ, Muller SH, Vincent A, Sinaasappel M, Zuur JK, Hilgers FJ: Endotracheal temperature and humidity measurements in laryngectomized patients: intra- and inter-patient variability. *Med Biol Eng Comput 2009;47:773-782.*
85 Cole P: Recordings of respiratory air temperature. J *Laryngol Otol 1954;68:295-307.*
86 Ackerstaff AH, Hilgers FJ, Aaronson NK, De Boer MF, Meeuwis CA, Knegt PP, Spoelstra HA, Van Zandwijk N, Balm AJ: Heat and moisture exchangers as a treatment option in the post-operative rehabilitation of laryngectomized patients. *Clin Otolaryngol 1995;20:504-509.*
87 Ackerstaff AH, Hilgers FJ, Balm AJ, Tan IB: Long-term compliance of laryngectomized patients with a specialized pulmonary rehabilitation device: Provox Stomafilter. *Laryngoscope 1998;108:257-260.*
88 Scheenstra RJ, Muller SH, Vincent A, Zuur JK, Hilgers FJM: Endotracheal temperature and humidity measurements in laryngectomized patients: intra- and inter-patient variability. *Med Biol Comput* 2009;47:773-82.
89 Ploysongsang Y, Branson R, Rashkin MC, Hurst JM: Pressure flow characteristics of commonly used heat-moisture exchangers. *Am Rev Respir Dis 1988;138:675-678.*
90 Verkerke GJ, Geertsema AA, Schutte HK: Airflow resistance of heat and moisture exchange filters with and without a tracheostoma valve. Ann *Otol Rhinol Laryngol 2002;111:333-337.*
91 Fujita Y, Imanaka H, Fujino Y, Takeuchi M, Tomita T, Mashimo T, Nishimura M: Effect of humidifying devices on the measurement of tidal volume by mechanical ventilators. *J Anesth 2006;20:166-172.*
92 Lanigan C, Ponte J, Moxham J: Performance of transcutaneous PO2 and PCO2 dual electrodes in adults. Br *J Anaesth 1988;60:736-742.*
93 Forsyth RD, Cole P, Shephard RJ: Exercise and nasal patency*. J Appl Physiol 1983;55:860-865.*
94 Raynor PC, Kim BG, Ramachandran G, Strommen MR, Horns JH, Streifel AJ: Collection of biological and non-biological particles by new and used filters made from glass and electrostatically charged synthetic fibers. *Indoor Air 2008;18:51-62.*
95 Op de Coul BM, Ackerstaff AH, Van As CJ, van den Hoogen FJ, Meeuwis CA, Manni JJ, Hilgers FJ: Quality of life assessment in laryngectomized individuals: do we need additions to standard questionnaires in specific clinical research projects? *Clin Otolaryngol 2005;30:169-175.*
96 Revenas B, Lindholm CE: Temperature variations in disposable heat and moisture exchangers. Acta *Anaesthesiol Scand 1980;24:237-240.*
97 Salah B, Dinh Xuan AT, Fouilladieu JL, Lockhart A, Regnard J: Nasal mucociliary transport in healthy subjects is slower when breathing dry air*. Eur Respir J 1988;1:852-855.*
98 Hilgers FJ, Ackerstaff AH, Balm AJ, Gregor RT: A new heat and moisture exchanger with speech valve (Provox stomafilter). *Clin Otolaryngol 1996;21:414-418.*
99 Scheenstra RJ, Muller SH, Vincent A, Hilgers FJM: Heat and moisture exchange capacity of the upper respiratory tract and the effect of tracheotomy breathing on endotracheal climate. *Head Neck 2010; [Apr 29. Epub ahead of print].*
100 Herrera-Gomez A, Villavicencio-Valencia V, Rascon-Ortiz M, Luna-Ortiz K: Demographic data of laryngeal cancer at the Instituto Nacional de Cancerologia in Mexico City. *Cir Cir 2009;77:353-357.*