Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://dare.uva.nl/document/60272

File ID	60272
Filename	Table of contents

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	Dissertation
Title	Mechanisms of decreasing HIV-1 specific CD8+ T cell activity during progression to AIDS
Author	S. Kostense
Faculty	Faculty of Medicine
Year	2001
Pages	127

FULL BIBLIOGRAPHIC DETAILS:
http://dare.uva.nl/record/91641

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)

Table of contents

1. Introduction 9

Prologue: The T cell subsets
2. Evidence that human CD8+CD45RA+CD27- cells are induced by antigen and evolve through extensive rounds of division. (1999). Int.Immunol. 11,7, 1027. 13

Part 1. Diversity of CD4+ and CD8 + T cell repertoires. 19
3. Diversity of the TCRBV repertoire in HIV-1 infected patients reflects the biphasic CD4+ T-cell repopulation kinetics during HAART. (1998) AIDS 12, F235.

4. T-cell expansions in lymph-nodes and peripheral blood in HIV-1 infected individuals: effect of antiretroviral therapy. (2001) AIDS in press 25

5. Normalisation of the CD4+ T cell repertoire during evolution of syncytium inducing HIV variants.(2000) AIDS. 14, 330 35

6. T cell receptor diversity in HIV-infection: missing clones and dominant expansions 37

Part 2: Phenotypic and functional analysis of HIV-specific CD8+ T cells 41
7. Longitudinal phenotypic analysis of HIV type-1 specific cytotoxic T lymphocytes: correlation with disease progression. (1999) J.Virol. 73, 9153

8. High viral burden in the presence of major expansions of HIV-specific CD8+ T cells: evidence for T cell dysfunction. (2001) Eur.J.Immunol. 3, 677 49

9. Virus-specific CD27$^-$ effector CD8$^+$ T cells are associated with protection from disease in HIV-infection. submitted 59

10. Persistent numbers of tetramer$^+$ CD8$^+$ T cells, but loss of IFNγ^+ HIV-specific T-cells precedes progression to AIDS. submitted 67

11. Variable CD8$^+$ T cell responsiveness to HIV Gag epitopes presented by different HLA alleles. submitted 77

12. Kinetics of tetramer$^+$ T cells and IFNγ^+ T cells specific for Human Immunodeficiency Virus and Epstein-Barr Virus during treatment of HIV-1 infection. submitted 85

13. Evolution of virus specific T cells during the course of HIV infection. 93

References 97

Summary 115

Samenvatting voor niet ingewijden 119

Curriculum Vitae 124

List of publications 125

Nawoord 126