Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://dare.uva.nl/document/60335

File ID	60335
Filename	Bibliography

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	Dissertation
Title	Nonparametric statistical process control
Author	R.A. Ion
Faculty	Faculty of Science
Year	2001
ISBN	905776076

FULL BIBLIOGRAPHIC DETAILS:
http://dare.uva.nl/record/94623

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other then for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)

Bibliography

[1] Abramowitz, M. and Stegun, I. A. (1970). *Handbook of Mathematical Functions*, Dover, New-York, pp. 944-945.

[2] Alloway, J. A. and Raghavachari, M. (1991). "Control chart based on the Hodges-Lehmann estimator". *Journal of Quality Technology* 23, pp. 336-347.

[3] Amin, R. W., Reynolds, M. R. Jr., and Bakir, S. T. (1995). "Nonprametric quality control based on the sign statistic". *Communication Statistical Theory and Methods* 24, pp. 1597-1623.

[4] Antoch, J. and Huškovà, M. (1998). "Estimators of changes". *Asymptotics, Nonparametrics and Time Series*, (S. Gosh and M. Dekker eds.), 15, pp. 533-578.

[5] Azzalini, A. (1981). "A note on the estimation of a distribution function and quantiles by a kernel method". *Biometrika* 68, pp. 326-328.

[6] Bai, D. S. and Choi, I. S. (1995)."$\bar{X}$ and R Control Charts for Skewed Populations". *Journal of Quality Technology* 27, pp. 120-131.

[7] Bai, D. S. and Choi, I. S. (1997). "Process capability indices for skewed populations". Manuscript, Korea Advanced Institute of Science and Technology, Teajon, Korea.

[8] Bajgier, S. M. (1992). "The use of Bootstrapping to Construct Limits on Control Charts". *Proceedings of the Decision Science Institute*, San Diego, CA, pp. 1611-1613.

[9] Bhattacharya, G.K. and Johnson, R.A. (1968). "Nonparametric tests for shift at unknown time point". *The Annals of Mathematical Statistics* 39, pp. 1731-1743.

[10] Billingsley, P. (1995). *Probability and Measure*, Wiley, New York.

[11] Boyles, R.A. (1991). "The Taguchi capability index". *Journal of Quality Technology* 23(1), pp. 17-26.

[12] Camp, B. H. (1922). "A new generalization of Tchebycheff's statistical inequality". *Bulletin of the American Mathematical Society* 28, pp. 427-432.

[13] Chakraborti, S., van der Laan, P. and Bakir, S. T. (1999). "Nonparametric statistical process control: An overview and some results". *Technical Report*, Eindhoven University of Technology.

[14] Choobineh, F. and Ballard, J.L. (1987). "Control limits of QC charts for skewed distributions using weighted variance". *IEEE Transactions on Reliability* 36, pp. 117-123.

[15] Clements, J.A. (1989). "Process capability calculations for non-normal distributions". *Quality Progress*, September, pp. 95-100.

[16] Cryer, J. D. and Ryan, T. P. (1990)."The Estimation of Sigma for an X Chart: $\overline{MR}/d_2$ or S/c_4 ?". *Journal of Quality Technology* 22, pp. 187-192.

[17] Dekkers, A. L. M., Einmahl, J. H. J. and De Haan, L. (1989). "A Moment Estimator for the Index of an Extreme-Value Distribution". *The Annals of Statistics* 17, pp. 1833-1855.

[18] Dekkers, A. L. M. and De Haan, L. (1989). "On the Estimation of the Extreme-Value Index and Large Quantile Estimation". *The Annals of Statistics* 17, pp. 1795-1832.

[19] Deleryd, M. (1996). *Process capability studies in theory and practise*, Ph.D. Thesis, Lulea University of Technology, Lulea, Sweden.

[20] Deming, W. E. (1986). *Out of the Crisis*, MIT, Cambridge, Massachusetts.

[21] Dharmadhikari, S.W. and Joag-dev, K. (1988). *Unimodality, convexity and aplications*, Boston, Academic Press.

[22] Does, R. J. M. M. and Schriever, B. F. (1992)." Variables control chart limits and tests for special causes". *Statistica Nederlandica* 46, pp. 229-245.

[23] Does, R. J. M. M., Roes, K. C. B. and Trip, A. (1999). *Statistical Process Control in Industry*, Kluwer Academic Publishers, Dordrecht, The Netherlands.

[24] Duncan, A. J. (1965). *Quality Control and Industrial Statistics*, R.D. Irwin Inc., Homewood, Illinois.

[25] Feller, W. (1966). *An Introduction to Probability Theory and Its Applications*, Wiley, New York.

[26] Ferrell, E. B. (1958). "Control charts for Lognormal Universe". *Industrial Quality Control* 15, pp. 4-6.

[27] Franklin, L.A. and Wasserman, G.S. (1992). "Bootstrap lower confidence limits for capability indices". *Journal of Quality Technology* 24, pp. 196-210.

[28] Gunter, B.H. (1989). "The use and abuse of C_{pk}". *Quality Progress* 22(1), pp. 72-73.

[29] Hare, L. B. , Hoerl, R. W., Hromi, J. D. and Snee, R. D. (1995). "The role of statistical thinking in management". *Quality Progress* 28 (2), pp.53-60.

[30] Hájek, J. and Šidák, Z. (1967). *Theory of Rank Test*, Academia, Prague.

[31] Hewitt, E. and Stromberg, K. (1965). *Real and abstract analysis: a modern treatment of the theory of functions of real variable*, Springer-Verlag, New York.

[32] Hill, B. M. (1975). "A simple general approach to inference about the tail of a distribution". *The Annals of Statistics* 3, pp. 1163-1174.

[33] Hinkley, D.V. (1970). "Inference about the change-point in a sequence of random variables". *Biometrika* 57, pp. 1-17.

[34] Hull, P. (1922). *The Bootstrap and Edgeworth Expansion*, Springer-Verlag, New York, pp. 317-318.

[35] Ion, R. A. and Klaassen, C. A. J. (1999). " Nonparametric Shewhart Control Charts". submitted to *Journal of Nonparametric Statistics.*

[36] Ion, R. A., Does, R. J. M. M. and Klaassen, C. A. J. (2001), "A Comparison of Shewhart Control Charts based on Normality, Nonparametrics, and Extreme-Value Theory" (2001). submitted to the *Journal of Quality Technology*

[37] Ion, R. A. and Klaassen, C. A. J. (2001). "Sharp Chebyshev-Type Inequalities". will be submitted to Statistics and Probability Letters.

[38] Ishikawa, K. (1985). *What is total quality control? The Japanese way*, Prentice-Hall, Englewood Cliffs, New Jersey.

[39] Johnson, N. L. and Kotz, S. (1970). *Continuous Univariate Distributions*, Wiley, New York.

[40] Jones, L. A. and Woodall, W. H. (1998). "The performance of Bootstrap Control Charts". *Journal of Quality Technology* 30, pp. 362-375.

[41] Juran, J.M., Gyrna, F.M. and Bingham Jr., R.S. (1974). *Quality Control Handbook*, McGraw-Hill, New York.

[42] Kamat, A. R. (1953). "On the Mean Successive Difference and Its Ratio to the Root Mean Square". *Biometrika* 40, pp.116-127.

[43] Kaminsky, F.C., Dovich, R.A. and Burke, R.J. (1998). "Process capability indices: Now and in the future". *Quality Engineering* 10(3), pp. 445-453.

[44] Kane, V. E. (1986). "Process Capability Indices". *Journal of Quality Technology* 18, pp. 41-52 (corrigenda pp. 265).

[45] Klaasen, C. A. J., Mokveld, P. J. and van Es, Bert (2000). "Squared skewness minus kurtosis bounded by 186/125 for unimodal distributions". *Statistics & Probability Letters* 50, pp. 131-135.

[46] Kotz, S. and Lovelace, C.R. (1998). *Process capability indices in theory and practice*, Arnold, New York.

[47] Lehmann, E. L. (1986). *Testing Statistical Hypotheses*, Wiley, New York, pp.191-192.

[48] Levinson, W.A. (1997). "Approximate confidence limits for C_{pk} and confidence limits for non-normal process capabilities". *Quality Engineering* 9(4), pp. 635-640.

[49] Littig, S.J. and Lam, C.T. (1993). "Case studies in process capability measurement". *ASQC Quality Congress Transactions*, Boston, pp. 569-575.

[50] Liu, R. Y. and Tang, J. (1996). "Control Charts for Dependent and Independent Measurements Based on Bootstrap Methods". *Journal of the American Statistical Association* 91, pp. 1694-1700.

[51] McCoy, P.F. (1991). "Using performance indexes to monitor production processes". *Quality Progress* 24(2), pp. 49-55.

[52] Meidell, M. B. (1922). "Sur un problème du calcul des probabilités et les statistique mathématiques". *Comptes Rendus* 175, pp. 806-808.

[53] Montgomery, D. C. (1997). *Introduction to Statistical Quality Control*, Wiley, New York.

[54] Mosteller, F. and Rourke, R. E. K. (1973). *Sturdy Statistics*, Addison-Wesley, Reading, Massachusetts.

[55] Munechika, M. (1986). "Evaluation of Process Capability for Skew Distributions". *30th EOQC Conference*, pp. 383-390.

[56] Nelson, P. R. (1979). "Control Charts for Weibull Processes with Standards Given". *IEEE Transactions on Reliability* 28, pp. 283-287.

[57] Nelson, P.R. (1992). Editorial, *Journal of Quality Technology* 24, pp. 175.

[58] Nolan, T. W. and Provost, L. P. (1990). "Understanding variation". *Quality Progress* 24, pp. 70-78.

[59] O'Neil Jr., E.E. and Krishnamoorthi, K.S. (1997). "C_{plog}: A capability index for non-normal processes". *51th ASQC Quality Congress Transactions*, pp. 775-781.

[60] Pappanastos, E. A. and Adams, B. M. (1996). "Alternative designs of the Hodges-Lehmann control chart". *Journal of Quality Technology* 28, pp. 213-223.

[61] Parzen, E. (1962). "On estimation of a probability density function and mode". *The Annals of Mathematical Statistics* 33, pp. 1065-1076.

[62] Pearn, W.L., Kotz, S. and Johnson, N.L. (1992). "Distributional and inferential properties of process capability indices". *Journal of Quality Technology* 24(4), pp. 216-231.

[63] Pickands, J. (1975). "Statistical inference using extreme order statistics". *The Annals of Statistics* 3, pp. 119-131.

[64] Pignatiello Jr., J.J. and Ramberg, J.S. (1993). "Process capability indices: Just say "No!"". *ASQC Quality Congress Transactions*, Boston, pp. 92-104.

[65] Polansky, A. M. (1999). "Density Control Charts". *ASA/IMS Spring Research Conference.* (Bulletin IMS vol. 28 p. 107). http://www.math.niu.edu/ polansky/Papers/Polansky.html

[66] Quesenberry, C. P. (1993). "The Effect of Sample Size on Estimated Limits for $\bar{X}$ and X Control Charts". *Journal of Quality Technology* 25, pp. 237-247.

[67] Quensenberry, C. P. (1997). *SPC Methods for Quality Improvement*, Wiley, New York.

[68] Reiss, R. D. (1989). *Approximate Distributions of Order Statistics*, Springer-Verlag, New York.

[69] Rodriguez, R.N. (1992). "Recent developments in process capability analysis". *Journal of Quality Technology*, 24(4), pp. 176-187.

[70] Roes, K. C. B., Does, R. J. M. M. and Schurink, Y. (1993). "Shewhart-Type Control Charts for Individual Observations". *Journal of Quality Technology* 25, pp. 188-198.

[71] Rosenblatt, M. (1956). "Remarks on some nonparametric estimates of a density function". *The Annals of Mathematical Statistics* 27, pp. 832-837.

[72] Ryan, T. P. (1989). *Statistical Methods for Quality Improvement*, Wiley, New York.

[73] Saniga, E. M. and Shirland, L. E. (1977). "Quality control in practice. A survey". *Quality Progress* 10, Vol.5.

[74] Seal, H. L. (1951). *Mathematical Reviews* 12, 34e. Review on Theil (1949).

[75] Sen, A. and Srivastava, M.S. (1975). "On tests for detecting change in mean". *The Annals of Statistics* 3, pp. 90-108.

[76] Seppala, T., Moskowitz, H., Plante, R. and Tang, J. (1995). "Statistical Process Control via the Subgroup Bootstrap". *Journal of Quality Technology* 27, pp. 139-153.

[77] Shewhart, W. A. (1931). *Economic Control of Quality of Manufactured Product*, Van Nostrand, Princeton, New York.

[78] Shorack, G. R. and Wellner, J. A. (1986). *Empirical Processes with Applications to Statistics*, John Wiley, New York.

[79] Siegmund, D. (1988). "Confidence sets in change-point problems". *International Statistical Review* 56, pp. 31-48.

[80] Snee, R.D. (1990). "Statistical thinking and its contribution to total quality". *American Statistician* 44, pp. 116-121.

[81] Sommerville, S. and Montgomery, D. (1996). "Process capability indices and non-normal distributions". *Quality Engineering*, 19(2), pp. 305-316.

[82] Sullivan, L. P. (1984). "Reducing Variability: A New Approach to Quality". *Quality Progress* 17, pp. 15-21.

[83] Sullivan, L. P. (1985). "Letters". *Quality Progress* 18(4), pp. 7-8.

[84] Theil, E. (1949). "Over de ongelijkheid van Camp en Meidell". *Statistica* 3, pp. 201-208.

[85] Van den Heuvel, E. R. and Ion, R. A. (2001). "Capability Indices and the Proportion of Nonconforming items". submitted to *Quality Engineering.*

[86] Wheeler, D. J. (1995). *Advanced Topics in Statistical Process Control*, SPC Press, Knoxville, Tennessee.

[87] Willemain, T. R. and Runger, G. C. (1996). "Designing Control Charts Using an Empirical Reference Distribution". *Journal of Quality Technology* 28, pp.31-38.

[88] Woodall, W. H. and Montgomery, D. C. (1999). "Research Issues and Ideas in Statistical Process Control". *Journal of Quality Technology* 31, pp. 376-386.

[89] Wu, H.H. (2001). "Performance problems of families of non-normal process capability indices". *Quality Engineering* 13(3), pp. 383-388.

[90] Yang, S. S. (1985). "A Smooth Nonparametric Estimator of a Quantile Function". *Journal of the American Statistical Association* 80, pp. 1004-1011.

[91] Yao Y.C. (1987). "Approximating the distribution of maximum likelihood estimate of the change-point in a sequence of independent random variables". *The Annals of Statistics* 15, pp. 1321-1328.