

Reference List Chapters 6 and 7

1. Holland, G. N., G. R. O'Connor, R. Belfort Junior, and J. S. Remington. 1996. Toxoplasmosis. In *Ocular Infection and Immunity*. J. S. Pepose, G. N. Holland, and K. R. Wilhelmus, eds. Mosby - Year Book, Inc., St. Louis, pp. 1183-1223.
2. Bobic, B., D. Sibalic, and O. Djurkovic-Djakovic. 1991. High levels of IgM antibodies specific for *Toxoplasma gondii* in pregnancy 12 years after primary toxoplasma infection. Case report. *Gynecol.Obstet.Invest* 31:182-184.
3. Del Bono, V., A. Canessa, P. Bruzzi, M. A. Fiorelli, and A. Terragna. 1989. Significance of specific immunoglobulin M in the chronological diagnosis of 38 cases of toxoplasmic lymphadenopathy. *J.Clin.Microbiol.* 27:2133-2135.
4. Gorgievski-Hrisoho, M., D. Germann, and L. Matter. 1996. Diagnostic implications of kinetics of immunoglobulin M and A antibody responses to *Toxoplasma gondii*. *J.Clin.Microbiol.* 34:1506-1511.
5. Liesenfeld, O., C. Press, J. G. Montoya *et al.* 1997. False-positive results in immunoglobulin M (IgM) toxoplasma antibody tests and importance of confirmatory testing: the Platelia Toxo IgM test. *J.Clin.Microbiol.* 35:174-178.
6. Sabin, A. B. and H. A. Feldman. 1948. Dyes as microchemical indicators of a new immunity phenomenon affecting a protozoan parasite (*Toxoplasma*). *Science* 108:660-663.
7. Bessieres, M. H., S. Le Breton, and J. P. Seguela. 1992. Analysis by immunoblotting of *Toxoplasma gondii* exo-antigens and comparison with somatic antigens. *Parasitol.Res.* 78:222-228.
8. Meek, B., V. N. Klaren, N. J. van Haeringen, A. Kijlstra, and R. Peek. 2000. IgA antibodies to *Toxoplasma gondii* in human tears. *Invest.Ophthalmol.Vis.Sc.* 41:2584-2590.
9. Schagger, H. and G. von Jagow. 1987. Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Anal.Biochem.* 166:368-379.
10. Decoster, A. and B. Lecolier. 1996. Bicentric evaluation of Access Toxo immunoglobulin M (IgM) and IgG assays and IMx toxo IgM and IgG assays and comparison with Platelia Toxo IgM and IgG assays. *J.Clin.Microbiol.* 34:1606-1609.
11. Wilson, M., J. S. Remington, C. Clavet *et al.* 1997. Evaluation of six commercial kits for detection of human immunoglobulin M antibodies to *Toxoplasma gondii*. The FDA Toxoplasmosis Ad Hoc Working Group. *J.Clin.Microbiol.* 35:3112-3115.
12. Liesenfeld, O., C. Press, R. Flanders *et al.* 1996. Study of Abbott Toxo IMx system for detection of immunoglobulin G and immunoglobulin M toxoplasma antibodies: value of confirmatory testing for diagnosis of acute toxoplasmosis. *J.Clin.Microbiol.* 34:2526-2530.
13. Jenum, P. A. and B. Stray-Pedersen. 1998. Development of specific immunoglobulins G, M, and A following primary *Toxoplasma gondii* infection in pregnant women. *J.Clin.Microbiol.* 36:2907-2913.
14. Potasman, I., F. G. Araujo, G. Desmots, and J. S. Remington. 1986. Analysis of *Toxoplasma gondii* antigens recognized by human sera obtained before and after acute infection. *J.Infect.Dis.* 154:650-657.
15. Sharma, S. D., J. Mullenax, F. G. Araujo, H. A. Erlich, and J. S. Remington. 1983. Western Blot analysis of the antigens of *Toxoplasma gondii* recognized by human IgM and IgG antibodies. *J.Immunol.* 131:977-983.
16. Naot, Y., D. R. Guptill, J. Mullenax, and J. S. Remington. 1983. Characterization of *Toxoplasma gondii* antigens that react with human immunoglobulin M and immunoglobulin G antibodies. *Infect.Immun.* 41:331-338.

17. Erlich, H. A., G. Rodgers, P. Vaillancourt, F. G. Araujo, and J. S. Remington. 1983. Identification of an antigen-specific immunoglobulin M antibody associated with acute *Toxoplasma* infection. *Infect.Immun.* 41:683-690.
18. Partanen, P., H. J. Turunen, R. Paasivuo *et al.* 1983. Identification of antigenic components of *Toxoplasma gondii* by an immunoblotting technique. *FEBS Lett.* 158:252-254.
19. Verhofstede, C., L. Van Renterghem, and J. Plum. 1990. Evaluation of immunoblotting for the detection of *Toxoplasma gondii* immunoglobulin M antibodies. *Eur.J.Clin.Microbiol.Infect.Dis.* 9:835-837.
20. Chumpitazi, B. F., A. Boussaid, H. Pelloux *et al.* 1995. Diagnosis of congenital toxoplasmosis by immunoblotting and relationship with other methods. *J.Clin.Microbiol.* 33:1479-1485.
21. Bessieres, M. H., A. Berrebi, M. Rolland *et al.* 2001. Neonatal screening for congenital toxoplasmosis in a cohort of 165 women infected during pregnancy and influence of in utero treatment on the results of neonatal tests. *Eur.J.Obstet.Gynecol.Reprod.Biol.* 94:37-45.
22. Potasman, I., F. G. Araujo, and J. S. Remington. 1986. *Toxoplasma* antigens recognized by naturally occurring human antibodies. *J.Clin.Microbiol.* 24:1050-1054.
23. Huskinson, J., P. N. Stepick-Biek, F. G. Araujo *et al.* 1989. *Toxoplasma* antigens recognized by immunoglobulin G subclasses during acute and chronic infection. *J.Clin.Microbiol.* 27:2031-2038.
24. Couvreur, G., A. Sadak, B. Fortier, and J. F. Dubremetz. 1988. Surface antigens of *Toxoplasma gondii*. *Parasitology* 97:1-10.
25. Cesbron-Delauw, M. F., S. Tomavo, P. Beauchamps *et al.* 1994. Similarities between the primary structures of two distinct major surface proteins of *Toxoplasma gondii*. *J.Biol.Chem.* 269:16217-16222.
26. Manger, I. D., A. B. Hehl, and J. C. Boothroyd. 1998. The surface of *Toxoplasma* tachyzoites is dominated by a family of glycosylphosphatidylinositol-anchored antigens related to SAG1. *Infect.Immun.* 66:2237-2244.
27. Gross, U., T. Roos, D. Appoldt, and J. Heesemann. 1992. Improved serological diagnosis of *Toxoplasma gondii* infection by detection of immunoglobulin A (IgA) and IgM antibodies against P30 by using the immunoblot technique. *J.Clin.Microbiol.* 30:1436-1441.
28. Yamamoto, Y. I., J. R. Mineo, C. S. Meneghisse, A. C. Guimaraes, and M. Kawarabayashi. 1998. Detection in human sera of IgG, IgM and IgA to excreted/secreted antigens from *Toxoplasma gondii* by use of dot-ELISA and immunoblot assay. *Ann.Trop.Med.Parasitol.* 92:23-30.
29. Klein, U., R. Kuppers, and K. Rajewsky. 1997. Evidence for a large compartment of IgM-expressing memory B cells in humans. *Blood* 89:1288-1298.
30. Partanen, P., H. J. Turunen, R. T. Paasivuo, and P. O. Leinikki. 1984. Immunoblot analysis of *Toxoplasma gondii* antigens by human immunoglobulins G, M, and A antibodies at different stages of infection. *J.Clin.Microbiol.* 20:133-135.
31. Meek, B., T. van Gool, H. Gilis, and R. Peek. 2001. Dissecting the IgM antibody response during the acute and latent phase of toxoplasmosis. *Diagn.Microbiol.Infect.Dis.* 41:131-137.
32. Naot, Y., D. R. Guptill, and J. S. Remington. 1982. Duration of IgM antibodies to *Toxoplasma gondii* after acute acquired toxoplasmosis. *J.Infect.Dis.* 145:770.
33. Welch, P. C., H. Masur, T. C. Jones, and J. S. Remington. 1980. Serologic diagnosis of acute lymphadenopathic toxoplasmosis. *J.Infect.Dis.* 142:256-264.
34. Naot, Y. and J. S. Remington. 1980. An enzyme-linked immunosorbent assay for detection of IgM antibodies to *Toxoplasma gondii*: use for diagnosis of acute acquired toxoplasmosis. *J.Infect.Dis.* 142:757-766.

35. Desmonts, G., Y. Naot, and J. S. Remington. 1981. Immunoglobulin M-immunosorbent agglutination assay for diagnosis of infectious diseases: diagnosis of acute congenital and acquired *Toxoplasma* infections. *J.Clin.Microbiol.* 14:486-491.
36. Herbrink, P., A. M. van Loon, J. P. Rotmans, F. van Knapen, and W. C. van Dijk. 1987. Interlaboratory evaluation of indirect enzyme-linked immunosorbent assay, antibody capture enzyme-linked immunosorbent assay, and immunoblotting for detection of immunoglobulin M antibodies to *Toxoplasma gondii*. *J.Clin.Microbiol.* 25:100-105.
37. Van Loon, A. M., J. T. van der Logt, F. W. Heessen, and J. van der Veen. 1983. Enzyme-linked immunosorbent assay that uses labeled antigen for detection of immunoglobulin M and A antibodies in toxoplasmosis: comparison with indirect immunofluorescence and double-sandwich enzyme-linked immunosorbent assay. *J.Clin.Microbiol.* 17:997-1004.
38. Decoster, A., F. Darcy, and A. Capron. 1988. Recognition of *Toxoplasma gondii* excreted and secreted antigens by human sera from acquired and congenital toxoplasmosis: identification of markers of acute and chronic infection. *Clin.Exp.Immunol.* 73:376-382.
39. Couzineau, P., H. Baufine-Ducrocq, Y. Peloux, and G. Desmonts. 1973. [Toxoplasmosis serodiagnosis by direct agglutination]. *Nouv.Presse Med.* 2:1604-1606.
40. Santoro, F., D. Afchain, R. Pierce *et al.* 1985. Serodiagnosis of toxoplasma infection using a purified parasite protein (P30). *Clin.Exp.Immunol.* 62:262-269.
41. Rotmans, J., W. Duchenne, C. Linschooten, V. N. In't, and A. Polderman. 1988. Comparative study of three immunoassays for detection of immunoglobulin M antibodies against *Toxoplasma gondii*. *Eur.J.Clin.Microbiol.Infect.Dis.* 7:535-538.
42. Beaman, M. H., R. E. McCabe, S. Y. Wong, and J. S. Remington. 1995. *Toxoplasma gondii*. In *Mandell, Douglas and Bennett's principles and practice of infectious diseases*. G. L. Mandell, J. E. Bennett, and R. Dolin, eds. Churchill Livingstone Inc., New York, pp. 2455-2475.
43. Cesbron, J. Y., A. Capron, G. Ovlaque, and F. Santoro. 1985. Use of a monoclonal antibody in a double-sandwich ELISA for detection of IgM antibodies to *Toxoplasma gondii* major surface protein (P30). *J.Immunol. Methods* 83:151-158.
44. Biemans, R., D. Gregoire, M. Haumont *et al.* 1998. The conformation of purified *Toxoplasma gondii* SAG1 antigen, secreted from engineered *Pichia pastoris*, is adequate for serorecognition and cell proliferation. *J.Biotechn.* 66:137-146.
45. Velge-Roussel, F., T. Charde, P. Mevelec *et al.* 1994. Epitopic analysis of the *Toxoplasma gondii* major surface antigen SAG1. *Mol.Biochem.Parasitol.* 66:31-38.
46. Leriche, M. A. and J. F. Dubremetz. 1991. Characterization of the protein contents of rhoptries and dense granules of *Toxoplasma gondii* tachyzoites by subcellular fractionation and monoclonal antibodies. *Mol.Biochem.Parasitol.* 45:249-259.
47. Ortega-Barria, E. and J. C. Boothroyd. 1999. A *Toxoplasma* lectin-like activity specific for sulfated polysaccharides is involved in host cell infection. *J.Biol.Chem.* 274:1267-1276.
48. Ossorio, P. N., J. D. Schwartzman, and J. C. Boothroyd. 1992. A *Toxoplasma gondii* rhoptry protein associated with host cell penetration has unusual charge asymmetry. *Mol.Biochem.Parasitol.* 50:1-15.
49. Schwartzman, J. D. 1986. Inhibition of a penetration-enhancing factor of *Toxoplasma gondii* by monoclonal antibodies specific for rhoptries. *Infect.Immun.* 51:760-764.
50. Carruthers, V. B. and L. D. Sibley. 1997. Sequential protein secretion from three distinct organelles of *Toxoplasma gondii* accompanies invasion of human fibroblasts. *Eur.J.Cell Biol.* 73:114-123.

51. Saffer, L. D., O. Mercereau-Puijalon, J. F. Dubremetz, and J. D. Schwartzman. 1992. Localization of a *Toxoplasma gondii* rhostry protein by immunoelectron microscopy during and after host cell penetration. *J. Protozool.* 39:526-530.
52. Aubert, D., G. T. Maine, I. Villena *et al.* 2000. Recombinant antigens to detect *Toxoplasma gondii*-specific immunoglobulin G and immunoglobulin M in human sera by enzyme immunoassay. *J. Clin. Microbiol.* 38:1144-1150.
53. Klaren, V. N. and R. Peek. 2002. Evidence for a compartmentalized B cell response as characterized by IgG epitope specificity in human ocular toxoplasmosis. *J. Immunol.* 167:6263-6269.
54. Nagel, S. D. and J. C. Boothroyd. 1989. The major surface antigen, P30, of *Toxoplasma gondii* is anchored by a glycolipid. *J. Biol. Chem.* 264:5569-5574.
55. Tomavo, S., R. T. Schwarz, and J. F. Dubremetz. 1989. Evidence for glycosyl-phosphatidylinositol anchoring of *Toxoplasma gondii* major surface antigens. *Mol. Cell. Biol.* 9:4576-4580.
56. Zinecker, C. F., B. Striepen, H. Geyer *et al.* 2001. Two glycoforms are present in the GPI-membrane anchor of the surface antigen 1 (P30) of *Toxoplasma gondii*. *Mol. Biochem. Parasitol.* 116:127-135.
57. Tomavo, S., G. Couvreur, M. A. Leriche *et al.* 1994. Immunolocalization and characterization of the low molecular weight antigen (4-5 kDa) of *Toxoplasma gondii* that elicits an early IgM response upon primary infection. *Parasitology* 108:139-145.
58. Harning, D., J. Spenter, A. Metsis, J. Vuust, and E. Petersen. 1996. Recombinant *Toxoplasma gondii* surface antigen 1 (P30 expressed in *Escherichia coli* is recognized by human toxoplasma-specific immunoglobulin M (IgM) and IgG antibodies. *Clin. Diagn. Lab. Immunol.* 3:355-357.
59. Suzuki, Y., R. Ramirez, C. Press *et al.* 2000. Detection of immunoglobulin M antibodies to P35 antigen of *Toxoplasma gondii* for serodiagnosis of recently acquired infection in pregnant women. *J. Clin. Microbiol.* 38:3967-3970.
60. Pekari, K., D. Tailler, R. Weingart, and R. R. Schmidt. 2001. Synthesis of the fully phosphorylated GPI anchor pseudohexasaccharide of *Toxoplasma gondii*. *J. Org. Chem.* 66:7432-7442.