Downloaded from UvA-DARE, the institutional repository of the University of Amsterdam (UvA)
http://dare.uva.nl/document/73418

File ID	73418
Filename	BIBLIOGRAPHY

SOURCE (OR PART OF THE FOLLOWING SOURCE):

Type	Dissertation
Title	Dual views of string impurities. Geometric singularities and flux backgrounds
Author	R.J. Duivenvoorden
Faculty	Faculty of Science
Year	2004
Pages	166

FULL BIBLIOGRAPHIC DETAILS:
http://dare.uva.nl/record/166264

Copyright

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use.

UvA-DARE is a service provided by the library of the University of Amsterdam (http://dare.uva.nl)

BIBLIOGRAPHY

[1] O. Pelc, "Holography, singularities on orbifolds and 4D N = 2 SQCD," JHEP **0003**, 012 (2000) [arXiv:hep-th/0001054].

[2] P. Mayr, Fortsch. Phys. **47**, 39 (1999) [arXiv:hep-th/9807096].

[3] N. Seiberg, "New theories in six dimensions and matrix description of M-theory on T**5 and T**5/Z(2)," Phys. Lett. B **408**, 98 (1997) [arXiv:hep-th/9705221].

[4] O. Aharony, M. Berkooz, D. Kutasov and N. Seiberg, "Linear dilatons, NS5-branes and holography," JHEP **9810**, 004 (1998) [arXiv:hep-th/9808149].

[5] E. Kiritsis, C. Kounnas, P. M. Petropoulos and I. Rizos, "Five-brane configurations, conformal field theories and the strong-coupling problem," [arXiv:hep-th/0312300].

[6] D. R. Morrison and M. R. Plesser, "Non-spherical horizons. I," Adv. Theor. Math. Phys. **3**, 1 (1999) [arXiv:hep-th/9810201].

[7] C. Bär, "Real Killing Spinors and Holonomy Commun. Math. Phys. **154**, (1993)

[8] C. P. Boyer and K. Galicki, "3-Sasakian Manifolds," Surveys Diff. Geom. **7**, 123 (1999) [arXiv:hep-th/9810250].

[9] T. H. Buscher, "A Symmetry Of The String Background Field Equations," Phys. Lett. B **194**, 59 (1987).

[10] M. Roček and E. Verlinde, "Duality, quotients, and currents," Nucl. Phys. B **373**, 630 (1992) [arXiv:hep-th/9110053].

[11] D. Tong, "NS5-branes, T-duality and worldsheet instantons," JHEP **0207**, 013 (2002) [arXiv:hep-th/0204186].

[12] S. W. Hawking, "Gravitational Instantons," Phys. Lett. A **60**, 81 (1977).

[13] G. W. Gibbons and S. W. Hawking, "Classification Of Gravitational Instanton Symmetries," Commun. Math. Phys. **66**, 291 (1979).

[14] R. Gregory, J. A. Harvey and G. W. Moore, "Unwinding strings and T-duality of Kaluza-Klein and H-monopoles," Adv. Theor. Math. Phys. **1**, 283 (1997) [arXiv:hep-th/9708086].

[15] C. G. . Callan, J. A. Harvey and A. Strominger, "Supersymmetric string solitons," [arXiv:hep-th/9112030].

[16] M. Rocek, K. Schoutens and A. Sevrin, "Off-shell WZW models in extended superspace," Phys. Lett. B **265**, 303 (1991).

[17] A. Cappelli, C. Itzykson and J. B. Zuber, "Modular Invariant Partition Functions In Two-Dimensions," Nucl. Phys. B **280**, 445 (1987).

[18] E. Witten, "Phases of N = 2 theories in two dimensions," Nucl. Phys. B **403**, 159 (1993) [arXiv:hep-th/9301042].

[19] H. Ooguri and C. Vafa, "Two-Dimensional Black Hole and Singularities of CY Manifolds," Nucl. Phys. B **463**, 55 (1996) [arXiv:hep-th/9511164].

[20] C. Vafa and N. P. Warner, "Catastrophes And The Classification Of Conformal Theories," Phys. Lett. B **218**, 51 (1989).

[21] W. Lerche, C. Vafa and N. P. Warner, "Chiral Rings In N=2 Superconformal Theories," Nucl. Phys. B **324**, 427 (1989).

[22] A. Giveon, D. Kutasov and O. Pelc, "Holography for non-critical superstrings," JHEP **9910**, 035 (1999) [arXiv:hep-th/9907178].

[23] A. Giveon and D. Kutasov, "Little string theory in a double scaling limit," JHEP **9910**, 034 (1999) [arXiv:hep-th/9909110].

[24] A. Giveon and D. Kutasov, "Comments on double scaled little string theory," JHEP **0001**, 023 (2000) [arXiv:hep-th/9911039].

[25] K. Sfetsos, "Branes for Higgs phases and exact conformal field theories," JHEP **9901**, 015 (1999) [arXiv:hep-th/9811167].

[26] K. Hori and A. Kapustin, "Duality of the fermionic 2d black hole and N = 2 Liouville theory as mirror symmetry," JHEP **0108**, 045 (2001) [arXiv:hep-th/0104202].

[27] G. Tian and S.-T. Yau, "Complete Kähler Manifolds with Zero Ricci Curvature II," Inv. Math. **106**, 27 (1991) .

[28] M. Henningson, "Mirror symmetry for the Kazama-Suzuki models," Nucl. Phys. B **423**, 631 (1994) [arXiv:hep-th/9402122].

[29] B. S. Acharya, J. M. Figueroa-O'Farrill, C. M. Hull and B. Spence, Adv. Theor. Math. Phys. **2**, 1249 (1999) [arXiv:hep-th/9808014].

[30] F. Cachazo, S. Katz and C. Vafa, "Geometric transitions and N = 1 quiver theories," [arXiv:hep-th/0108120].

[31] L. Castellani, L. J. Romans and N. P. Warner, "A Classification Of Compactifying Solutions For D = 11 Supergravity," Nucl. Phys. B **241**, 429 (1984).

[32] C. P. Boyer, K. Galicki, "New Einstein metrics in dimension five," J. Differential Geom. **57** (2001), no. 3, 443-463 [arXiv:math.DG/0003174].

[33] C. P. Boyer and K. Galicki, "On Sasakian-Einstein Geometry," Int. J. Math. **11**, 873 (2000) [arXiv:math.dg/9811098].

[34] J. M. Johnson and J. Kollár, "Kähler-Einstein Metrics on log del Pezzo Surfaces in Weighted Projective 3-spaces," Ann. Inst. Fourier (Grenoble) **51** (2001), no. 1 69-79, [arXiv:math.AG/0008129].

[35] J. M. Johnson and J. Kollár, "Fano Hypersurfaces in Weighted Projective 4-spaces," Experiment. Math. **10** (2001), no. 1, 151-158, [arXiv:math.AG/0008189].

[36] T. Friedrich and I. Kath, "Einstein Manifolds of Dimension Five with Small First Eigenvalue of the Dirac Operator", J. Diff. Geom **29** (1989) 263-279.

[37] C. P. Boyer, K. Galicki and M. Nakamaye, "On the geometry of Sasakian-Einstein 5-manifolds," Math. Ann. **325** (2003), 485-524, [arXiv:math.DG/0012047].

[38] G. Tian and S. T. Yau, "Kahler-Einstein Metrics On Complex Surfaces With C(1) > 0," Commun. Math. Phys. **112**, 175 (1987).

[39] J. P. Demailly and J. Kollár, "Semi-continuity of complex singularity exponents and Kähler-Einstein metrics on Fano orbifolds," Ann. Sci. École Norm. Sup. **34** (2001), no. 4, 525-556, [arXiv:math.AG/9910118].

[40] R. D'Auria, P. Fre and P. van Nieuwenhuizen, "N=2 Matter Coupled Supergravity From Compactification On A Coset G/H Possessing An Additional Killing Vector," Phys. Lett. B **136**, 347 (1984).

[41] L. Castellani, R. D'Auria and P. Fre, "SU(3) X SU(2) X U(1) From D = 11 Supergravity," Nucl. Phys. B **239**, 610 (1984).

[42] Y. Kazama and H. Suzuki, "New N=2 Superconformal Field Theories And Superstring Compactification," Nucl. Phys. B **321**, 232 (1989).

[43] Y. Kazama and H. Suzuki, "Characterization Of N=2 Superconformal Models Generated By Coset Space Method," Phys. Lett. B **216**, 112 (1989).

[44] J. Fuchs and C. Schweigert, "Level rank duality of WZW theories and isomorphisms of N=2 coset models," Annals Phys. **234**, 102 (1994) [arXiv:hep-th/9307107].

[45] C. Schweigert, "Poincare polynomials and level rank dualities in the N=2 coset construction," Theor. Math. Phys. **98**, 326 (1994) [Teor. Mat. Fiz. **98**, 467 (1994)] [arXiv:hep-th/9311168].

[46] T. Nakatsu, "Supersymmetric gauged Wess-Zumino-Witten models," Prog. Theor. Phys. **87**, 795 (1992).

[47] S. G. Naculich and H. J. Schnitzer, "Superconformal coset equivalence from level-rank duality," Nucl. Phys. B **505**, 727 (1997) [arXiv:hep-th/9705149].

[48] E. Kiritsis, C. Kounnas and D. Lust, "A Large Class Of New Gravitational And Axionic Backgrounds For Four-Dimensional Superstrings," Int. J. Mod. Phys. A **9**, 1361 (1994) [arXiv:hep-th/9308124].

[49] K. A. Intriligator and C. Vafa, "Landau-Ginzburg Orbifolds," Nucl. Phys. B **339**, 95 (1990).

[50] D. Gepner, "Exactly Solvable String Compactifications On Manifolds Of SU(N) Holonomy," Phys. Lett. B **199**, 380 (1987).

[51] D. Gepner and Z. a. Qiu, "Modular Invariant Partition Functions For Parafermionic Field Theories," Nucl. Phys. B **285**, 423 (1987).

[52] A. Strominger, S. T. Yau and E. Zaslow, "Mirror symmetry is T-duality," Nucl. Phys. B **479**, 243 (1996) [arXiv:hep-th/9606040].

[53] K. Hori and C. Vafa, "Mirror symmetry," [arXiv:hep-th/0002222].

[54] J. Wess and J. Bagger, "Supersymmetry And Supergravity,"

[55] J. Fuchs and C. Schweigert, "NonHermitian symmetric N=2 coset models, Poincare polynomials, and string compactification," Nucl. Phys. B **411**, 181 (1994) [arXiv:hep-th/9304133].

[56] E. J. Martinec, "Criticality, Catastrophes And Compactifications," Print-89-0373 (EFI,CHICAGO)

[57] E. Witten, "Constraints On Supersymmetry Breaking," Nucl. Phys. B **202**, 253 (1982).

[58] E. Witten, "Dynamical Breaking Of Supersymmetry," Nucl. Phys. B **188**, 513 (1981).

[59] C. Vafa and E. Zaslow, Eds. "Mirror Symmetry,"

[60] J. McKay, "Graphs, Singularities and Finite Groups," Proc. Symp. Pure Math. **37**, 183 (1980).

[61] M. R. Douglas and G. W. Moore, "D-branes, Quivers, and ALE Instantons," [arXiv:hep-th/9603167].

[62] N. J. Hitchin, A. Karlhede, U. Lindstrom and M. Rocek, "Hyperkahler Metrics And Supersymmetry," Commun. Math. Phys. **108**, 535 (1987).

[63] P. B. Kronheimer, "The Construction of ALE Spaces as Hyperkähler Quotients," J. Diff. Geom. **29**, 665 (1989).

[64] P. B. Kronheimer, "A Torelli-type Theorem for Gravitational Instantons," J. Diff. Geom. **29**, 685 (1989)

[65] P. Candelas, "Lectures On Complex Manifolds"

[66] P. Nagy, "Geometrically Formal Kähler Manifolds," Université de Neuchâtel preprint, (2002), [http://www.unine.ch/math/preprints/files/Nagy20-12-02.ps]

[67] C. P. Herzog and J. McKernan, "Dibaryon spectroscopy," JHEP **0308**, 054 (2003) [arXiv:hep-th/0305048].

[68] M. J. Duff, B. E. W. Nilsson and C. N. Pope, "Kaluza-Klein Supergravity," Phys. Rept. **130**, 1 (1986).

[69] J. Milnor, "On the 3-dimensional Brieskorn Manifolds," Ann. of Math. Studies **84**, 175 (1975).

[70] J. Milnor and P. Orlik, "Isolated Singularities Defined by Weighted Homogeneous Polynomials," Topology **9**, 385 (1970).

[71] J. Milnor, "Singular Points of Complex Hypersurfaces," Ann. Math. Stud. **61**, (1968).

[72] L. Nicolaescu, "Notes on the Topology of Complex Singularities," [http://www.nd.edu/~lnicolae/vita.html]

[73] J. P. Gauntlett, D. Martelli, J. Sparks and D. Waldram, "Sasaki-Einstein metrics on S(2) x S(3)," [arXiv:hep-th/0403002].

[74] J. P. Gauntlett, D. Martelli, J. F. Sparks and D. Waldram, "A new infinite class of Sasaki-Einstein manifolds," [arXiv:hep-th/0403038].

[75] I. Dolgachev, "Weighted Projective Varieties," Group Actions and Vector Fields, Lecture Notes in Math. **956**, 35 (1982)

[76] T. Hubsch, "Calabi-Yau Manifolds: A Bestiary For Physicists,"

[77] S. Gukov, C. Vafa and E. Witten, "CFT's from Calabi-Yau four-folds," Nucl. Phys. B **584**, 69 (2000) [Erratum-ibid. B **608**, 477 (2001)] [arXiv:hep-th/9906070].

[78] C. P. Boyer, K. Galicki and J. Kollar, "Einstein Metrics on Spheres," [arXiv:math.dg/0309408].

[79] A. Sen, "A note on enhanced gauge symmetries in M- and string theory," JHEP **9709**, 001 (1997) [arXiv:hep-th/9707123].

[80] N. Seiberg and E. Witten, "Gauge dynamics and compactification to three dimensions," [arXiv:hep-th/9607163].

[81] S. F. Hassan and A. Sen, "Marginal deformations of WZNW and coset models from O(d,d) transformation," Nucl. Phys. B **405**, 143 (1993) [arXiv:hep-th/9210121].

[82] A. Giveon and E. Kiritsis, "Axial vector duality as a gauge symmetry and topology change in string Nucl. Phys. B **411**, 487 (1994) [arXiv:hep-th/9303016].

[83] A. Giveon, M. Porrati and E. Rabinovici, "Target space duality in string theory," Phys. Rept. **244**, 77 (1994) [arXiv:hep-th/9401139].

[84] S. Forste, "A Truly marginal deformation of SL(2, R) in a null direction," Phys. Lett. B **338**, 36 (1994) [arXiv:hep-th/9407198].

[85] J. Polchinski, "String Theory. Vol. 1: An Introduction To The Bosonic String," "String Theory. Vol. 2: Superstring Theory And Beyond,"

[86] M. B. Green, J. H. Schwarz and E. Witten, "Superstring Theory. Vol. 1: Introduction," "Superstring Theory. Vol. 2: Loop Amplitudes, Anomalies And Phenomenology,"

[87] A. N. Kirillov, "Dilogarithm Identities," Prog. Theor. Phys. Suppl. **118**, 61 (1995) [arXiv:hep-th/9408113].

[88] F. A. Bais and P. Batenburg, "A New Class Of Higher Dimensional Kaluza-Klein Monopole And Instanton Solutions," Nucl. Phys. B **253**, 162 (1985).

[89] P. Candelas and X. C. de la Ossa, "Comments On Conifolds," Nucl. Phys. B **342**, 246 (1990).

[90] K. Hori and A. Kapustin, "Worldsheet descriptions of wrapped NS five-branes," JHEP **0211**, 038 (2002) [arXiv:hep-th/0203147].

[91] S. Mukhi and C. Vafa, "Two-dimensional black hole as a topological coset model of c = 1 string theory," Nucl. Phys. B **407**, 667 (1993) [arXiv:hep-th/9301083].

[92] B. R. Greene, C. Vafa and N. P. Warner, "Calabi-Yau Manifolds And Renormalization Group Flows," Nucl. Phys. B **324**, 371 (1989).

[93] D. Ghoshal and C. Vafa, "C = 1 string as the topological theory of the conifold," Nucl. Phys. B **453**, 121 (1995) [arXiv:hep-th/9506122].

[94] T. Eguchi and Y. Sugawara, "Modular invariance in superstring on Calabi-Yau n-fold with A-D-E singularity," Nucl. Phys. B **577**, 3 (2000) [arXiv:hep-th/0002100].

[95] T. Eguchi, Y. Sugawara and S. Yamaguchi, "Supercoset CFT's for string theories on non-compact special holonomy manifolds," Nucl. Phys. B **657**, 3 (2003) [arXiv:hep-th/0301164].

[96] D. Israel, C. Kounnas, A. Pakman and J. Troost, "The partition function of the supersymmetric two-dimensional black hole and little string theory," JHEP **0406**, 033 (2004) [arXiv:hep-th/0403237].

[97] D. Israel, C. Kounnas and M. P. Petropoulos, "Superstrings on NS5 backgrounds, deformed AdS(3) and holography," JHEP **0310**, 028 (2003) [arXiv:hep-th/0306053].

[98] A. Giveon and M. Rocek, "Supersymmetric string vacua on AdS(3) x N," JHEP **9904**, 019 (1999) [arXiv:hep-th/9904024].

[99] R. Argurio, A. Giveon and A. Shomer, "Superstring theory on AdS(3) x G/H and boundary N = 3 superconformal symmetry," JHEP **0004**, 010 (2000) [arXiv:hep-th/0002104].

[100] R. Argurio, A. Giveon and A. Shomer, "The spectrum of N = 3 string theory on AdS(3) x G/H," JHEP **0012**, 025 (2000) [arXiv:hep-th/0011046].

[101] A. Giveon and A. Pakman, "More on superstrings in AdS(3) x N," JHEP **0303**, 056 (2003) [arXiv:hep-th/0302217].

[102] B. R. Greene, "String theory on Calabi-Yau manifolds," [arXiv:hep-th/9702155].

[103] J. S. Song, "Three-dimensional Gorenstein singularities and SU(3)-hat modular invariants," Adv. Theor. Math. Phys. **4**, 791 (2000) [arXiv:hep-th/9908008].

[104] J. P. Gauntlett, D. Martelli, J. Sparks and D. Waldram, "Supersymmetric AdS(5) solutions of M-theory," [arXiv:hep-th/0402153].

[105] B. J. Harrington and H. K. Shepard, "Periodic Euclidean Solutions And The Finite Temperature Yang-Mills Gas," Phys. Rev. D **17**, 2122 (1978).

[106] K. Ohta and T. Yokono, "Linear dilaton background and fully localized intersecting five-branes," Phys. Rev. D **63**, 105011 (2001) [arXiv:hep-th/0012030].

[107] M. Aganagic, R. Dijkgraaf, A. Klemm, M. Marino and C. Vafa, "Topological strings and integrable hierarchies," [arXiv:hep-th/0312085].

[108] R. Dijkgraaf, A. Sinkovics and M. Temurhan, "Universal correlators from geometry," [arXiv:hep-th/0406247].

[109] R. Boels, J. de Boer, R. Duivenvoorden and J. Wijnhout, "Nonperturbative superpotentials and compactification to three dimensions," JHEP **0403**, 009 (2004) [arXiv:hep-th/0304061].

[110] R. Boels, J. de Boer, R. Duivenvoorden and J. Wijnhout, "Factorization of Seiberg-Witten curves and compactification to three dimensions," JHEP **0403**, 010 (2004) [arXiv:hep-th/0305189].